

Jasmy Secure PC マネージャー

操作手順書

Ver. 3.0

ジャスミー株式会社



内容

商標について	2
1. “Jasmy Secure PC マネージャー” とは.....	3
2. 推奨環境.....	4
3. 事前準備.....	5
4. 起動方法.....	11
5. 使用方法.....	14
5.1. ホーム画面の見方.....	14
5.2. 管理下ユーザーの追加	16
5.3. 管理下ユーザーを強制的に追加する	26
5.4. 管理下ユーザーの削除	29
5.5. 管理下ユーザー一覧の表示	36
5.6. 管理下ユーザー情報の編集	45
5.7. 管理下ユーザーの検索	49
5.8. 管理下ユーザーの使用 PC の表示	52
5.9. 管理下ユーザーのプロフィール編集.....	57
5.10. 管理下ユーザーのエージェント設定	62
5.11. 管理下ユーザーの作業状況(ダッシュボード)の表示	68
5.12. 管理下ユーザー稼働情報履歴の表示	77
5.13. オンラインコマンドの発行	84
5.14. QR コードの発行.....	96
5.15. ログ検索	107
5.16. 稼働ログのダウンロード.....	117
5.17. グループの作成	128
5.18. グループ一覧の表示	134
5.19. グループメンバー一覧の表示.....	136
5.20. グループへのメンバー追加	144
5.21. グループメンバーの編集.....	159
5.22. アラートの設定	172
5.23. グループからのメンバーの削除	188

5.24. グループの削除	194
5.25. 管理下 PC 一覧の表示	200
5.26. 管理下 PC 一覧表示項目の設定	203
5.27. 管理下 PC の詳細情報の表示	207
5.28. 管理下 PC の検索.....	211
5.29. パスワードのリセット	213
5.30. ログアウト方法	219
5.31. 言語設定	222
6. Jasmy Secure PC エージェント DR から PRO へのアップグレードについて.....	225
7. 制限事項.....	225
8. OSS ライセンス	226

商標について


本書に記載されている会社名、システム名、製品名は一般に各社の登録商標または商標です。

なお、本文および図表中では、「™」、「®」は明記しておりません。

- Microsoft および Windows は、米国 Microsoft Corporation の米国およびその他の国での商標または登録商標です。
- QR コードは、(株)デンソーウェーブの登録商標です。
- ゴーストドライブは、ジャスミー株式会社の登録商標です。

1. “Jasmy Secure PC マネージャー” とは

“Jasmy Secure PC マネージャー” は、アプリケーション “Jasmy Secure PC Agent” を起動している端末の一覧表示、各端末の詳細情報を表示することのできる Web サイトです。



The screenshot shows the 'Jasmy Secure PC Manager' web interface. On the left is a navigation menu with 'ホーム', 'ユーザー', 'グループ', and 'PC'. The main content area is titled 'ユーザー一覧' (User List). It features a search bar with '名前' (Name), 'グループ' (Group), and 'ステータス' (Status) filters. Below the search bar is a table of users with columns for Name, Email, Status, Label, Today's Work Time, Work Start Time, Last Work Time, and Last Status Update Time. The table lists several users with their respective status indicators (e.g., '13日 非稼働', '26分 休部').

<input type="checkbox"/>	名前 ↓	メールアドレス	ステータス	ラベル	本日の稼働時間	稼働開始日時	最終稼働日時	最終ステータス更新日時
<input type="checkbox"/>	関口 麗志	xxxxxxxxxx@example.com	13日 非稼働	法務部	稼働無し	稼働無し	2024/06/24 18:08:00	2024/06/24 18:08:13
<input type="checkbox"/>	鈴木 和也	xxxxxxxxxx@example.com	26分 休部	エイゴヨウ	00時 稼働26分	2024/07/08 11:55:41	2024/07/08 11:55:41	2024/07/08 11:55:41
<input type="checkbox"/>	遠藤 秋穂	xxxxxxxxxx@example.com	12日 非稼働	エイゴヨウ	稼働無し	稼働無し	2024/06/24 15:55:00	2024/06/24 15:56:00
<input type="checkbox"/>	菊野 高都	xxxxxxxxxx@example.com	13日 非稼働	ケイリ	稼働無し	稼働無し	2024/06/24 15:59:00	2024/06/24 15:59:41
<input type="checkbox"/>	石原 美由紀	xxxxxxxxxx@example.com	10日 非稼働	シザイ	稼働無し	稼働無し	2024/06/27 14:42:00	2024/06/27 14:42:48
<input type="checkbox"/>	田野辺 洋子	xxxxxxxxxx@example.com	9日 非稼働	ジンジ	稼働無し	稼働無し	2024/06/28 12:24:00	2024/06/28 12:24:55
<input type="checkbox"/>	田中 幸孝	xxxxxxxxxx@example.com	2日 非稼働	エイゴヨウ	稼働無し	稼働無し	2024/07/05 18:37:00	2024/07/05 18:38:02

Jasmy Secure PC マネージャーのユーザー一覧画面

主要な機能は、以下の通りです。

- アプリケーション“Jasmy Secure PC エージェント”を起動しているユーザーの追加 / 削除
- ユーザー一覧
- ユーザーの検索
- PC 一覧
- PC の検索
- 端末の詳細情報表示
- Windows Update 履歴
- 稼働状況、アプリケーション利用履歴、ファイルアクセス履歴の表示
- 稼働情報履歴
- グループの作成

ジャスミー株式会社

- アラート設定
- オンラインコマンドの発行
- QRコードの発行
- ネットワーク履歴
- ネットワーク/Web 閲覧制御の設定
- パスワードのリセット

2. 推奨環境

“Jasmy Secure PC マネージャー”は、以下の環境でご利用いただくことを推奨します。

推奨環境以外の環境でご利用頂いた場合、また推奨環境下でもお客様のブラウザの設定によっては正しくご利用出来ない場合がございます。ご了承ください。

ご不明な点、お問い合わせは、ジャスミー株式会社サポート窓口

(<https://dx.jasmy.co.jp/contact/>) までお願いします。

推奨 OS

- Windows10 および Windows 11

ブラウザ

- Microsoft Edge および Chrome

3. 事前準備

“Jasmy Secure PC マネージャー”を利用するには、次の手順に従って事前準備が必要です。

1. アプリケーション“Jasmy Secure PC Agent Pro”を起動します

※アプリケーションのインストールや起動方法については、Jasmy Secure PC エージェント PRO の操作手順書を参照してください


※Jasmy Secure PC エージェント PRO を最初に立ち上げたら、メイン画面(ダッシュボード)右上のユーザーメールアドレスを選択、“ユーザープロフィール”の入力を行うことができます

2. メイン画面(ダッシュボード)左上にある三本線を選択し、“マネージャー起動”ボタンを選択します



3. “Jasmy Secure PC マネージャー”の Web サイトが開きます

事前にメールで送付されているマネージャーのメールアドレスと仮パスワード(次ページ
図参照)を入力し、“ログイン”ボタンを選択します



注意:

仮パスワードの有効期限は、仮登録完了のメール受信後 30 日となります
有効期限内に、仮パスワード認証・パスワード変更を行ってください

ジャスミー株式会社

件名:マネージャー 仮登録完了のお知らせ(ジャスミー株式会社)

本文

ジャスミー株式会社でございます。

このたびは Jasmy Secure PC マネージャー にお申込みいただき誠にありがとうございました。

大変お待たせいたしました。仮登録が完了しましたのでご案内させていただきます。

操作方法などをご確認のうえ、ご利用ください。

現在は、仮登録の状態です。

本登録を完了するには、下記の<Jasmy Secure PC マネージャーを使用するための事前準備>を行ってください。

■ご登録いただいたメールアドレス

XXXX@YYY.co.jp

■仮パスワード

abcdefg123

※仮パスワードの有効期限は、本メール受信後30日です。

有効期限内にパスワードの変更をお願いいたします。

ご登録いただいたメールアドレスと仮パスワードは、初回ログインをする際に必要となります。

忘れず保管をお願いいたします。

<Jasmy Secure PC マネージャーを使用するための事前準備>

1. Jasmy Secure PC エージェント PRO のインストールをしてください。

※ インストール方法については、Jasmy Secure PC エージェント PRO をお申込みいただいた際に送信されたメール(件名:ダウンロードのご案内と仮登録完了のお知らせ(ジャスミー株式会社))を参照してください。

2. Jasmy Secure PC エージェント PRO を起動して、"マネージャーの起動"ボタンを選択してください。

3. Jasmy Secure PC マネージャー が起動します。

4. ログイン画面のメールアドレスにご登録いただいたメールアドレス、パスワードにこのメールに記載されている仮パスワードを入力してください。

5. 次にパスワード変更画面が表示されるので、新しいパスワードの入力欄に、半角英数字を組み合わせて、少なくとも1つの数字を含む8文字以上で登録してください。

※ 仮パスワードでは Jasmy Secure PC マネージャー を使用できません。

使用前に必ずパスワードの変更を行ってください。

以上で、「Jasmy Secure PC マネージャー」を使用するための事前準備は完了です。

ご不明な点、お問い合わせは、

ジャスミー株式会社サポート窓口 (<https://dx.jasmy.co.jp/contact/>) にお問い合わせください。

仮登録時に送付されるメール

4. パスワード初期設定画面が表示されますので、メールアドレスが正しいことを確認します。事前にメールで送付されている仮パスワードを入力、次に新しいパスワードを入力し、“ログイン”ボタンを選択します

※入力する新しいパスワードは、半角英数字を組み合わせ、少なくとも1つの数字を含む8文字以上で入力してください

パスワード初期設定

xxxxxxxxxx@example.com

仮パスワード* 入力

パスワードは、8文字以上で半角の英字と数字が少なくとも一文字以上含まれる形式をお願いします。(使用できる文字、0~9、a~z、A~Z、./-)

新しいパスワード* 入力

パスワード初期設定

ver: 1.0.0.c8f6

注意:


仮パスワード認証・パスワード再設定を行わなかった場合は、“Jasmy Secure PC マネージャー”は、利用できません

必ず仮パスワード認証・パスワード再設定(手順3と4)を行ってください

5. Jasmy SecurePC エンドユーザーライセンス規約を読み、画面一番下の“Jasmy Secure PC エンドユーザーライセンス規約に同意する”チェックボックスにチェックをいれます
6. “利用開始する”ボタンを選択します



7. “Jasmy Secure PC マネージャー”の事前準備が完了しました



注意:

起動直後は、管理するユーザー（アプリケーション“Jasmy Secure PC エージェント”を利用しているユーザー）は、空の状態です

「[5.2. 管理下ユーザーの追加](#)」を参照して管理するユーザーを追加し、ご利用ください

4. 起動方法

“Jasmy Secure PC マネージャー”は、下記の手順に従って Web サイトを開きます

1. “Jasmy Secure PC Agent Pro”を起動します

※アプリケーションの起動方法は、Jasmy Secure PC エージェント PRO の操作手順書を参照してください

2. メイン画面 (ダッシュボード) 左上にある三本線を選択し、“マネージャーの起動”ボタンを選択します



3. “Jasmy Secure PC マネージャー”の Web サイトが開きます

4. 登録したメールアドレスと事前準備で変更したパスワードを入力し、“ログイン”ボタンを選択します

ログイン | Jasmy Secure PC Manager

https://manager...

Jasmy Secure PC Manager

ログイン


メールアドレス*
xxxxxxxxxx@example.com

パスワード*
.....

[パスワードを忘れた場合](#)

ログイン

5. ホーム画面が表示され、“Jasmy Secure PC マネージャー”を利用できます



5. 使用方法

5.1. ホーム画面の見方

ホーム画面には、以下の項目が表示されます



➤ メニュー (①)

◇ ホーム

◇ ユーザー

詳細は、「[5.5. 管理下ユーザー一覧の表示](#)」を参照してください

◇ グループ

詳細は、「[5.18. グループ一覧の表示](#)」を参照してください

◇ PC

詳細は、「[5.25. 管理下 PC 一覧の表示](#)」を参照してください

➤ 現在ログインしている管理者アカウント (②)

<プルダウンリスト>

- マネージャーのメールアドレス
- 言語設定
- FAQ
- エンドユーザーライセンス規約
- ログアウト

▶ 遷移履歴リスト(③)

画面の遷移履歴が表示され、遷移履歴(リンク)を選択することで遷移元画面に戻ることができます

▶ ホーム(④)



(i) ユーザー数

管理しているユーザーの数を表示

ユーザー一覧へのリンク

(ii) グループ数

作成したグループの数を表示

グループ一覧へのリンク

(iii) PC 数

管理している PC の数を表示


PC 一覧へのリンク

▶ バージョン情報(⑤)

ホーム画面右下にて、バージョンを確認できます

5.2. 管理下ユーザーの追加

1. ホーム画面の左にあるメニューの“ユーザー”、または、ホームにある“ユーザー数”を選択します



2. ユーザー一覧画面から“ユーザー追加”ボタンを選択します


<リスト表示>



※ユーザー一覧の表示モードは“リスト表示”（※）と“カード表示”（次ページ参照）があります（初回起動時は、“リスト表示”で表示します）

詳細は [5.5. 管理下ユーザー一覧の表示](#) を参照してください

<カード表示>



3. ユーザー追加画面で追加したいユーザーのメールアドレスを入力フォームに入力し、“リクエスト送信”ボタンを選択します

ユーザー一覧 > ユーザー追加

ユーザー追加

管理ユーザーの追加リクエスト送信ができます。
リクエスト送信したユーザーが承認した場合、本マネージャ配下の管理ユーザーとして追加され、ユーザー一覧から情報を確認できます。
読み込むCSVファイルは以下のようにタイトルなしで、改行してメールアドレスを入力してください。

user01@example.com
user02@example.com

送信先追加 CSVファイル読み込み

追加するユーザーのメールアドレス
xxxxxxxxxx@example.com 削除

リクエスト送信

メールアドレスを入力する際メールアドレス形式でないものが入力された場合、入力欄の下にメッセージを表示し、“リクエスト送信”ボタンを選択することができなくなります

4. 確認ダイアログに表示されたユーザーのメールアドレスが正しい事を確認し、“ユーザーにリクエスト送信”ボタンを選択します



※このとき、入力したメールアドレスのユーザーにリクエストメールが送信されます
詳細は、“Jasmy Secure PC エージェント”の操作手順書を参照してください

5. リクエストを送ったユーザーが承認すると、ユーザー一覧にユーザーが追加されます



▶ メッセージ(①)

- ◇ リクエスト送信に成功した場合:「ユーザー追加のリクエストを送信しました。」
成功したメールアドレスが複数あったとしても、メッセージはまとめて1つ表示します
- ◇ リクエスト送信に失敗した場合:エラー内容に応じたメッセージを表示
失敗した場合には、エラー内容に応じたメッセージを表示します

▶ リクエスト送信をしたメールアドレス(②)

リクエスト送信したメールアドレスが表示されます

なお、複数名のユーザーを一度に登録したい場合は、下記の2種類の方法があります

- 送信先を追加して行う方法
- CSVファイルからメールアドレスを読み込ませる方法

<送信先を追加して行う方法>

- ① ユーザー追加画面で“送信先追加”ボタンを選択します



- ② メールアドレス入力フォームが追加されるので、追加したいユーザーの人数分入力フォームを追加し、各入力フォームにメールアドレスを入力後“リクエスト送信”ボタンを選択します

※入力フォームを削除したい場合は、フォーム右端にある“削除”ボタンを選択してください

※“削除”ボタンがグレーになって押せない時は再度“送信先追加”ボタンを選択し、“削除”ボタンが押せる状態になったら削除したい行の“削除”ボタンを選択してください


- ③ 確認ダイアログに表示されたユーザーのメールアドレスが正しい事を確認し、“ユーザーにリクエスト送信”ボタンを選択します

< CSV ファイルからメールアドレスを読み込ませる方法 >

- ① ユーザー追加画面で“CSV ファイル読み込み”ボタンを選択します



- ② ファイルを開くダイアログが表示されるので、追加登録したいユーザーのメールアドレスが入力された CSV ファイルを選び、“開く”ボタンを選択します



- ③ CSV ファイルよりメールアドレスが読み込まれます
メールアドレスが入力されたら“リクエスト送信”ボタンを選択します
- ④ 確認ダイアログに表示されたユーザーのメールアドレスが正しい事を確認し、“ユーザーにリクエスト送信”ボタンを選択します

5.3. 管理下ユーザーを強制的に追加する

※この機能はエージェントを強制的に追加する権限があるマネージャーにのみご利用いただけるオプションです。権限のあるマネージャーには[強制的に追加]ボタンが表示されます
エージェントの強制的追加の権限付与をご希望の方は、sales@jasmy.co.jp までご連絡ください

1. ユーザー追加画面で追加したい強制追加対象のユーザーのメールアドレスを入力フォームに入力し、“強制的に追加”ボタンを選択します



2. 確認ダイアログに表示されたユーザーのメールアドレスが正しい事を確認し、“強制的に追加”ボタンを選択します



3. ユーザー一覧にユーザーが強制追加されます



➤ メッセージ(①)

✧ 送信に成功した場合:「ユーザーを強制追加しました。」

追加したメールアドレスが複数あったとしても、メッセージはまとめて1つ表示します

✧ 送信に失敗した場合:エラー内容に応じたメッセージを表示


失敗した場合には、エラー内容に応じたメッセージを表示します

➤ 送信をしたメールアドレス(②)

送信したメールアドレスが表示されます

5.4. 管理下ユーザーの削除

1. ホーム画面の左にあるメニューの“ユーザー”、または、ホームにある”ユーザー数”を選択します



2. ユーザー一覧のリスト表示から、削除したいユーザーのチェックボックスにチェックをいれます

<リスト表示>

ユーザー一覧

編集 削除

名前 グループ ステータス

表示情報の選択

<input type="checkbox"/>	名前 ↑	メールアドレス	ステータス	ラベル	本日の稼働時間	稼働開始日時	最終稼働日時	最終ステータス更新日
<input checked="" type="checkbox"/>	中村 健華	xxxxxxxxxx@example.com	12日 非稼働	ジンジ	稼働無し	稼働無し	2024/06/24 15:40:00	2024/06/24 15:40:18
<input type="checkbox"/>	佐々木 智子	xxxxxxxxxx@example.com	1時間 非稼働	ケイリ	00時55分	2024/07/08 09:22:00	2024/07/08 10:17:00	2024/07/08 10:17:32
<input type="checkbox"/>	栗原 幸三	xxxxxxxxxx@example.com	13日 非稼働	カイハツ	稼働無し	稼働無し	2024/06/24 15:27:00	2024/06/24 15:27:43
<input type="checkbox"/>	田中 幸孝	xxxxxxxxxx@example.com	2日 非稼働	エイギョウ	稼働無し	稼働無し	2024/07/05 18:37:00	2024/07/05 18:38:02
<input type="checkbox"/>	田野辺 洋子	xxxxxxxxxx@example.com	9日 非稼働	ジンジ	稼働無し	稼働無し	2024/06/28 12:24:00	2024/06/28 12:24:55
<input type="checkbox"/>	石原 美由紀	xxxxxxxxxx@example.com	10日 非稼働	シザイ	稼働無し	稼働無し	2024/06/27 14:42:00	2024/06/27 14:42:48
<input type="checkbox"/>	菊野 高都	xxxxxxxxxx@example.com	13日 非稼働	ケイリ	稼働無し	稼働無し	2024/06/24 15:59:00	2024/06/24 15:59:41


※管理下ユーザーの削除は“ユーザー一覧”の“リスト表示”画面でのみ行えます

3. “削除”ボタンを選択します

The screenshot shows the 'ユーザー一覧' (User List) page in the 'Jasmy Secure PC Manager' application. The '削除' (Delete) button is highlighted with a red box. The page includes a sidebar with navigation options (ホーム, ユーザー, グループ, PC) and a main content area with a table of users. The table has columns for name, email, status, label, login time, start time, end time, and last update time. The first user, '中村 優華', is selected.

名前	メールアドレス	ステータス	ラベル	本日の稼働時間	稼働開始日時	最終稼働日時	最終ステータス更新日
<input checked="" type="checkbox"/> 中村 優華	xxxxxxxxxx@example.com	13日 非稼働	ジンジ	稼働無し	稼働無し	2024/06/24 15:40:00	2024/06/24 15:40:18
<input type="checkbox"/> 佐々木 智子	xxxxxxxxxx@example.com	1時間 非稼働	ケイリ	00時55分	2024/07/08 09:22:00	2024/07/08 10:17:00	2024/07/08 10:17:32
<input type="checkbox"/> 栗原 幸三	xxxxxxxxxx@example.com	13日 非稼働	カイハツ	稼働無し	稼働無し	2024/06/24 15:27:00	2024/06/24 15:27:43
<input type="checkbox"/> 田中 幸孝	xxxxxxxxxx@example.com	2日 非稼働	エイギョウ	稼働無し	稼働無し	2024/07/05 18:37:00	2024/07/05 18:38:02
<input type="checkbox"/> 田野辺 洋子	xxxxxxxxxx@example.com	9日 非稼働	ジンジ	稼働無し	稼働無し	2024/06/28 12:24:00	2024/06/28 12:24:55
<input type="checkbox"/> 石原 美由紀	xxxxxxxxxx@example.com	10日 非稼働	シサイ	稼働無し	稼働無し	2024/06/27 14:42:00	2024/06/27 14:42:48
<input type="checkbox"/> 菊野 高都	xxxxxxxxxx@example.com	12日 非稼働	ケイリ	稼働無し	稼働無し	2024/06/24 15:59:00	2024/06/24 15:59:41

4. “ユーザー削除”ダイアログが表示されるので、削除ユーザー名とメールアドレスが正しいことを確認し、ダイアログにある”削除”ボタンを選択します



※ ここでの削除はあくまで管理下ユーザーから外れることであり、ユーザーが削除されることではありません。

5. 全員を一度に削除する場合は、“ユーザー一覧(リスト表示)”画面一番上のチェックボックスを選択します

The screenshot shows the 'ユーザー一覧' (User List) page in the 'Jasmy Secure PC Manager' application. The page includes a sidebar with navigation options (ホーム, ユーザー, グループ, PC) and a main content area with a table of users. A red box highlights the top-left checkbox, which is used for selecting all users for deletion.


<input checked="" type="checkbox"/>	名前 ↑	メールアドレス	ステータス	ラベル	本日の稼働時間	稼働開始日時	最終稼働日時	最終ステータス更新日
<input checked="" type="checkbox"/>	中村 優華	xxxxxxxxxx@example.com	13日 非稼働	シンジ	稼働無し	稼働無し	2024/06/24 15:40:00	2024/06/24 15:40:18
<input checked="" type="checkbox"/>	佐々木 智子	xxxxxxxxxx@example.com	1時間 非稼働	ケイリ	00時間55分	2024/07/08 09:22:00	2024/07/08 10:17:00	2024/07/08 10:17:32
<input checked="" type="checkbox"/>	栗原 幸三	xxxxxxxxxx@example.com	13日 非稼働	カイハツ	稼働無し	稼働無し	2024/06/24 15:27:00	2024/06/24 15:27:43
<input checked="" type="checkbox"/>	田中 幸孝	xxxxxxxxxx@example.com	2日 非稼働	エイギョウ	稼働無し	稼働無し	2024/07/05 18:37:00	2024/07/05 18:38:02
<input checked="" type="checkbox"/>	田野辺 洋子	xxxxxxxxxx@example.com	9日 非稼働	シンジ	稼働無し	稼働無し	2024/06/28 12:24:00	2024/06/28 12:24:55
<input checked="" type="checkbox"/>	石原 美由紀	xxxxxxxxxx@example.com	10日 非稼働	シザイ	稼働無し	稼働無し	2024/06/27 14:42:00	2024/06/27 14:42:48
<input checked="" type="checkbox"/>	菊野 高都	xxxxxxxxxx@example.com	13日 非稼働	ケイリ	稼働無し	稼働無し	2024/06/24 15:59:00	2024/06/24 15:59:41

6. “削除”ボタンを選択します

The screenshot shows the 'ユーザー一覧' (User List) page in the 'Jasmy Secure PC Manager' application. The '削除' (Delete) button is highlighted with a red box. The page includes a sidebar with navigation options (ホーム, ユーザー, グループ, PC) and a main content area with a search and filter section. The user list table contains the following data:

名前	メールアドレス	ステータス	ラベル	本日の稼働時間	稼働開始日時	最終稼働日時	最終ステータス更新日
中村 優華	xxxxxxxxx@example.com	13日 非稼働	シンジ	稼働無し	稼働無し	2024/06/24 15:40:00	2024/06/24 15:40:18
佐々木 智子	xxxxxxxxx@example.com	1時間 非稼働	ケイリ	00時間55分	2024/07/08 09:22:00	2024/07/08 10:17:00	2024/07/08 10:17:32
栗原 幸三	xxxxxxxxx@example.com	13日 非稼働	カイハツ	稼働無し	稼働無し	2024/06/24 15:27:00	2024/06/24 15:27:43
田中 幸孝	xxxxxxxxx@example.com	2日 非稼働	エイギョウ	稼働無し	稼働無し	2024/07/05 18:37:00	2024/07/05 18:38:02
田野辺 洋子	xxxxxxxxx@example.com	9日 非稼働	シンジ	稼働無し	稼働無し	2024/06/28 12:24:00	2024/06/28 12:24:55
石原 美由紀	xxxxxxxxx@example.com	10日 非稼働	シザイ	稼働無し	稼働無し	2024/06/27 14:42:00	2024/06/27 14:42:48
菊野 高都	xxxxxxxxx@example.com	13日 非稼働	ケイリ	稼働無し	稼働無し	2024/06/24 15:59:00	2024/06/24 15:59:41

7. “ユーザー削除”ダイアログが表示されるので削除ユーザー名が正しいことを確認し
ダイアログにある”削除”ボタンを選択します




5.5. 管理下ユーザー一覧の表示

“Jasmy Secure PC マネージャー”では、ユーザー一覧の表示モードに“リスト表示”と“カード表示”があります

なお、初回起動時は、“リスト表示”で表示し、表示モードを変更した場合は、次回以降表示モードの状態を維持します

<リスト表示>

1. ホーム画面の左にあるメニューの“ユーザー”、または、ホームにある“ユーザー数”を選択します



2. リスト表示で現在ログインしている管理者が管理をしているユーザーの一覧が表示されます



➤ 名前検索ボックス(①)

ユーザー名の入力によりユーザーを検索(部分一致)することができます

➤ グループフィルター選択リスト(②)

作成したグループを選択することにより、選択したグループに登録されているユーザーのみを表示することができます

グループ作成については、「[5.17. グループの作成](#)」を参照してください

➤ ステータス選択リストボックス(③)

表示させたいステータス(指定なし・稼働・離席・休憩・非稼働)を選択することにより、選択されたステータスのユーザーのみを表示することができます

➤ 表示形式ラジオボタン(④)

2つの方法(リスト表示・カード表示)から表示方法を選択することができます

※ユーザーの編集・削除は「リスト表示」画面から行います

- ▶ ユーザー選択チェックボックス(⑤)
編集したいユーザーのチェックボックスを選択することにより編集ボタン(⑭)、削除ボタン(⑮)が選択できるようになります
一番上のチェックボックスを選択すると、ユーザー全員が選択され一括編集・削除ができます

- ▶ 名前(⑥)
管理しているユーザー名を表示します
ユーザー名を選択するとユーザーの使用 PC 一覧ページ・稼働情報ページに遷移します

- ▶ メールアドレス(⑦)
管理しているユーザーのメールアドレスを表示します

- ▶ ステータス(⑧)
ユーザーの現在のステータスを表示します

- ▶ ラベル(⑨)
ユーザーに設定したテキストを表示します

- ▶ 本日の稼働時間(⑩)
当日の稼働時間を表示します

- ▶ 稼働開始日時(⑪)
ユーザーの稼働開始日時を表示します

- ▶ 最終稼働日時(⑫)
ユーザーの最終稼働日時を表示します

- ▶ 最終ステータス更新日(⑬)
ユーザーの最終ステータス更新日を表示します

▶ 編集ボタン(⑭)

ユーザー編集画面を表示します

ユーザー選択チェックボックス(⑤)が選択されていない時はボタンの選択はできません

▶ 削除ボタン(⑮)

ユーザー削除画面を表示します


ユーザー選択チェックボックス(⑤)が選択されていない時はボタンの選択はできません

▶ ユーザー追加ボタン(⑯)

ユーザー追加画面を表示します

ユーザー追加の方法は、「[5.2. 管理下ユーザー追加](#)」を参照してください

▶ 表示情報の選択(⑰)



ユーザー一覧に表示する項目を選ぶことができます

- 名前
- 名前(かな)
- メールアドレス
- ステータス
- 社員番号
- 所属
- ラベル

- 本日の稼働時間
- 稼働開始日時
- 最終稼働日時
- 最終ステータス更新時間

➤ 項目タイトル(⑱)


各項目のタイトル名を選択すると、それぞれの項目の並び順を昇順・降順に変えることができます

※ひらがな・カタカナ・アルファベット・数字で並び順を変えることができます

<カード表示>

“ユーザー一覧”画面の初回起動時は”リスト表示“で表示し、表示モードを変更した場合は、次回以降表示モードの状態を維持します

1. ホーム画面の左にあるメニューの“ユーザー”、または、ホームにある“ユーザー数”を選択します



2. 現在ログインしている管理者が管理をしているユーザーの一覧が表示されます

“ユーザー一覧”画面の右上にあるラジオボタンを右側の”カード表示” にします

ユーザー一覧

ユーザー一覧

編集 削除

名前 グループ ステータス

表示情報の選択

ユーザー追加

<input type="checkbox"/>	名前 ↑	メールアドレス	ステータス	ラベル	本日の稼働時間	稼働開始日時	最終稼働日時	最終ステータス更新日時
<input type="checkbox"/>	中村 優華	xxxxxxxxxx@example.com	13日 非稼働	ジンジ	稼働無し	稼働無し	2024/06/24 15:40:00	2024/06/24 15:40:18
<input type="checkbox"/>	佐々木 智子	xxxxxxxxxx@example.com	25分 稼働	ケイリ	01時稼 21分	2024/07/08 09:22:00	2024/07/08 10:17:00	2024/07/08 10:17:32
<input type="checkbox"/>	栗原 幸三	xxxxxxxxxx@example.com	13日 非稼働	カイハツ	稼働無し	稼働無し	2024/06/24 15:27:00	2024/06/24 15:27:43
<input type="checkbox"/>	田中 幸孝	xxxxxxxxxx@example.com	2日 非稼働	エイギョウ	稼働無し	稼働無し	2024/07/05 18:37:00	2024/07/05 18:38:02
<input type="checkbox"/>	田野辺 洋子	xxxxxxxxxx@example.com	9日 非稼働	ジンジ	稼働無し	稼働無し	2024/06/28 12:24:00	2024/06/28 12:24:55
<input type="checkbox"/>	石原 美由紀	xxxxxxxxxx@example.com	10日 非稼働	シザイ	稼働無し	稼働無し	2024/06/27 14:42:00	2024/06/27 14:42:48
<input type="checkbox"/>	菊野 高都	xxxxxxxxxx@example.com	12日 非稼働	ケイリ	稼働無し	稼働無し	2024/06/24 15:59:00	2024/06/24 15:59:41

3. カード表示でユーザー一覧が表示されます



- 名前検索ボックス(①)
ユーザー名の入力によりユーザーを検索(部分一致)することができます
- グループフィルター選択リスト(②)
作成したグループを選択することにより、選択したグループに登録されているユーザーのみを表示することができます
グループ作成についての詳細は、「[5.17. グループの作成](#)」を参照してください
- ステータス選択リストボックス(③)
表示させたいステータス(指定なし・稼働・離席・休憩・非稼働)を選択することにより、選択されたステータスのユーザーのみを表示することができます
- 表示形式ラジオボタン(④)
2つの方法(リスト表示・カード表示)から表示方法を選択することができます
- ユーザー追加ボタン(⑤)
ユーザー追加画面を表示します
ユーザー追加の方法は、「[5.2. 管理下ユーザー追加](#)」を参照してください

▶ ユーザー情報(⑥)


(i) **3分 稼働** **00時間03分** (ii)

 **鈴木 和也** (iii)
社員番号: 000000055 (iv)
所属: 営業部 (v)
xxxxxxxxxx@example.com (vi)
エイギョウ (vii)
稼働時間: 02時間35分 (viii)

- i. 稼働ステータス
ユーザーの最新稼働ステータスを表示します
- ii. 経過時間
i の稼働ステータス状態に切り替わってからの経過時間を表示します
- iii. ユーザー名
管理しているユーザーの名前を表示します
- iv. 社員 No.
管理しているユーザーの社員 No.を表示します
- v. 所属名
管理しているユーザーの所属名を表示します
- vi. メールアドレス
管理しているユーザーのメールアドレスを表示します
- vii. ラベル
ユーザーに設定したテキストを表示します
- viii. 稼働時間
当日の稼働時間(Secure PC を起動してから)を表示しています

5.6. 管理下ユーザー情報の編集

1. ホーム画面の左にあるメニューの”ユーザー”、または、ホームにある”ユーザー数”を選択します



2. ユーザー一覧が表示されます


“リスト表示”ラジオボタンを選択し、変更したいユーザーのチェックボックスにチェックを入れて“編集”ボタンを選択します

<リスト表示>


名前 ↑	メールアドレス	ステータス	ラベル	現在の稼働時間	稼働開始日時	最終稼働日時	最終ステータス更新日
<input checked="" type="checkbox"/> 中村 優華	xxxxxxxxx@example.com	13日 非稼働	シンジ	稼働無し	稼働無し	2024/06/24 15:40:00	2024/06/24 15:40:18
<input type="checkbox"/> 佐々木 智子	xxxxxxxxx@example.com	1時間 非稼働	ケイリ	00時55分	2024/07/08 09:22:00	2024/07/08 10:17:00	2024/07/08 10:17:32
<input type="checkbox"/> 東原 幸三	xxxxxxxxx@example.com	13日 非稼働	カイハツ	稼働無し	稼働無し	2024/06/24 15:27:00	2024/06/24 15:27:43
<input type="checkbox"/> 田中 幸季	xxxxxxxxx@example.com	2日 非稼働	エイギョウ	稼働無し	稼働無し	2024/07/05 18:37:00	2024/07/05 18:38:02
<input type="checkbox"/> 田野辺 洋子	xxxxxxxxx@example.com	9日 非稼働	シンジ	稼働無し	稼働無し	2024/06/28 12:24:00	2024/06/28 12:24:55
<input type="checkbox"/> 石原 美由紀	xxxxxxxxx@example.com	10日 非稼働	シザイ	稼働無し	稼働無し	2024/06/27 14:42:00	2024/06/27 14:42:48
<input type="checkbox"/> 菊野 高都	xxxxxxxxx@example.com	13日 非稼働	ケイリ	稼働無し	稼働無し	2024/06/24 15:59:00	2024/06/24 15:59:41

※管理下ユーザーの編集は“ユーザー一覧”の“リスト表示”画面でのみ行えます

3. 編集画面が表示されます
ユーザー名を選択します



4. 編集ボックスが表示されます



ここでは以下の項目の変更が可能です

- ◇ 姓(かな)
- ◇ 名(かな)
- ◇ 姓
- ◇ 名
- ◇ 社員番号
- ◇ 所属
- ◇ ラベル

※メールアドレスの変更はできません


5. 編集が完了したら“更新”ボタンを選択してください

注意:

こちらの編集画面で編集した項目は、“Jasmy Secure PC マネージャー”上で共有となっているため、変更した管理者の“Jasmy Secure PC マネージャー”上だけではなく、変更したユーザーを管理下に設定している全管理者上で編集した項目が変更されます。従って他の管理者によって変更された場合は、自分の“Jasmy Secure PC マネージャー”上の表示が変更になります。

5.7. 管理下ユーザーの検索

1. ホーム画面の左にあるメニューの”ユーザー”、または、ホームにある”ユーザー数“を選択します



2. 名前検索ボックスに検索キーワードを入力します

検索キーワードには、検索をしたいユーザーのユーザー名を入力してください

検索方法は、部分一致となります

<リスト表示>

The screenshot shows the 'Jasmy Secure PC Manager' interface. On the left is a navigation menu with 'ホーム' (Home), 'ユーザー' (User), 'グループ' (Group), and 'PC'. The main area is titled 'ユーザー一覧' (User List) and includes search filters for '名前' (Name), 'グループ' (Group), and 'ステータス' (Status). A table below lists user details:

<input type="checkbox"/>	名前 ↑	メールアドレス	ステータス	ラベル	本日の稼働時間	稼働開始日時	最終稼働日時	最終ステータス更新日時
<input type="checkbox"/>	中村 優華	xxxxxxxxxx@example.com	13日 非稼働	ジンジ	稼働無し	稼働無し	2024/06/24 15:40:00	2024/06/24 15:40:18
<input type="checkbox"/>	佐々木 智子	xxxxxxxxxx@example.com	25分 休職	ケイリ	01時21分	2024/07/08 09:22:00	2024/07/08 10:17:00	2024/07/08 10:17:32
<input type="checkbox"/>	栗原 幸三	xxxxxxxxxx@example.com	13日 非稼働	カイハツ	稼働無し	稼働無し	2024/06/24 15:27:00	2024/06/24 15:27:43
<input type="checkbox"/>	田中 幸孝	xxxxxxxxxx@example.com	2日 非稼働	エイギョウ	稼働無し	稼働無し	2024/07/05 18:37:00	2024/07/05 18:38:02
<input type="checkbox"/>	田野辺 洋子	xxxxxxxxxx@example.com	9日 非稼働	ジンジ	稼働無し	稼働無し	2024/06/28 12:24:00	2024/06/28 12:24:55
<input type="checkbox"/>	石原 美由紀	xxxxxxxxxx@example.com	10日 非稼働	シザイ	稼働無し	稼働無し	2024/06/27 14:42:00	2024/06/27 14:42:48
<input type="checkbox"/>	菊野 高都	xxxxxxxxxx@example.com	13日 非稼働	ケイリ	稼働無し	稼働無し	2024/06/24 15:59:00	2024/06/24 15:59:41


<カード表示>

The screenshot displays the 'ユーザー一覧' (User List) page in the 'Jasmy Secure PC Manager' application. The interface includes a sidebar with navigation options: ホーム (Home), ユーザー (User), グループ (Group), and PC. The main content area features a search and filter section with a text input field for '名前' (Name), which is highlighted with a red box, and dropdown menus for 'グループ' (Group) and 'ステータス' (Status). A 'ユーザー追加' (Add User) button is located in the top right corner. Below the search section, there is a grid of six user cards, each displaying a user's profile picture, name, employee ID, department, email, and last login time.

名前	グループ	ステータス	最終ログイン	残り時間
鈴木 和也			3分 稼働	00時間03分
田村 洋子			9日 非稼働	23時間32分
岡野 高都			13日 非稼働	19時間48分
東原 智三			13日 非稼働	20時間10分
田中 智孝			2日 非稼働	17時間19分
石原 美由紀			16日 非稼働	21時間15分

5.8. 管理下ユーザーの使用 PC の表示

1. ホーム画面の左にあるメニューの“ユーザー”、またはホームにある”ユーザー数”を選択します



2. ユーザー一覧から使用 PC 状況を表示させたいユーザー一名を選択します

<リスト表示>

The screenshot displays the 'ユーザー一覧' (User List) page in the 'Jasmy Secure PC Manager' application. The page features a sidebar on the left with navigation links for 'ホーム', 'ユーザー', 'グループ', and 'PC'. The main content area shows a table of users with the following columns: '名前', 'メールアドレス', 'ステータス', 'ラベル', '本日の稼働時間', '稼働開始日時', '最終稼働日時', and '最終ステータス更新日時'. The user '鈴木和也' is highlighted with a red box. The table also includes a '編集' (Edit) button and a '削除' (Delete) button at the top left, and a 'ユーザー追加' (Add User) button at the top right. A '表示情報の選択' (Select Display Information) button is also present.

<input type="checkbox"/>	名前 ↓	メールアドレス	ステータス	ラベル	本日の稼働時間	稼働開始日時	最終稼働日時	最終ステータス更新日時
<input type="checkbox"/>	関口 龍志	xxxxxxxxx@example.com	13日 非稼働	法務部	稼働無し	稼働無し	2024/06/24 18:08:00	2024/06/24 18:08:13
<input checked="" type="checkbox"/>	鈴木 和也	xxxxxxxxx@example.com	26分 稼働	エイゴヨウ	00時間26分	2024/07/08 11:55:41	2024/07/08 11:55:41	2024/07/08 11:55:41
<input type="checkbox"/>	遠藤 秋親	xxxxxxxxx@example.com	13日 非稼働	エイゴヨウ	稼働無し	稼働無し	2024/06/24 15:55:00	2024/06/24 15:56:00
<input type="checkbox"/>	菊野 高都	xxxxxxxxx@example.com	13日 非稼働	ケイリ	稼働無し	稼働無し	2024/06/24 15:59:00	2024/06/24 15:59:41
<input type="checkbox"/>	石原 美由紀	xxxxxxxxx@example.com	10日 非稼働	シザイ	稼働無し	稼働無し	2024/06/27 14:42:00	2024/06/27 14:42:48
<input type="checkbox"/>	田野辺 洋子	xxxxxxxxx@example.com	9日 非稼働	ジンジ	稼働無し	稼働無し	2024/06/28 12:24:00	2024/06/28 12:24:55
<input type="checkbox"/>	田中 幸孝	xxxxxxxxx@example.com	2日 非稼働	エイゴヨウ	稼働無し	稼働無し	2024/07/05 18:37:00	2024/07/05 18:38:02

<カード表示>



3. 選択したユーザーの使用 PC 一覧を表示します



➤ 遷移履歴リスト(①)

画面の遷移履歴が表示され、遷移履歴(リンク)を選択することで遷移元画面に戻ることができます

➤ 使用 PC 台数(②)

指定したユーザーの使用 PC 台数を表示します

➤ 検索ボックス(③)

使用中の PC を検索できます

➤ 端末名(④)

選択したユーザーが使用している端末名を表示します

稼働状況を知りたい PC 名を選択すると稼働状況ページ(ダッシュボード)に遷移します

➤ ユーザー編集(⑤)

ユーザープロフィールの編集を表示します

詳細は、「[5.9. 管理下ユーザーのプロフィール編集](#)」を参照してください

➤ エージェント設定(⑥)

エージェント設定画面を表示します

詳細は、「[5.10. 管理下ユーザーのエージェント設定](#)」を参照してください

▶ ユーザープロフィール(⑦)



i ユーザー名

管理しているユーザー名を表示します

ii 社員 No.

管理しているユーザーの社員 No.を表示します

iii 所属名

管理しているユーザーの所属名を表示します

iv メールアドレス

管理しているユーザーのメールアドレスを表示します

v ラベル

ユーザーに設定したテキストを表示します

vi 稼働時間


管理しているユーザーの稼働時間を表示します

ユーザープロフィールは編集することができます

詳細は「[5.9. 管理下ユーザーのプロフィール編集](#)」を参照してください

5.9. 管理下ユーザーのプロフィール編集

1. ホーム画面の左にあるメニューの“ユーザー”、または、ホームにある”ユーザー数”を選択します



2. ユーザー一覧からエージェント設定を行いたいユーザー名を選択します

<リスト表示>

ユーザー一覧

ユーザー一覧

編集 削除 ユーザー追加

名前 グループ ステータス 表示情報の選択


<input type="checkbox"/>	名前 ↓	メールアドレス	ステータス	ラベル	本日の稼働時間	稼働開始日時	最終稼働日時	最終ステータス更新日時
<input type="checkbox"/>	関口 蓮志	xxxxxxxxxx@example.com	13日 非稼働	法務部	稼働無し	稼働無し	2024/06/24 18:08:00	2024/06/24 18:08:13
<input type="checkbox"/>	鈴木 和也	xxxxxxxxxx@example.com	26分 稼働	エイゴウウ	00時間26分	2024/07/08 11:55:41	2024/07/08 11:55:41	2024/07/08 11:55:41
<input type="checkbox"/>	遠藤 秋親	xxxxxxxxxx@example.com	13日 非稼働	エイゴウウ	稼働無し	稼働無し	2024/06/24 15:55:00	2024/06/24 15:56:00
<input type="checkbox"/>	菊野 高都	xxxxxxxxxx@example.com	13日 非稼働	ケイリ	稼働無し	稼働無し	2024/06/24 15:59:00	2024/06/24 15:59:41
<input type="checkbox"/>	石原 美由紀	xxxxxxxxxx@example.com	10日 非稼働	シザイ	稼働無し	稼働無し	2024/06/27 14:42:00	2024/06/27 14:42:48
<input type="checkbox"/>	田野辺 洋子	xxxxxxxxxx@example.com	9日 非稼働	ジンジ	稼働無し	稼働無し	2024/06/28 12:24:00	2024/06/28 12:24:55
<input type="checkbox"/>	田中 幸孝	xxxxxxxxxx@example.com	2日 非稼働	エイゴウウ	稼働無し	稼働無し	2024/07/05 18:37:00	2024/07/05 18:38:02

<カード表示>



3. 選択したユーザーの使用 PC 一覧画面を表示します

“ユーザー編集”ボタンを選択します



4. “ユーザープロフィール編集”画面が表示されます




編集できるのは以下の項目です

- ◇ 氏名
- ◇ 氏名 (かな)
- ◇ 社員番号
- ◇ 所属
- ◇ ラベル

5. 編集が完了したら“適用”ボタンを選択してください

5.10. 管理下ユーザーのエージェント設定

1. ホーム画面の左にあるメニューの“ユーザー”、または、ホームにある”ユーザー数”を選択します



2. ユーザー一覧からエージェント設定を行いたいユーザー名を選択します

<リスト表示>

ユーザー一覧

編集 削除

名前 グループ ステータス

表示情報の選択


<input type="checkbox"/>	名前 ↓	メールアドレス	ステータス	ラベル	本日の稼働時間	稼働開始日時	最終稼働日時	最終ステータス更新日時
<input type="checkbox"/>	関口 龍志	xxxxxxxxx@example.com	13日 非稼働	法務部	稼働無し	稼働無し	2024/06/24 18:08:00	2024/06/24 18:08:13
<input checked="" type="checkbox"/>	鈴木 和也	xxxxxxxxx@example.com	26分 休中	エイゴウ	00時間26分	2024/07/08 11:55:41	2024/07/08 11:55:41	2024/07/08 11:55:41
<input type="checkbox"/>	遠藤 秋親	xxxxxxxxx@example.com	13日 非稼働	エイゴウ	稼働無し	稼働無し	2024/06/24 15:55:00	2024/06/24 15:56:00
<input type="checkbox"/>	菊野 高都	xxxxxxxxx@example.com	13日 非稼働	ケイリ	稼働無し	稼働無し	2024/06/24 15:59:00	2024/06/24 15:59:41
<input type="checkbox"/>	石原 美由希	xxxxxxxxx@example.com	10日 非稼働	シザイ	稼働無し	稼働無し	2024/06/27 14:42:00	2024/06/27 14:42:48
<input type="checkbox"/>	田野辺 洋子	xxxxxxxxx@example.com	9日 非稼働	ジンジ	稼働無し	稼働無し	2024/06/28 12:24:00	2024/06/28 12:24:55
<input type="checkbox"/>	田中 幸孝	xxxxxxxxx@example.com	2日 非稼働	エイゴウ	稼働無し	稼働無し	2024/07/05 18:37:00	2024/07/05 18:38:02

<カード表示>



3. 選択したユーザーの使用 PC 一覧画面を表示します

“エージェント設定”ボタンを選択します



4. エージェント設定ダイアログを表示します



ここでは、以下の項目を設定することが可能です

- アプリケーション
 - Windows アプリケーション
 - システムツール
 - Microsoft 365
 - ビジネスアプリケーション
 - 開発ツール
 - クリエイターツール
 - その他

ユーザーに使用を許可するアプリケーションを選択します

ただし、全部のチェックを外した場合はアプリケーションのアラート設定が解除されます

- URL
 - 拒否リスト
- ネットワーク
 - オフィス内ネットワーク(SSID)
 - 自宅ネットワーク名(SSID)
 - オフィス VPN 名

➤ タイトル

- ・ 拒否タイトルリスト

➤ IP アドレス

- ・ 許可リスト
- ・ 拒否リスト


➤ 稼働開始

稼働開始をマネージャーにメールで知らせる曜日を選択します

5. 設定後は画面一番下の“適用”ボタンを選択します

5.11. 管理下ユーザーの作業状況(ダッシュボード)の表示

1. ホーム画面の左にあるメニューの“ユーザー”、または、ホームにある”ユーザー数”を選択します



2. ユーザー一覧から作業状況を表示させたいユーザーを選択します

<リスト表示>

ユーザー一覧

編集 削除

名前 グループ ステータス

表示情報の選択


<input type="checkbox"/>	名前 ↓	メールアドレス	ステータス	ラベル	本日の稼働時間	稼働開始日時	最終稼働日時	最終ステータス更新日時
<input type="checkbox"/>	関口 龍志	xxxxxxxxxx@example.com	13日 非稼働	法務部	稼働無し	稼働無し	2024/06/24 18:08:00	2024/06/24 18:08:13
<input checked="" type="checkbox"/>	鈴木 和也	xxxxxxxxxx@example.com	26分 休憩	エイゴウウ	00時間26分	2024/07/08 11:55:41	2024/07/08 11:55:41	2024/07/08 11:55:41
<input type="checkbox"/>	遠藤 秋親	xxxxxxxxxx@example.com	13日 非稼働	エイゴウウ	稼働無し	稼働無し	2024/06/24 15:55:00	2024/06/24 15:56:00
<input type="checkbox"/>	菊野 高都	xxxxxxxxxx@example.com	13日 非稼働	ケイリ	稼働無し	稼働無し	2024/06/24 15:59:00	2024/06/24 15:59:41
<input type="checkbox"/>	石原 美由紀	xxxxxxxxxx@example.com	10日 非稼働	シザイ	稼働無し	稼働無し	2024/06/27 14:42:00	2024/06/27 14:42:48
<input type="checkbox"/>	田野辺 洋子	xxxxxxxxxx@example.com	9日 非稼働	ジンジ	稼働無し	稼働無し	2024/06/28 12:24:00	2024/06/28 12:24:55
<input type="checkbox"/>	田中 幸孝	xxxxxxxxxx@example.com	2日 非稼働	エイゴウウ	稼働無し	稼働無し	2024/07/05 18:37:00	2024/07/05 18:38:02

<カード表示>



3. 選択したユーザーの使用 PC 一覧画面を表示します

使用 PC 一覧から稼働状況を確認したい PC 名を選択します



4. 選択したユーザーが使用している PC の作業状況 (ダッシュボード) が表示されます

ユーザー一覧 > 鈴木 和也 > WPL-WC02

WPL-WC02

ダッシュボード

稼働状況 (1)

稼働情報履歴

2024/07/08

稼働時間 **01:06**

- 稼働 01:06
- 休憩 00:00
- 離席 00:00
- 非稼働 00:00

マウス移動距離 22m

マウスクリック回数 873回

キーボード使用回数 502回

タイムライン (5:00 - 翌朝5:00)

端末 (2) 詳細


コンピューター名	WPL-WC02
製品名	82R3
OS名	Microsoft Windows 11 Pro
Agent Version	2.8.704.0 PRO

ネットワーク接続 (3)

接続先	tsubasa-2goukan
VPN接続	データ無し
ローカルIP	192.xxx.xxx.xx
グローバルIP	117.xxx.xxx.xx

(1) 稼働状況

稼働状況を知りたい日付を指定し、稼働状況を表示します



➤ 遷移履歴リスト(①)

画面の遷移履歴が表示され、遷移履歴(リンク)を選択することで遷移元画面に戻ることができます

➤ 使用 PC 名(②)

選択したユーザーが使用している PC の名前を表示します

➤ 各種メニュー欄(③)

以下のメニューに遷移します

- ◇ ダッシュボード
- ◇ 稼働情報履歴
- ◇ コマンド発行
- ◇ ログ検索

➤ 日付指定枠(④)

確認したい稼働日を設定します


➤ 作業状況確認(⑤)

稼働時間や PC のパフォーマンスについて、以下の項目を表示します


- ◇ 稼働時間
- ◇ 各稼働ステータスの累計時間円グラフ
- ◇ 当日累計マウス移動距離
- ◇ 当日累計マウスクリック回数
- ◇ 当日累計キーボード使用回数
- ◇ タイムライン

(2) 端末

指定したユーザーが使用している PC の端末情報を表示します



- ◇ コンピューター名
- ◇ 製品名
- ◇ OS 名
- ◇ Agent Version
- ◇ “詳細”ボタン:ユーザーが使用している PC の詳細情報を表示します



- ・コンピューター名
- ・製品名
- ・製造

- ・シリアル番号
- ・OS
- ・OS Version
- ・OS エディション
- ・OS 名
- ・CPU
- ・コア数
- ・最大周波数
- ・GPU
- ・GPU メモリ
- ・GPU タイプ
- ・GPU ドライバーバージョン
- ・マザーボード
- ・マザーボードメーカー
- ・メモリ
- ・メモリメーカー
- ・メモリ動作周波数
- ・メモリ量
- ・ストレージ容量
- ・ストレージ製品名
- ・ストレージ種類
- ・Agent Version


(3) ネットワーク接続

以下のネットワーク情報を表示します

- ◇ 接続先
- ◇ VPN 接続
- ◇ ローカル IP アドレス
- ◇ グローバル IP アドレス

5.12. 管理下ユーザー稼働情報履歴の表示

1. ホーム画面の左にあるメニューの“ユーザー”、または、ホームにある”ユーザー数”を選択します



2. ユーザー一覧から稼働情報履歴を表示させたいユーザー名を選択します

<リスト表示>

ユーザー一覧

ユーザー一覧

編集 削除

名前 グループ ステータス


表示情報の選択

<input type="checkbox"/>	名前 ↓	メールアドレス	ステータス	ラベル	本日の稼働時間	稼働開始日時	最終稼働日時	最終ステータス更新日時
<input type="checkbox"/>	関口 龍志	xxxxxxxxx@example.com	13日 非稼働	法務部	稼働無し	稼働無し	2024/06/24 18:08:00	2024/06/24 18:08:13
<input checked="" type="checkbox"/>	鈴木和也	xxxxxxxxx@example.com	26分 稼働	エイゴウウ	00時間26分	2024/07/08 11:55:41	2024/07/08 11:55:41	2024/07/08 11:55:41
<input type="checkbox"/>	遠藤 秋穂	xxxxxxxxx@example.com	13日 非稼働	エイゴウウ	稼働無し	稼働無し	2024/06/24 15:55:00	2024/06/24 15:56:00
<input type="checkbox"/>	菊野 高都	xxxxxxxxx@example.com	13日 非稼働	ケイリ	稼働無し	稼働無し	2024/06/24 15:59:00	2024/06/24 15:59:41
<input type="checkbox"/>	石原 美由紀	xxxxxxxxx@example.com	10日 非稼働	シザイ	稼働無し	稼働無し	2024/06/27 14:42:00	2024/06/27 14:42:48
<input type="checkbox"/>	田野辺 洋子	xxxxxxxxx@example.com	9日 非稼働	ジンジ	稼働無し	稼働無し	2024/06/28 12:24:00	2024/06/28 12:24:55
<input type="checkbox"/>	田中 幸孝	xxxxxxxxx@example.com	2日 非稼働	エイゴウウ	稼働無し	稼働無し	2024/07/05 18:37:00	2024/07/05 18:38:02


<カード表示>



3. 稼働情報履歴を表示したい PC 名を選択します



4. “稼働情報履歴”を選択します



The screenshot displays the 'Jasmy Secure PC Manager' interface. On the left, a navigation menu includes 'ホーム', 'ユーザー', 'グループ', and 'PC'. The main content area is titled 'WPL-WC02' and shows a 'ダッシュボード' (Dashboard) with a '稼働状況' (Work Status) button. A red box highlights the '稼働情報履歴' (Work History) menu item. Below this, there is a date selector for '2024/07/08'. The dashboard features a pie chart showing work status: 稼働 (01:06), 休憩 (00:00), 離席 (00:00), and 非稼働 (00:00). To the right, a '稼働時間 01:06' (Work Time 01:06) is displayed. Below the pie chart, a 'タイムライン (5:00 - 翌朝5:00)' (Timeline) shows a single green bar at 12:00. On the right side, activity metrics are listed: 'マウス移動距離 22m', 'マウスクリック回数 873回', and 'キーボード使用回数 502回'.


5. 稼働情報履歴画面を表示します




➤ 適用日時範囲(①)

ここに履歴を表示させたい日時の範囲を入力します

入力方法は、“適用日時範囲”の入力枠を選択するとカレンダーが表示されるので、期間の開始日と終了日を選択し、“確認”ボタンを選択します



なお、稼働データがない日は「稼働データがありません」と表示されます



➤ 日付(②)

①で選択した期間の日付を表示します


➤ タイムライン(③)

②の日付のタイムラインを表示します

5.13.オンラインコマンドの発行

1. オンラインコマンドを発行したいユーザーを選択します

ホーム画面の左にあるメニューの“ユーザー”、または、ホームにある”ユーザー数”を選択します



2. ユーザー一覧からオンラインコマンドを発行したいユーザー名を選択します

ユーザー一覧

ユーザー一覧


名前 ↓ メールアドレス ステータス ラベル 本日の稼働時間 稼働開始日時 最終稼働日時 最終ステータス更新日時

名前 ↓	メールアドレス	ステータス	ラベル	本日の稼働時間	稼働開始日時	最終稼働日時	最終ステータス更新日時
<input type="checkbox"/> 関口 麗志	xxxxxxxxxx@example.com	13日 非稼働	法務部	稼働無し	稼働無し	2024/06/24 18:08:00	2024/06/24 18:08:13
<input type="checkbox"/> 鈴木 和也	xxxxxxxxxx@example.com	26分 休憩	エイゴヨウ	00時間26分	2024/07/08 11:55:41	2024/07/08 11:55:41	2024/07/08 11:55:41
<input type="checkbox"/> 遠藤 秋穂	xxxxxxxxxx@example.com	12日 非稼働	エイゴヨウ	稼働無し	稼働無し	2024/06/24 15:55:00	2024/06/24 15:56:00
<input type="checkbox"/> 菊野 高都	xxxxxxxxxx@example.com	13日 非稼働	ケイリ	稼働無し	稼働無し	2024/06/24 15:59:00	2024/06/24 15:59:41
<input type="checkbox"/> 石原 美由希	xxxxxxxxxx@example.com	10日 非稼働	シザイ	稼働無し	稼働無し	2024/06/27 14:42:00	2024/06/27 14:42:48
<input type="checkbox"/> 田野辺 洋子	xxxxxxxxxx@example.com	9日 非稼働	ジンジ	稼働無し	稼働無し	2024/06/28 12:24:00	2024/06/28 12:24:55
<input type="checkbox"/> 田中 幸孝	xxxxxxxxxx@example.com	2日 非稼働	エイゴヨウ	稼働無し	稼働無し	2024/07/05 18:37:00	2024/07/05 18:38:02

<カード表示>



3. オンラインコマンドを発行したい PC 名を選択します



4. “コマンド発行”を選択します

ユーザー一覧 > 鈴木和也 > WPL-WC02

WPL-WC02

ダッシュボード

稼働状況

2024/07/08

稼働時間 02:45

稼働状況	時間
稼働	01:51
休憩	00:54
離席	00:00
非稼働	00:00

指標	値
マウス移動距離	40m
マウスクリック回数	1515回
キーボード使用回数	1342回

タイムライン (5:00 - 翌朝5:00)

08:00 08:00 10:00 12:00 14:00 16:00 18:00 20:00 22:00 09 Jul 02:00 04:00

5. コマンド発行画面を表示します

ユーザー一覧 > 鈴木和也 > WPL-WC02 > Command

WPL-WC02

ダッシュボード **コマンド発行**
 稼働情報履歴
 コマンド発行
 ログ検索

対象ユーザー

ユーザー名 鈴木和也

コンピューター名 WPL-WC02

対象 USBストレージ

操作 ON

適用日時範囲 2024/07/08 16:13:41 ~ 2024/07/08 16:13:41

コマンド送信

QRコード生成

対象 2020/01/01 ~ 2024/07/09 1件中 1 - 1件

対象	操作	開始日時	終了日時	発行日時
USBストレージ	ON	2024/06/25 18:19:07	2024/06/25 18:25:07	2024/06/25 18:19:30

< 1 - 1 >

ver: 1.0.0.3346aad

6. 発行対象のコマンドを選択します



<選択できるコマンド>

➤ USB ストレージ

USB ストレージの利用を ON/OFF に設定することができます

➤ ゴーストドライブ

ゴーストドライブの利用を ON/OFF に設定することができます

➤ 画面ロック

指定した端末に対して、画面ロックの ON/OFF をすることができます

7. 手順 6.で選択した対象のコマンドに対して、操作(ON/OFF)を選択します



8. 適用範囲を設定します

ダッシュボード コマンド発行

稼働情報履歴

コマンド発行

ログ検索

2024/07/01 13:13:31 ~ 2024/07/01 13:13:31

< 2024年7月 > 13:13:31							< 2024年8月 > 13:13:31						
日	月	火	水	木	金	土	日	月	火	水	木	金	土
00	1	2	3	4	5	6	28	29	30	31	1	2	3
7	8	9	10	11	12	13	4	5	6	7	8	9	10
14	15	16	17	18	19	20	11	12	13	14	15	16	17
21	22	23	24	25	26	27	18	19	20	21	22	23	24
28	29	30	31	1	2	3	25	26	27	28	29	30	31
4	5	6	7	8	9	10	1	2	3	4	5	6	7

今日 昨日 直近7日間

確認

適用日時範囲 2024/07/01 13:13:31 ~ 2024/07/01 13:13:31

コマンド送信

QRコード生成

※変更後は忘れずに“確認”ボタンを選択してください

9. 適用開始時刻 / 適用終了時刻を設定します

「適用日時範囲」の枠内時間部分を選択し、指定したい時間を入力します

対 2024/07/01 13:13:31 ~ 2024/07/01 13:13:31

< 2024年7月 >							< 2024年8月 >						
日	月	火	水	木	金	土	日	月	火	水	木	金	土
30	1	2	3	4	5	6	28	29	30	31	1	2	3
7	8	9	10	11	12	13	4	5	6	7	8	9	10
14	15	16	17	18	19	20	11	12	13	14	15	16	17
21	22	23	24	25	26	27	18	19	20	21	22	23	24
28	29	30	31	1	2	3	25	26	27	28	29	30	31
4	5	6	7	8	9	10	1	2	3	4	5	6	7

今日 昨日 直近7日間 確認

適用日時範囲 2024/07/01 13:13:31 ~ 2024/07/01 13:13:31 ⌵

10. “コマンド送信”ボタンを選択します

ダッシュボード

稼働情報履歴

コマンド発行

ログ検索

コマンド発行

対象ユーザー

ユーザー名 テスト 057

コンピューター名 WPL-WC02

対象 USBストレージ


操作 ON

適用日時範囲 2024/07/01 13:13:31 ~ 2024/07/01 13:13:31

コマンド送信

QRコード生成

11. オンラインコマンドが発行されます



この時、指定した端末にオンラインコマンドが送信、実行されます

※手順 8 と 9 で適用開始日と適用開始時刻をそれぞれ設定していますが、実際はコマンド送信時が開始日時となります。


※管理下ユーザーからの削除を行った場合、既に発行済みのコマンドは取り消すことができません

※画面ロック:OFF コマンドを発行することはできますが、実行はされません。

5.14. QR コードの発行

1. オンラインコマンドを QR コードで発行したいユーザーを選択します

ホーム画面の左にあるメニューの“ユーザー”、または、ホームにある”ユーザー数”を選択します



2. ユーザー一覧から QR コードを発行したいユーザー名を選択します

<リスト表示>

ユーザー一覧

ユーザー一覧

名前 ↓ メールアドレス ステータス ラベル 本日の稼働時間 稼働開始日時 最終稼働日時 最終ステータス更新日時


名前 ↓	メールアドレス	ステータス	ラベル	本日の稼働時間	稼働開始日時	最終稼働日時	最終ステータス更新日時
<input type="checkbox"/> 関口 龍志	xxxxxxxxxx@example.com	13日 非稼働	法務部	稼働無し	稼働無し	2024/06/24 18:08:00	2024/06/24 18:08:13
<input checked="" type="checkbox"/> 鈴木 和也	xxxxxxxxxx@example.com	26分 稼働	エイゴウウ	00時間26分	2024/07/08 11:55:41	2024/07/08 11:55:41	2024/07/08 11:55:41
<input type="checkbox"/> 遠藤 秋穂	xxxxxxxxxx@example.com	13日 非稼働	エイゴウウ	稼働無し	稼働無し	2024/06/24 15:55:00	2024/06/24 15:56:00
<input type="checkbox"/> 菊野 高都	xxxxxxxxxx@example.com	13日 非稼働	ケイリ	稼働無し	稼働無し	2024/06/24 15:59:00	2024/06/24 15:59:41
<input type="checkbox"/> 石原 美由紀	xxxxxxxxxx@example.com	10日 非稼働	シザイ	稼働無し	稼働無し	2024/06/27 14:42:00	2024/06/27 14:42:48
<input type="checkbox"/> 田野辺 洋子	xxxxxxxxxx@example.com	9日 非稼働	ジンジ	稼働無し	稼働無し	2024/06/28 12:24:00	2024/06/28 12:24:55
<input type="checkbox"/> 田中 幸孝	xxxxxxxxxx@example.com	2日 非稼働	エイゴウウ	稼働無し	稼働無し	2024/07/05 18:37:00	2024/07/05 18:38:02

<カード表示>

The screenshot displays the 'Jasmy Secure PC Manager' interface. On the left is a navigation menu with 'ホーム', 'ユーザー', 'グループ', and 'PC'. The main area is titled 'ユーザー一覧' (User List) and contains a search bar with fields for '名前' (Name), 'グループ' (Group), and 'ステータス' (Status). A 'ユーザー追加' (Add User) button is in the top right. The user list is presented as a grid of cards, each representing a user with their name, employee ID, department, email, and last login time. The first card, for '鈴木 和信' (Suzuki Kazunobu), is highlighted with a red border. The other users shown are 田野辺 洋子 (Tanobe Yoko), 岡野 高都 (Okano Takatsugu), 栗原 空三 (Akiyama Uzumasa), 田中 幸孝 (Tanaka Yukio), and 石原 美由紀 (Ishihara Miyuki).

名前	社員番号	所属	メールアドレス	エイビュフ	最終ログイン
鈴木 和信	00000055	経理 経理部	XXXXXXXXXX@example.com	エイビュフ	00時00分
田野辺 洋子	00000053	経理 人事部	XXXXXXXXXX@example.com	シンジ	23時32分
岡野 高都	00000051	経理 経理部	XXXXXXXXXX@example.com	グイリ	19時08分
栗原 空三	00000054	経理 経理部	XXXXXXXXXX@example.com	カイハジ	20時30分
田中 幸孝	00000049	経理 経理部	XXXXXXXXXX@example.com	エイビュフ	17時19分
石原 美由紀	00000050	経理 経理部	XXXXXXXXXX@example.com	シザイ	21時15分

3. QRコードを発行したいPC名を選択します



4. “コマンド発行”を選択します



ユーザー一覧 > 鈴木 和也 > WPL-WC02

WPL-WC02

ダッシュボード

稼働状況

2024/07/08

稼働時間 01:06

- 稼働 01:06
- 休憩 00:00
- 休暇 00:00
- 非稼働 00:00

マウス移動距離 22m

マウスクリック回数 873回

キーボード使用回数 502回

タイムライン (5:00 - 翌朝5:00)

ログ検索

5. 発行対象のコマンドを選択します



<選択できるコマンド>

➤ USB ストレージ

USB ストレージの利用を ON/OFF に設定することができます

➤ ゴーストドライブ

ゴーストドライブの利用を ON/OFF に設定することができます

➤ 画面ロック

指定した端末に対して、画面ロックの ON/OFF をすることができます

6. 手順 5.で選択した対象のコマンドに対して、操作(ON/OFF)を選択します



7. 適用範囲を設定します

ダッシュボード コマンド発行

稼働情報履歴

コマンド発行

ログ検索

対 2024/07/01 13:13:31 ~ 2024/07/01 13:13:31

< 2024年7月 > 13:13:31							< 2024年8月 > 13:13:31						
日	月	火	水	木	金	土	日	月	火	水	木	金	土
00	1	2	3	4	5	6	28	29	30	31	1	2	3
7	8	9	10	11	12	13	4	5	6	7	8	9	10
14	15	16	17	18	19	20	11	12	13	14	15	16	17
21	22	23	24	25	26	27	18	19	20	21	22	23	24
28	29	30	31	1	2	3	25	26	27	28	29	30	31
4	5	6	7	8	9	10	1	2	3	4	5	6	7

今日 昨日 直近7日間 **確認**

適用日時範囲 2024/07/01 13:13:31 ~ 2024/07/01 13:13:31

コマンド送信

QRコード生成

※変更後は“確認”ボタンを選択してください

8. 適用開始時刻 / 適用終了時刻を設定します

「適用日時範囲」の枠内時間部分を選択し、指定したい時間を入力します

The screenshot displays a date and time selection interface. At the top, it shows the selected date range: 2024/07/01 13:13:31 ~ 2024/07/01 13:13:31. Below this, there are two calendar views side-by-side for July and August 2024. The time '13:13:31' is selected on both the start and end date fields. A '確認' (Confirm) button is visible on the right side of the calendar area. At the bottom, the '適用日時範囲' (Applicable Date and Time Range) is shown as 2024/07/01 13:13:31 ~ 2024/07/01 13:13:31, with the time parts highlighted in red boxes.

9. “QRコード生成”ボタンを選択します

ダッシュボード

稼働情報履歴

コマンド発行

ログ検索

コマンド発行

対象ユーザー

ユーザー名 テスト057

コンピューター名 WPL-WC02

対象 USBストレージ

操作 ON

適用日時範囲 2024/07/01 13:13:31 ~ 2024/07/01 13:13:31

コマンド送信

QRコード生成

10. QRコードが生成され、ダウンロードが開始されます




※保存されるフォルダは、C:\Users\{ユーザー名}\Downloads”となります

11. 保存した QR コードを対象のユーザーにメール等で送付します

5.15. ログ検索

1. ホーム画面の左にあるメニューの“ユーザー”、または、ホームにある”ユーザー数”を選択します



2. ユーザー一覧からログ検索をしたいユーザー名を選択します

<リスト表示>

ユーザー一覧

ユーザー一覧

編集 削除

名前 グループ ステータス


表示情報の選択

<input type="checkbox"/>	名前 ↓	メールアドレス	ステータス	ラベル	本日の稼働時間	稼働開始日時	最終稼働日時	最終ステータス更新日時
<input type="checkbox"/>	関口 龍志	xxxxxxxxxx@example.com	13日 非稼働	法務部	稼働無し	稼働無し	2024/06/24 18:08:00	2024/06/24 18:08:13
<input type="checkbox"/>	鈴木 和也	xxxxxxxxxx@example.com	26分 稼働	エイゴウ	00時間26分	2024/07/08 11:55:41	2024/07/08 11:55:41	2024/07/08 11:55:41
<input type="checkbox"/>	遠藤 秋親	xxxxxxxxxx@example.com	13日 非稼働	エイゴウ	稼働無し	稼働無し	2024/06/24 15:55:00	2024/06/24 15:56:00
<input type="checkbox"/>	菊野 高都	xxxxxxxxxx@example.com	13日 非稼働	ケイリ	稼働無し	稼働無し	2024/06/24 15:59:00	2024/06/24 15:59:41
<input type="checkbox"/>	石原 美由紀	xxxxxxxxxx@example.com	10日 非稼働	シザイ	稼働無し	稼働無し	2024/06/27 14:42:00	2024/06/27 14:42:48
<input type="checkbox"/>	田野辺 洋子	xxxxxxxxxx@example.com	9日 非稼働	ジンジ	稼働無し	稼働無し	2024/06/28 12:24:00	2024/06/28 12:24:55
<input type="checkbox"/>	田中 幸孝	xxxxxxxxxx@example.com	2日 非稼働	エイゴウ	稼働無し	稼働無し	2024/07/05 18:37:00	2024/07/05 18:38:02

<カード表示>



3. ログ検索をしたい PC 名を選択します



4. “ログ検索”を選択します



ユーザー一覧 > 鈴木 和也 > WPL-WC02

WPL-WC02

ダッシュボード

稼働状況

2024/07/08

稼働時間 **01:06**

- 稼働 01:06
- 休憩 00:00
- 不在 00:00
- 非稼働 00:00

マウス移動距離 22m

マウスクリック回数 873回


キーボード使用回数 502回

タイムライン (5:00 - 翌朝5:00)

www.iass.net/.../855A89E86240037F4FAF4CE58899DD1A26C...

5. ログ検索画面が表示されます

※各項目名を選択すると項目の並べ替えができます



<アプリケーション履歴>

➤ 履歴対象日(①)

表示したい履歴の日付を選択します

➤ 検索ボックス(②)

検索したいキーワードを入力します

➤ 開始時間(③)

選択したユーザーが使用したアプリケーションの使用開始日時を表示します

➤ 使用時間(④)

選択したユーザーが使用したアプリケーションの使用時間を表示します

➤ プロセス(⑤)

選択したユーザーが使用したアプリケーションのプロセス名を表示します

➤ タイトル(⑥)

選択したユーザーが使用したアプリケーションのタイトルを表示します

ログ検索	アクセス日時	ファイルパス	ファイルサイズ
2024/07/08 10:03:45	C:\Users_____\OneDrive - _____		38334021
2024/07/08 11:11:21	C:\Users_____\OneDrive - _____ SecurePC\Jasmy_SecurePC\マ		263
2024/07/08 10:59:40	C:\Users_____\OneDrive - _____ SecurePC\Jasmy_SecurePC\マ		49937
2024/07/08 11:50:53	C:\Users_____\OneDrive - _____ SecurePC\Jasmy_SecurePC\マ		100929
2024/07/08 11:06:05	C:\Users_____\OneDrive - _____ SecurePC\Jasmy_SecurePC\マ		50029

<ファイルアクセス履歴>

➤ 履歴対象日(①)

表示したい履歴の日付を選択します

➤ 検索ボックス(②)

検索したいキーワードを入力します

➤ アクセス日時(③)

選択したユーザーがファイルにアクセスした日時を表示します

➤ ファイルパス(④)

選択したユーザーがアクセスしたファイルのパスを表示します

ただし、個人情報保護および情報漏洩防止のために文字列の一部を非表示にしています


➤ ファイルサイズ(⑤)

選択したユーザーがアクセスしたファイルのサイズを表示します



<ネットワーク履歴>

- 履歴日付(①)
表示させたい履歴日を選択します
- 検索ボックス(②)
検索したいキーワードを入力します
- 接続先(③)
選択したユーザーまたは PC 端末が接続した接続先を表示します
- ローカル IP アドレス(④)
選択したユーザーまたは PC 端末のローカル IP アドレスを表示します
- グローバル IP アドレス(⑤)
選択したユーザーまたは PC 端末のグローバル IP アドレスを表示します
- VPN 接続(⑥)
選択したユーザーまたは PC 端末の VPN 接続が有効か無効かを表示します



<バッテリーレポート>

ここでは、以下の項目を表示します

- Battery report
 - ◇ COMPUTER NAME
 - ◇ SYSTEM PRODUCT NAME
 - ◇ BIOS
 - ◇ OS BUILD
 - ◇ PLATFORM ROLE
 - ◇ CONNECTED STANDBY
 - ◇ REPORT TIME
- Installed batteries
- Recent usage
- Battery usage
- Usage history
- Battery capacity history
- Battery life estimates

ユーザー一覧 > 鈴木和也 > WPL-WC02 > Log

WPL-WC02

ダッシュボード < アプリケーション履歴 ファイルアクセス履歴 ネットワーク履歴 バッテリーレポート **Windows Update履歴**

検索情報履歴

コマンド発行

ログ検索

更新日	種類	KB	タイトル
2024/07/14	MoUpdateOrchestrator	KB2267602	Microsoft Defender Antivirus のセキュリティ インテリジェンス更新プログラム - KB2267602 (バージョン 1.403.3235.0) - 現在のチャネル (広範)
2024/07/14	MoUpdateOrchestrator	KB2267602	Microsoft Defender Antivirus のセキュリティ インテリジェンス更新プログラム - KB2267602 (バージョン 1.403.3235.0) - 現在のチャネル (広範)
2024/07/14	MoUpdateOrchestrator	KB2267602	Microsoft Defender Antivirus のセキュリティ インテリジェンス更新プログラム - KB2267602 (バージョン 1.403.3235.0) - 現在のチャネル (広範)
2024/07/14	MoUpdateOrchestrator	KB2267602	Microsoft Defender Antivirus のセキュリティ インテリジェンス更新プログラム - KB2267602 (バージョン 1.403.3235.0) - 現在のチャネル (広範)
2024/07/08	Security Update	KB5039212	2024-06 x64 ベース システム用 Windows 11 Version 23H2 の累積更新プログラム (KB5039212)
2024/07/14	MoUpdateOrchestrator	KB2267602	Microsoft Defender Antivirus のセキュリティ インテリジェンス更新プログラム - KB2267602 (バージョン 1.403.3235.0) - 現在のチャネル (広範)


<WindowsUpdate 履歴>

- 検索ボックス(①)
- 更新日(②)
- 種類(③)
- KB(④)
- タイトル(⑤)

5.16. 稼働ログのダウンロード

※この機能は Agent のログを取得する権限があるマネージャーにのみご利用いただけるオプションです。権限のあるマネージャーには[稼働ログダウンロード]ボタンが表示されます
ログを取得する権限付与をご希望の方は、sales@jasmy.co.jp までご連絡ください

1. ホーム画面の左にあるメニューの“ユーザー”、または、ホームにある”ユーザー数”を選択します



2. ユーザー一覧から稼働情報履歴を表示させたいユーザー名を選択します

<リスト表示>


The screenshot shows the 'Jasmy Secure PC Manager' interface. On the left is a navigation menu with 'ホーム' (Home), 'ユーザー' (User), 'グループ' (Group), and 'PC'. The main area is titled 'ユーザー一覧' (User List) and contains a table of users. The user '鈴木和也' (Ryota Suzuki) is selected, indicated by a red box around their name. The table columns include: 名前 (Name), メールアドレス (Email Address), ステータス (Status), ラベル (Label), 本日の稼働時間 (Today's Active Time), 稼働開始日時 (Active Start Time), 最終稼働日時 (Last Active Time), and 最終ステータス更新日時 (Last Status Update Time).

<input type="checkbox"/>	名前 ↓	メールアドレス	ステータス	ラベル	本日の稼働時間	稼働開始日時	最終稼働日時	最終ステータス更新日時
<input type="checkbox"/>	関口 龍志	xxxxxxxxxx@example.com	13日 非稼働	法務部	稼働無し	稼働無し	2024/06/24 18:08:00	2024/06/24 18:08:13
<input checked="" type="checkbox"/>	鈴木 和也	xxxxxxxxxx@example.com	26分 稼働	エイゴウウ	00時間26分	2024/07/08 11:55:41	2024/07/08 11:55:41	2024/07/08 11:55:41
<input type="checkbox"/>	遠藤 秋穂	xxxxxxxxxx@example.com	13日 非稼働	エイゴウウ	稼働無し	稼働無し	2024/06/24 15:55:00	2024/06/24 15:56:00
<input type="checkbox"/>	菊野 高都	xxxxxxxxxx@example.com	13日 非稼働	ケイリ	稼働無し	稼働無し	2024/06/24 15:59:00	2024/06/24 15:59:41
<input type="checkbox"/>	石原 美由紀	xxxxxxxxxx@example.com	10日 非稼働	シザイ	稼働無し	稼働無し	2024/06/27 14:42:00	2024/06/27 14:42:48
<input type="checkbox"/>	田野辺 洋子	xxxxxxxxxx@example.com	9日 非稼働	ジンジ	稼働無し	稼働無し	2024/06/28 12:24:00	2024/06/28 12:24:55
<input type="checkbox"/>	田中 幸孝	xxxxxxxxxx@example.com	2日 非稼働	エイゴウウ	稼働無し	稼働無し	2024/07/05 18:37:00	2024/07/05 18:38:02

<カード表示>



3. ログ検索をしたい PC 名を選択します



4. “ログ検索”を選択します



ユーザー一覧 > 鈴木 和也 > WPL-WC02

WPL-WC02

ダッシュボード

稼働状況

2024/07/08

稼働時間 **01:06**

- 稼働 01:06
- 休憩 00:00
- 不在 00:00
- 非稼働 00:00

マウス移動距離 22m

マウスクリック回数 873回

キーボード使用回数 502回

タイムライン (5:00 - 翌朝5:00)

06:00 08:00 10:00 12:00 14:00 16:00 18:00 20:00 22:00 09 Jul 02:00 04:00

5. ログ検索画面が表示されます

The screenshot displays the 'Jasmy Secure PC Manager' interface. The top navigation bar is orange and contains the title 'Jasmy Secure PC Manager' and a user profile icon. The left sidebar is white and lists navigation options: 'ホーム', 'ユーザー', 'グループ', and 'PC'. The main content area is titled 'WPL-WC02' and shows a breadcrumb trail: 'ユーザー一覧 > 鈴木和也 > WPL-WC02 > Log'. Below the title, there is a '稼働ログダウンロード' button. A navigation menu includes 'ダッシュボード', 'アプリケーション履歴', 'ファイルアクセス履歴', 'ネットワーク履歴', 'バッテリーレポート', and 'Windows Update履歴'. The '稼働情報履歴' section shows a date filter for '2024/07/08' and a search icon. The 'コマンド実行' section is expanded to show 'ログ検索', which displays a table of log entries.


開始時間	使用時間	プロセス ↑	タイトル
2024/07/08 14:28:39	00:00:55.3387876	slack	(DM) - - Slack
2024/07/08 14:41:29	00:00:23.0457160	slack	(DM) - - Slack
2024/07/08 14:49:35	00:00:28.5503059	slack	(DM) - - Slack
2024/07/08 15:52:17	00:00:15.6985866	slack	(チャンネル) - - Slack

6. “稼働ログダウンロード”ボタンを選択します


The screenshot displays the 'Jasmy Secure PC Manager' interface for user 'WPL-WC02'. The breadcrumb trail is 'ユーザー一覧 > テスト 057 > WPL-WC02 > Log'. The main title is 'WPL-WC02'. A navigation menu on the left includes '稼働情報履歴', 'コマンド発行', and 'ログ検索'. The '稼働情報履歴' section shows a date filter for '2024/06/28' and a search bar. Below this is a table with columns for '開始時間', '使用時間', 'プロセス', and 'タイトル'. The '稼働ログダウンロード' button is highlighted with a red box in the top right corner.

開始時間	使用時間	プロセス	タイトル
2024/06/28 15:20:13	00:00:13.3295750	POWERPNT	SecurePC_... .pptx - PowerPoint
2024/06/28 15:20:27	00:08:31.5214923	POWERPNT	SecurePC_... .pptx - PowerPoint
2024/06/28 15:29:00	00:00:14.8881245	slack	(チャンネル) - Slack
2024/06/28 15:29:16	00:00:09.2195614	msedge	コマンド発行 Jasmy Secure PC Manager および他 4 ページ - 職場 - Microsoft Edge
2024/06/28 15:29:26	00:01:41.5577233	slack	(DM) - Slack
2024/06/28 15:31:08	00:00:12.6050975	slack	(DM) - Slack


7. “稼働ログダウンロード”ダイアログのボックス内を選択します





8. カレンダーからログをダウンロードしたい日付を選択し“確認”ボタンを選択します



9. “ダウンロード”ボタンを選択します




10. ダウンロードが完了します



5.17. グループの作成

1. ホーム画面の左にあるメニューから“グループ”、または、ホームの“グループ数”を選択します



2. グループ一覧にある“グループ作成”ボタンを選択します



3. グループ作成画面のグループ名ボックスに作成したいグループ名 (50 文字まで入力可能)を入力します

≡ Jasmy Secure PC Manager

グループ一覧 >

グループ作成

グループ名

メンバー 0

ユーザーをリストに追加する

ユーザーを追加してください

稼働

勤務時間

時 09 : 分 00 ~ 時 18 : 分 00

通知

ステータス | 時 09 : 分 00 | 月 火 水 木 金 土 日

許可するアプリケーション


Windows

4. “ユーザーをリストに追加する”ボタンを選択します

The screenshot displays the 'Jasmy Secure PC Manager' web application. The interface is divided into a sidebar and a main content area. The sidebar contains navigation links for 'ホーム' (Home), 'ユーザー' (Users), 'グループ' (Groups), and 'PC'. The main content area is titled 'グループ作成' (Group Creation) and includes a 'グループ名' (Group Name) field with the value 'test1'. Below this is a 'メンバー' (Members) section with a red-bordered button labeled 'ユーザーをリストに追加する' (Add user to list). Underneath the button is a text prompt 'ユーザーを追加してください' (Please add a user). The '稼働' (Operation) section features a '勤務時間' (Working Hours) field set to '09:00 ~ 18:00', a '通知' (Notification) section with an '追加' (Add) button, and a 'ステータス' (Status) dropdown set to '稼働' (Active). The '許可するアプリケーション' (Allowed Applications) section shows a dropdown menu with 'Windows' selected. A red '削除' (Delete) button is also visible.

“ユーザーをリストに追加する”ダイアログボックスが表示され、管理しているユーザー一名が表示されるので、グループに追加したいユーザーの“追加”ボタンを選択します

選択し終わったら“閉じる”ボタンを選択します



5. グループ作成画面に追加したいメンバーが表示されたら、画面一番下の“作成する”ボタンを選択する

The screenshot shows the 'グループ作成' (Group Creation) page. The group name is 'test1'. Three members are listed with their names and email addresses. The '作成する' (Create) button is highlighted with a red box at the bottom of the page.

6. グループが作成されます


The screenshot shows the 'グループ一覧' (Group List) page. A table displays the created group:

グループ名	更新日時	人数
test1	2024/07/08 18:02:39	3

The first row of the table is highlighted with a red box.

5.18. グループ一覧の表示

1. ホーム画面の左にあるメニューの“グループ”、または、ホームにある”グループ数”を選択します




2. グループ一覧が表示されます



- グループ名検索ボックス(①)
グループ名の入力により、グループを検索することができます
- グループ名(②)
管理しているグループ名を表示します
グループ名を選択すると、グループのメンバー一覧を表示します
- 更新日時(③)
グループ情報を更新した日時を表示します
- 人数(④)
グループに登録されている人数を表示します
- グループ作成ボタン(⑤)
グループ作成画面を表示します
詳細は、「[5.17. グループの作成](#)」を参照してください

5.19. グループメンバー一覧の表示

1. ホーム画面の左にあるメニューから“グループ”、または、ホームの“グループ数”を選択します



2. 自分の管理しているグループ一覧を表示します

グループメンバー一覧を表示したいグループ名を選択します

The screenshot shows the 'Jasmy Secure PC Manager' web interface. The left sidebar contains navigation links for 'ホーム', 'ユーザー', 'グループ', and 'PC'. The main content area is titled 'グループ一覧' and features a search input field labeled 'グループ名' and a 'グループ作成' button. Below this is a table with three columns: 'グループ名', '更新日時', and '人数'. The table lists three groups: 'test1' (3 members), 'test2' (5 members), and 'test3' (5 members). The 'test1' row is highlighted with a red box. At the bottom of the table, there is a pagination control showing '< 1 - 3 >'. The footer of the page displays the URL 'https://manager-v2a.ww-jass.net/groups' and the version 'ver: 1.0.0.3346aad'.

グループ名	更新日時	人数
test1	2024/07/08 18:02:39	3
test2	2024/07/08 18:06:09	5
test3	2024/07/08 18:10:19	5

3. グループ一覧で選択したグループのメンバーを一覧表示します

<リスト表示>



▶ メンバー一覧タブ(①)

グループに登録されたメンバーを一覧表示します

▶ 設定タブ(②)

以下の設定ができます

- ◇ 基本設定
- ◇ アプリケーション
- ◇ URL
- ◇ ネットワーク
- ◇ タイトル
- ◇ IP アドレス
- ◇ 稼働状況
- ◇ 稼働開始

▶ メンバー追加タブ(③)

グループにメンバーを追加します

▶ 編集ボタン(④)

グループメンバーの情報編集画面を表示します

ユーザー選択チェックボックス(⑧)が選択されていない時はボタンの選択はできません

▶ 削除ボタン(⑤)

グループメンバーの削除画面を表示します

ユーザー選択チェックボックス(⑧)が選択されていない時はボタンの選択はできません

▶ 名前検索ボックス(⑥)

ユーザー名の入力によりグループ内のメンバーを検索(部分一致)することができます

▶ ステータス選択リストボックス(⑦)

表示させたいステータス(指定なし・稼働・離席・休憩・非稼働)を選択することにより、グループ内の選択されたステータスのメンバーのみを表示することができます

▶ メンバー選択チェックボックス(⑧)

情報を編集・削除したいメンバーのチェックボックスを選択することにより編集ボタン(④)、削除ボタン(⑤)が選択できるようになります

一番上のチェックボックスを選択すると、メンバー全員が選択され一括編集・削除ができます

▶ メンバー名(⑨)

管理しているメンバー名を表示します

メンバー名を選択するとユーザーの使用 PC 一覧ページに遷移します

▶ メールアドレス(⑩)

管理しているメンバーのメールアドレスを表示します

▶ ステータス(⑪)

メンバーの現在の稼働ステータスを表示します

➤ ラベル(⑫)

メンバーに設定したラベルを表示します

➤ 本日の稼働時間(⑬)

当日の稼働時間を表示します

➤ 稼働開始日時(⑭)

メンバーの稼働開始日時を表示します


➤ ファイル読み込みボタン(⑮)

CSV または TSV ファイルを読み込み、メンバーデータを更新できます

➤ データ出力ボタン(⑯)

CSV または TSV ファイルでメンバーデータをダウンロードできます

➤ 表示情報の選択(⑰)



ユーザー一覧に表示する項目を選ぶことができます

◇ 名前

- ◇ 名前(かな)
- ◇ メールアドレス
- ◇ ステータス
- ◇ 社員番号
- ◇ 所属
- ◇ ラベル
- ◇ 本日の稼働時間
- ◇ 稼働開始日時
- ◇ 最終稼働日時
- ◇ 最終ステータス更新日時

▶ 表示形式ラジオボタン(⑱)

2つの表示方法(リスト表示・カード表示)から表示方法を選択することができます


▶ 項目タイトル(⑲)

各項目のタイトル名を選択すると、それぞれの項目の並び順を昇順・降順に変えることができます

表示したい項目は“表示情報の選択(⑰)”ボタンで選択することができます

※ひらがな・カタカナ・アルファベット・数字で並び順を変えることができます

<カード表示>



➤ 名前検索ボックス(①)

ユーザー名の入力によりメンバーを検索(部分一致)することができます

➤ ステータス選択リスト(②)

表示させたいステータス(指定なし・稼働・離席・休憩・非稼働)を選択することにより、選択されたステータスのメンバーのみを表示することができます

➤ 表示形式ラジオボタン(③)

2つの方法(リスト表示とカード表示)から表示方法を選択することができます

➤ ファイル読み込みボタン(④)

CSV または TSV ファイルを読み込み、メンバーデータを更新できます

➤ データ出力ボタン(⑤)

CSV または TSV ファイルでメンバーデータをダウンロードできます

▶ ユーザー情報(⑥)

(i) **3分 稼働** **00時間03分** (ii)



鈴木和也 (iii)
社員番号: 000000055 (iv)
所属: 営業部 (v)
xxxxxxxxxx@example.com (vi)
エイギョウ (vii)
稼働時間: 02時間35分 (viii)

(i) 稼働ステータス

メンバーの最新稼働ステータスを表示します

(ii) 経過時間

i の稼働ステータス状態に切り替わってからの経過時間を表示します

(iii) メンバー名

管理しているメンバーの名前を表示します

(iv) 社員 No.

管理しているメンバーの社員 No.を表示します

(v) 所属名

管理しているメンバーの所属名を表示します

(vi) メールアドレス

管理しているメンバーのメールアドレスを表示します

(vii) ラベル

メンバーに設定したテキストを表示します

(viii) 稼働時間

当日の稼働時間(Secure PC を起動してから)を表示しています

2. グループに表示されている、メンバーを追加したいグループ名を選択します

グループ一覧

グループ名

グループ作成

グループ名	更新日時	人数
test1	2024/07/08 18:02:39	3
test2	2024/07/08 18:06:09	5
test3	2024/07/08 18:10:19	5

< 1 - 3 >

https://manager-v2a.ww-jass.net/groups ver: 1.0.0.3346aad

3. グループのメンバー一覧から”メンバー追加”タブを選択します

<リスト表示>

The screenshot shows the 'Jasmy Secure PC Manager' interface. On the left is a navigation menu with 'ホーム', 'ユーザー', 'グループ', and 'PC'. The main content area is titled 'test1' and contains a 'メンバー一覧' (Member List) tab, which is highlighted with a red box. Below the tabs are buttons for '編集' (Edit) and '削除' (Delete), and a search bar for '名前' (Name) and 'ステータス' (Status). To the right are buttons for 'ファイル読み込み' (File Upload) and 'データ出力' (Data Export). Below these are icons for '表示情報の選択' (Select Display Information) and a refresh icon. The main area displays a table of members:

<input type="checkbox"/>	名前 ↑	メールアドレス	ステータス	ラベル	本日の稼働時間	稼働開始日時
<input type="checkbox"/>	田野辺 洋子	xxxxxxxxxx@example.com	14日 非稼働	ジンジ	稼働無し	稼働無し
<input type="checkbox"/>	菊野 高都	xxxxxxxxxx@example.com	14日 非稼働	ケイリ	稼働無し	稼働無し
<input type="checkbox"/>	鈴木 和也	xxxxxxxxxx@example.com	3分 稼働	エイギョウ	00時間55分	2024/07/08 11:55:00

At the bottom right of the interface, the version number 'ver: 1.0.0.3346aad' is displayed.

<カード表示>

The screenshot displays the 'Jasmy Secure PC Manager' interface. The top navigation bar is orange and contains the title 'Jasmy Secure PC Manager' and a user profile icon. A left sidebar lists navigation options: 'ホーム' (Home), 'ユーザー' (Users), 'グループ' (Groups), and 'PC'. The main content area is titled 'グループ一覧 > test1' and 'test1'. Below the title, there are three tabs: 'メンバー一覧' (Member List), '設定' (Settings), and '+ メンバー追加' (Add Member), with the latter highlighted by a red box. To the right of the tabs are two orange buttons: 'ファイル読み込み' (File Upload) and 'データ出力' (Data Export). Below these are input fields for '名前' (Name) and 'ステータス' (Status), along with icons for search, list, and refresh. The main area contains three member cards, each with a header showing a duration and status (e.g., '5時間 非稼働'). Each card includes a profile picture, name, employee ID, department, email, and PC ID, followed by a '稼働時間' (Operational Time) field.


5時間 非稼働	05時間32分	10日 非稼働	05時間57分	14日 非稼働	02時間23分
	鈴木 和也 社員番号: 000000055 所属: 営業部 XXXXXXXXXX@example.com A-1 稼働時間: 00時間55分		田野辺 洋子 社員番号: 000000053 所属: 人事部 XXXXXXXXXX@example.com A-1 稼働時間: 稼働無し		菊野 高都 社員番号: 000000051 所属: 経理部 XXXXXXXXXX@example.com A-1 稼働時間: 稼働無し

ver: 1.0.0.3346aad


4. メンバー追加画面が表示されます




5. “ユーザー”ボックスを選択し、表示されたユーザーメール一覧の中から追加したいメンバーのメールアドレスを選択します



6. 追加したいメンバーのメールアドレスをリストから選び、”確認”ボタンを選択します



7. 確認画面が表示されるので、“ユーザーを追加”ボタンを選択します



8. グループにメンバーが追加されます



➤ メッセージ(①)

リクエスト送信に成功した場合:「ユーザーを管理下への登録を要求しました。」

成功したメールアドレスが複数あっても、メッセージはまとめて1つ表示します

➤ リクエスト送信をしたメールアドレス(②)

リクエスト送信したメールアドレスを表示します


<メンバーを複数名まとめて追加する>

1. グループ一覧画面を表示し、メンバーを追加したいグループ名を選択します


The screenshot displays the 'Jasmy Secure PC Manager' interface. On the left is a navigation menu with 'グループ' (Groups) selected. The main content area is titled 'グループ一覧' (Group Overview) and contains a table of groups. A search input field labeled 'グループ名' and a 'グループ作成' (Create Group) button are located above the table. The table has three columns: 'グループ名' (Group Name), '更新日時' (Update Time), and '人数' (Member Count). Three rows are visible, with 'test1', 'test2', and 'test3' highlighted by a red box. The 'test1' row shows 3 members, 'test2' shows 5 members, and 'test3' shows 5 members. The update times are all from 2024/07/08. A pagination control shows '< 1 - 3 >'. The footer contains the URL 'https://manager-v2a.ww-jass.net/groups' and the version 'ver: 1.0.0.3346aad'.

グループ名	更新日時	人数
test1	2024/07/08 18:02:39	3
test2	2024/07/08 18:06:09	5
test3	2024/07/08 18:10:19	5

2. メンバーを追加したいグループの“メンバー追加”タブを選択します




3. 追加したいメンバーの人数分“フォーム追加”ボタンを選択します




※フォームを削除したい場合は、フォーム右端にある“削除”ボタンを選択してください

4. メールアドレス入力欄が追加されるので入力欄を選択、メールアドレスをリストから選びます


各入力欄にメールアドレスを入力後、“確認”ボタンを選択します



5. 確認画面が表示されるので、“ユーザーを追加”ボタンを選択します



6. グループ一覧にメンバーが追加されます




5.21. グループメンバーの編集

グループメンバーの編集には、1人ずつ編集する方法とCSV・TSVファイルを使用し編集する方法の2つの方法があります

<1人ずつ編集する方法>

1. ホーム画面の左にあるメニューから“グループ”、または、ホームの“グループ数”を選択します



2. 自分の管理しているグループ一覧を表示します
メンバー編集をしたいグループ名を選択します

グループ一覧

グループ名

グループ作成

グループ名	更新日時	人数
test1	2024/07/08 18:02:39	3
test2	2024/07/08 18:06:09	5
test3	2024/07/08 18:10:19	5

< 1 - 3 >

https://manager-v2a.ww-jass.net/groups ver: 1.0.0.3346aad

3. グループ一覧で選択したグループのメンバー一覧のリスト表示を表示します

編集したいメンバーのチェックボックスをチェックします

<リスト表示>

グループ一覧 > test1

test1

メンバー一覧 設定 + メンバー追加

編集 削除 ファイル読み込み データ出力


名前 ステータス 表示情報の選択

<input type="checkbox"/>	名前 ↑	メールアドレス	ステータス	ラベル	本日の稼働時間	稼働開始日時
<input type="checkbox"/>	田野辺 洋子	xxxxxxxxx@example.com	14日 非稼働	シンジ	稼働無し	稼働無し
<input type="checkbox"/>	菊野 高都	xxxxxxxxx@example.com	14日 非稼働	ケイリ	稼働無し	稼働無し
<input type="checkbox"/>	鈴木 和也	xxxxxxxxx@example.com	3分 稼働	エイギョウ	00時間55分	2024/07/08 11:55:00

< 1-3 >

ver: 1.0.0.3346aad


4. “編集”ボタンを選択します




※グループメンバーの編集は“グループメンバー一覧”画面の“リスト表示”でのみ行えます

5. グループメンバー編集画面を表示します

グループメンバー名を選択します



6. 編集入力画面が表示されます



この画面では、以下の項目が編集可能です

- ◇ 姓(かな)
- ◇ 名(かな)
- ◇ 姓
- ◇ 名
- ◇ 社員番号
- ◇ 所属
- ◇ ラベル

7. 編集が終わったら“更新”ボタンを選択します

<CSV / TSVファイルを使用して編集する方法>


1. グループ一覧画面よりメンバー編集をしたいグループ名を選択します

グループメンバー一覧画面が表示されたら“データ出力”ボタンを選択します


The screenshot shows the 'Jasmy Secure PC Manager' interface. On the left is a navigation menu with 'ホーム', 'ユーザー', 'グループ', and 'PC'. The main content area is titled 'グループ一覧 > test1' and 'test1'. Below the title are buttons for 'メンバー一覧', '設定', and 'メンバー追加'. There are also '編集' and '削除' buttons. A search bar for '名前' and a 'ステータス' dropdown are present. A '表示情報の選択' button is also visible. The 'データ出力' button is highlighted with a red box. Below these are search filters and a table of group members.

<input type="checkbox"/>	名前 ↑	メールアドレス	ステータス	ラベル	本日の稼働時間
<input type="checkbox"/>	佐々木 智子	xxxxxxxxxx@example.com	60日 非稼働	ケイリ	稼働無し
<input type="checkbox"/>	村岡 翼	xxxxxxxxxx@example.com	14日 非稼働	E-1	稼働無し
<input type="checkbox"/>	栗原 幸三	xxxxxxxxxx@example.com	14日 非稼働	カイハツ	稼働無し
<input type="checkbox"/>	田野辺 洋子	xxxxxxxxxx@example.com	3分 稼働	A-1	稼働無し

2. “CSV ダウンロード”または“TSV ダウンロード”ボタンを選択します



3. “users.csv”または“users.tsv”ファイルを選択します




5. グループメンバー一覧画面の“ファイル読み込み”ボタンを選択します


The screenshot shows the 'Jasmy Secure PC Manager' interface. The top navigation bar is orange and contains the title 'Jasmy Secure PC Manager' and a user profile icon. The left sidebar has navigation items: 'ホーム' (Home), 'ユーザー' (Users), 'グループ' (Groups), and 'PC'. The main content area is titled 'グループ一覧 > test1' and 'test1'. Below the title, there are buttons for 'メンバー一覧' (Member List), '設定' (Settings), and 'メンバー追加' (Add Member). The 'メンバー一覧' button is active. Below these buttons are '編集' (Edit) and '削除' (Delete) buttons. There are also input fields for '名前' (Name) and 'ステータス' (Status). To the right, there are buttons for 'ファイル読み込み' (File Upload) and 'データ出力' (Data Export). Below these buttons is a '表示情報の選択' (Select Display Information) button and a set of icons for view options. The main content is a table with columns: '名前 ↑', 'メールアドレス', 'ステータス', 'ラベル', and '本日の稼働時間'. The table contains five rows of member data.

<input type="checkbox"/>	名前 ↑	メールアドレス	ステータス	ラベル	本日の稼働時間
<input type="checkbox"/>	佐々木 智子	xxxxxxxxxx@example.com	60日 非稼働	ケイリ	稼働無し
<input type="checkbox"/>	村岡 翼	xxxxxxxxxx@example.com	14日 非稼働	E-1	稼働無し
<input type="checkbox"/>	栗原 幸三	xxxxxxxxxx@example.com	14日 非稼働	カイハツ	稼働無し
<input type="checkbox"/>	田野辺 洋子	xxxxxxxxxx@example.com	3分 稼働	A-1	稼働無し

6. “ファイル読み込み”ボタンを選択します




7. 先ほど編集した“users.csv”または“users.tsv”ファイルを選択し、“開く”ボタンを選択します



8. CSV ファイルまたは TSV ファイルがアップロードされ、ユーザー情報が編集されます

5.22. アラートの設定

1. 画面の左にあるメニューから“グループ”、または、ホームにある“グループ数”を選択します



2. グループ一覧が表示されるので、アラート設定を行いたいグループ名を選択します

The screenshot shows the 'Jasmy Secure PC Manager' web interface. The left sidebar contains navigation links for 'ホーム', 'ユーザー', 'グループ', and 'PC'. The main content area is titled 'グループ一覧' and features a search input field labeled 'グループ名' and a 'グループ作成' button. Below this is a table with three columns: 'グループ名', '更新日時', and '人数'. The table lists three groups: 'test1' (3 members), 'test2' (5 members), and 'test3' (5 members). The 'test1' row is highlighted with a red box. A pagination control shows '< 1 - 3 >'. The footer contains the URL 'https://manager-v2a.ww-jass.net/groups' and the version 'ver: 1.0.0.3346aad'.

グループ名	更新日時	人数
test1	2024/07/08 18:02:39	3
test2	2024/07/08 18:06:09	5
test3	2024/07/08 18:10:19	5


3. グループメンバー一覧の“設定”ボタンを選択します

<リスト表示>

The screenshot shows the 'Jasmy Secure PC Manager' interface. The main content area is titled 'test1' and contains a table of group members. The '設定' (Settings) button is highlighted with a red box. The table lists three members: 田野辺 洋子 (14日 非稼働), 菊野 高都 (14日 非稼働), and 鈴木 和也 (3分 稼働).


<input type="checkbox"/>	名前 ↑	メールアドレス	ステータス	ラベル	本日の稼働時間	稼働開始日時
<input type="checkbox"/>	田野辺 洋子	xxxxxxxxx@example.com	14日 非稼働	ジンジ	稼働無し	稼働無し
<input type="checkbox"/>	菊野 高都	xxxxxxxxx@example.com	14日 非稼働	ケイリ	稼働無し	稼働無し
<input type="checkbox"/>	鈴木 和也	xxxxxxxxx@example.com	3分 稼働	エイギョウ	00時間55分	2024/07/08 11:55:00

<カード表示>



4. 設定画面を表示します

ここで設定できるのは、以下の 8 項目となります



- 基本設定
- アプリケーション
- URL
- ネットワーク
- タイトル
- IP アドレス
- 稼働状況
- 稼働開始

設定したい項目のタブを選択し、各項目を設定します

設定後は必ず画面一番下の“適用”ボタンを選択してください

➤ 基本設定

グループの削除と管理者の追加 / 削除を設定できます



▶ アプリケーション


管理下グループのユーザーが使用しても良いアプリケーションを設定します
タブを切り替えた直後は、各アプリケーションの項目は閉じた状態となっています
アプリケーション名を選択、項目を開き使用を許可するアプリケーションにチェックを
いれます

<項目 Close 状態>




<項目 Open 状態>

許可するアプリケーションにチェックをいれます




<その他に項目を追加する場合>

- ① その他の右端にある”編集”ボタンを選択します



② その他許可アプリケーションダイアログが表示されます

アプリケーション名と exe 名を入力し、“適用”ボタンを選択します



➤ URL

アクセスを拒否する URL を入力し、”適用”ボタンを選択します

入力欄を追加するには“追加”ボタン(①)を選択します

入力欄を削除するには“削除”ボタン(②)を選択します



▶ ネットワーク


許可するネットワークを設定し、“適用”ボタンを選択します

ネットワークは以下の3種類を設定できます

- ◇ オフィス内ネットワーク(SSID)
- ◇ 自宅ネットワーク(SSID)
- ◇ オフィスVPN

入力欄を追加するには“追加”ボタン(①)を選択します

入力欄を削除するには“削除”ボタン(②)を選択します



管理者によりネットワークが設定された場合は、それ以降“Jasmy Secure PC エージェント DR または PRO”で接続先の設定をしても管理者によるネットワーク管理となります

▶ タイトル

アクセスを拒否するタイトルを入力し、“適用”ボタンを選択します

入力欄を追加するには“追加”ボタン(①)を選択します

入力欄を削除するには“削除”ボタン(②)を選択します



➤ IP アドレス

許可する / 拒否する IP アドレスを入力し、“適用”ボタンを選択します

入力欄を追加するには“追加”ボタン(①)を選択します

入力欄を削除するには“削除”ボタン(②)を選択します



➤ 稼働状況

ここでは、勤務時間と時間指定のお知らせを設定します

◇ 勤務時間(①)

グループの勤務時間を設定します

◇ 時間指定お知らせ(②)

4つのステータス(稼働・休憩・離席・非稼働)のいずれかを確認する時間と曜日を設定します

上記の設定後に“適用”ボタンを選択します

なお、入力欄を追加するには“お知らせの追加”ボタン(③)を選択します

入力欄を削除するには“削除”ボタン(④)を選択します

基本設定 アプリケーション URL ネットワーク タイトル IPアドレス 稼働状況

① 勤務時間

09 : 00 ~ 18 : 00

② 時間指定のお知らせ

お知らせの追加

稼働 09 : 00 月 火 水 木 金 土 日 削除

稼働 12 : 00 月 火 水 木 金 土 日 削除

非稼働 09 : 00 月 火 水 木 金 土 日 削除

適用

ver: 1.0.0.4e8e6c1

▶ 稼働開始


グループ内のユーザーが稼働する曜日を設定します

こちらを設定すると、各ユーザーの稼働する曜日に稼働開始が確認されると、お知らせメールが送信されます

ユーザー(①)と稼働曜日(②)を設定後、“適用”ボタンを選択します

なお、入力欄を追加するには、“お知らせの追加”ボタン(③)を選択します

入力欄を削除するには“削除”ボタン(④)を選択します




各タブ内の“適用”ボタン選択でアラート設定は完了です

設定した項目に対し、管理下のユーザーが反する行動をした場合、管理者に対してお知らせメールを送信します

5.23. グループからのメンバーの削除

1. ホーム画面の左にあるメニューから“グループ”、または、ホームの“グループ数”を選択します



2. 削除したいユーザーがいるグループ名を選択します

The screenshot shows the 'Jasmy Secure PC Manager' web interface. The left sidebar contains navigation links for 'ホーム', 'ユーザー', 'グループ', and 'PC'. The main content area is titled 'グループ一覧' and features a search input field labeled 'グループ名' and a 'グループ作成' button. Below this is a table with columns for 'グループ名', '更新日時', and '人数'. The table lists three groups: 'test1' (3 members), 'test2' (5 members), and 'test3' (5 members). A red box highlights the 'test1', 'test2', and 'test3' rows. At the bottom of the page, the URL 'https://manager-v2a.ww-jass.net/groups' and version 'ver: 1.0.0.3346aad' are visible.

グループ名	更新日時	人数
test1	2024/07/08 18:02:39	3
test2	2024/07/08 18:06:09	5
test3	2024/07/08 18:10:19	5

3. グループメンバー一覧のリスト画面を表示、削除したいユーザーのチェックボックスにチェックをいれます

<リスト表示>

グループ一覧 > test1

test1

メンバー一覧 設定 + メンバー追加

編集 削除 ファイル読み込み データ出力

名前 ステータス 表示情報の選択

<input type="checkbox"/>	名前 ↑	メールアドレス	ステータス	ラベル	本日の稼働時間	稼働開始日時
<input checked="" type="checkbox"/>	田野辺 洋子	xxxxxxxxx@example.com	14日 非稼働	A-1	稼働無し	稼働無し
<input type="checkbox"/>	菊野 高都	xxxxxxxxx@example.com	14日 非稼働	A-1	稼働無し	稼働無し
<input type="checkbox"/>	鈴木 和也	xxxxxxxxx@example.com	3分 稼働	A-1	01時間57分	2024/07/10 09:21:

< 1 - 3 >

ver: 1.0.0.4e8e6c1

※グループメンバーの削除は“グループメンバー一覧”画面の“リスト表示”でのみ行えます


4. グループから削除したいユーザーにチェックを入れたら“削除”ボタンを選択します

The screenshot shows the 'Jasmy Secure PC Manager' interface. The left sidebar contains navigation options: ホーム (Home), ユーザー (User), グループ (Group), and PC. The main content area is titled 'グループ一覧 > test1' and 'test1'. Below the title, there are buttons for 'メンバー一覧' (Member List), '設定' (Settings), and 'メンバー追加' (Add Member). There are also buttons for '編集' (Edit) and '削除' (Delete), with the '削除' button highlighted by a red box. Below these buttons are input fields for '名前' (Name) and 'ステータス' (Status). To the right, there are buttons for 'ファイル読み込み' (File Upload) and 'データ出力' (Data Export), and a '表示情報の選択' (Select Display Information) button. Below this is a table with columns: '名前 ↑' (Name), 'メールアドレス' (Email Address), 'ステータス' (Status), 'ラベル' (Label), '本日の稼働時間' (Today's Operation Time), and '稼働開始日時' (Operation Start Date/Time). The table contains three rows of data:

名前 ↑	メールアドレス	ステータス	ラベル	本日の稼働時間	稼働開始日時
<input checked="" type="checkbox"/> 田野辺 洋子	xxxxxxxxx@example.com	14日 非稼働	A-1	稼働無し	稼働無し
<input type="checkbox"/> 菊野 高都	xxxxxxxxx@example.com	14日 非稼働	A-1	稼働無し	稼働無し
<input type="checkbox"/> 鈴木 和也	xxxxxxxxx@example.com	3分 稼働	A-1	01時間57分	2024/07/10 09:21:

At the bottom of the table, there is a pagination control showing '< 1 - 3 >'. The version number 'ver: 1.0.0.4e8e6c1' is displayed in the bottom right corner.

5. ユーザー削除ダイアログが表示されるので、削除ユーザーが正しいことを確認し、ダイアログにある“削除”ボタンを選択します



6. 選択したユーザーが選択したグループより削除されます




※ここでの削除はあくまでグループからの削除であり、管理下ユーザーからは削除されません。

5.24. グループの削除

※グループを削除する際は、アラートの設定がすべて解除されていることを確認の上削除を行ってください

1. ホーム画面の左にあるメニューから“グループ”、または、ホームの“グループ数”を選択します



2. 削除したいグループ名を選択します

The screenshot shows the 'Jasmy Secure PC Manager' web interface. The main content area is titled 'グループ一覧' (Group List). At the top, there is a search input field labeled 'グループ名' and a 'グループ作成' (Create Group) button. Below this is a table with three columns: 'グループ名' (Group Name), '更新日時' (Update Time), and '人数' (Number of Members). The table contains three rows: 'test1' (3 members), 'test2' (5 members), and 'test3' (5 members). The 'test1' row is highlighted with a red box. At the bottom of the table, there is a pagination control showing '< 1 - 3 >'. The footer of the page displays the URL 'https://manager-v2a.ww-jass.net/groups' and the version 'ver: 1.0.0.3346aad'.

グループ名	更新日時	人数
test1	2024/07/08 18:02:39	3
test2	2024/07/08 18:06:09	5
test3	2024/07/08 18:10:19	5

3. グループメンバー一覧が表示されたら“設定”タブを選択します

<リスト表示>

The screenshot shows the 'Jasmy Secure PC Manager' interface. The left sidebar contains navigation options: ホーム (Home), ユーザー (User), グループ (Group), and PC. The main content area is titled 'グループ一覧 > test1' and 'test1'. At the top of the main area, there are three tabs: 'メンバー一覧' (Member List), '設定' (Settings), and 'メンバー追加' (Add Member). The '設定' tab is highlighted with a red box. Below the tabs, there are buttons for '編集' (Edit) and '削除' (Delete), and a search bar for '名前' (Name) and 'ステータス' (Status). There are also buttons for 'ファイル読み込み' (File Upload) and 'データ出力' (Data Export), and a '表示情報の選択' (Select Display Information) button. The main content is a table with the following columns: '名前' (Name), 'メールアドレス' (Email Address), 'ステータス' (Status), 'ラベル' (Label), '本日の稼働時間' (Today's Work Time), and '稼働開始日時' (Work Start Time). The table contains three rows of data:

<input type="checkbox"/>	名前 ↑	メールアドレス	ステータス	ラベル	本日の稼働時間	稼働開始日時
<input type="checkbox"/>	田野辺 洋子	xxxxxxxxxx@example.com	14日 非稼働	ジンジ	稼働無し	稼働無し
<input type="checkbox"/>	菊野 高都	xxxxxxxxxx@example.com	14日 非稼働	ケイリ	稼働無し	稼働無し
<input type="checkbox"/>	鈴木 和也	xxxxxxxxxx@example.com	3分 稼働	エイギョウ	00時間55分	2024/07/08 11:55:00

At the bottom of the table, there is a pagination control showing '< 1 - 3 >'. The version number 'ver: 1.0.0.3346aad' is displayed in the bottom right corner.

<カード表示>

The screenshot displays the 'Jasmy Secure PC Manager' interface. The top navigation bar is orange and contains the title 'Jasmy Secure PC Manager' and a user profile icon. A left sidebar lists navigation options: 'ホーム' (Home), 'ユーザー' (Users), 'グループ' (Groups), and 'PC'. The main content area shows the 'グループ一覧' (Group List) for 'test1'. At the top of this section, there are three buttons: 'メンバー一覧' (Member List), '設定' (Settings), and 'メンバー追加' (Add Member). The '設定' button is highlighted with a red rectangular box. Below these buttons are search and filter controls, including a '名前' (Name) input field and a 'ステータス' (Status) dropdown menu. To the right of these controls are two orange buttons: 'ファイル読み込み' (Upload File) and 'データ出力' (Export Data), along with a list view icon. The main area contains three member cards, each with a profile picture, name, employee ID, department, email, and PC status. The first card is for '鈴木 和也' (Kazuya Suzuki), the second for '田野辺 洋子' (Yoko Tanohata), and the third for '菊野 高都' (Takato Kikuno). Each card also shows a last login time and PC status (e.g., '5時間 非稼働').

名前	社員番号	所属	メールアドレス	PCステータス	稼働時間
鈴木 和也	000000055	営業部	XXXXXXXXXX@example.com	5時間 非稼働	00時間55分
田野辺 洋子	000000053	人事部	XXXXXXXXXX@example.com	10日 非稼働	稼働無し
菊野 高都	000000051	経理部	XXXXXXXXXX@example.com	14日 非稼働	稼働無し


ver: 1.0.0.3346aad

4. 設定画面でグループ名の右端にある“グループ削除”ボタンを選択します



※グループを削除する際は、アラートの設定がすべて解除されていることを確認の上削除を行ってください


5. グループの削除ダイアログが表示されるので、削除グループが正しいことを確認し、ダイアログにある“削除”ボタンを選択します




6. 選択したグループがグループ一覧より削除されます

5.25. 管理下 PC 一覧の表示

1. ホーム画面の左にあるメニューの“PC”、または、ホームにある“PC 数”を選択します



2. 現在ログインしている管理者が管理をしている PC の一覧が表示されます



➤ コンピューター名検索ボックス(①)

コンピューター名の入力により PC を検索(部分一致)することができます

➤ コンピューター名(②)

管理しているコンピューター名を表示します

➤ 製品名(③)

管理している PC の製品名を表示します

➤ CPU(④)

管理している PC の CPU を表示します

➤ 最終更新日時(⑤)

管理している PC の最終更新日時を表示します

➤ 最終利用者(⑥)

管理している PC の最終利用者を表示します

➤ “詳細”ボタン(⑦)

PC 詳細画面を表示します

詳細は、「[5.27. 管理下 PC の詳細情報の表示](#)」を参照してください

➤ 項目タイトル(⑧)

各項目のタイトルを選択すると、それぞれの項目の並び順を昇順・降順に変えることができます

表示したい項目は“表示情報の選択(⑨)”ボタンで選択することができます


- ▶ “表示情報の選択”ボタン(⑨)

PC 一覧に表示させたい情報のリストを表示します


詳細は、「[5.26. 管理下 PC 一覧表示項目の設定](#)」を参照してください

5.26. 管理下 PC 一覧表示項目の設定

1. ホーム画面の左にあるメニューの“PC”、または、ホームにある“PC 数”を選択します



2. PC 一覧から“表示情報の選択”ボタンを選択します




The screenshot displays the 'Jasmy Secure PC Manager' application. The main content area is titled 'PC一覧' (PC List) and features a search bar for 'コンピューター名' (Computer Name). Below the search bar is a table with the following columns: 'コンピューター名', '製品名', 'CPU', '最終更新日時', '最終利用者', and '詳細'. Two rows of PC data are visible. A red rectangular box highlights the '表示情報の選択' (Select Display Information) button located in the top right corner of the table area.

コンピューター名	製品名	CPU	最終更新日時	最終利用者	詳細
WPAS-WE03	VivoBook_ASUSLaptop X421EAYB_X413EA	11th Gen Intel(R) Core(TM) i5-1135G7 @ 2.40GHz	2024/07/10 14:03:03	田中 聖孝	詳細
WPL-WC02	82R3	AMD Ryzen 3 5300U with Radeon Graphics	2024/07/10 13:04:39	鈴木 和也	詳細


Navigation: < 1 - 2 >

ver: 1.0.0.4e8e6c1

3. 表示情報の選択ダイアログから PC 一覧に表示させたい項目にチェックを入れ、リスト以外の場所を選択します (リスト以外の場所を選択すると、リストが閉じます)



4. 表示情報一覧ダイアログにてチェックを入れた項目が PC 一覧に表示されるようになります



5.27. 管理下 PC の詳細情報の表示

1. ホーム画面の左にあるメニューの“PC”、または、ホームにある“PC 数”を選択します



2. PC 一覧から詳細情報を表示させたい PC を選び、右端の“詳細”ボタンを選択します

The screenshot shows the 'Jasmy Secure PC Manager' interface. At the top, there is a navigation bar with the title 'Jasmy Secure PC Manager' and a user profile icon. Below the navigation bar, the main content area is titled 'PC一覧' (PC List). There is a search input field labeled 'コンピューター名' (Computer Name) and a button labeled '表示情報の選択' (Select Display Information). The main content area contains a table with the following columns: 'コンピューター名' (Computer Name), '製品名' (Product Name), 'CPU', '最終更新日時' (Last Update Time), '最終利用者' (Last User), and '詳細' (Details). The table lists two PCs: 'WPAS-WE03' and 'WPL-WC02'. The '詳細' button for 'WPL-WC02' is highlighted with a red box. At the bottom right of the interface, the version number 'ver: 1.0.0.4e8e6c1' is displayed.

コンピューター名	製品名	CPU	最終更新日時	最終利用者	詳細
WPAS-WE03	VivoBook_ASUSLaptop X421EAYB_X413EA	11th Gen Intel(R) Core(TM) i5-1135G7 @ 2.40GHz	2024/07/10 14:03:03	田中 聖孝	詳細
WPL-WC02	82R3	AMD Ryzen 3 5300U with Radeon Graphics	2024/07/10 13:04:39	鈴木 和也	詳細

3. 選択した PC の詳細情報を表示します



The screenshot shows a 'PC詳細' (PC Details) page. It contains a table with the following information:

PC詳細	
最終更新日時	2024/07/03 10:06:15
コンピューター名	WPL-WC02
製品名	82R3
製造	LENOVO
シリアル番号	PF44LCRG
OS	Microsoft Windows 11 Pro
OS Version	10.0.22631

Below the table, there is a link '使用ユーザー一覧 ⓘ' and the name '鈴木 和也'.


ここでは、選択した PC の以下の項目を表示します

- ◇ 最終更新日時
- ◇ コンピューター名
- ◇ 製品名
- ◇ 製造
- ◇ シリアル番号
- ◇ OS
- ◇ OS Version
- ◇ OS エディション
- ◇ OS 名
- ◇ コア数
- ◇ 最大周波数
- ◇ GPU
- ◇ GPU メモリ
- ◇ GPU タイプ


- ◇ GPUドライバーバージョン
- ◇ マザーボード
- ◇ マザーボードメーカー
- ◇ メモリ
- ◇ メモリメーカー
- ◇ メモリ動作周波数
- ◇ メモリ量
- ◇ ストレージ容量
- ◇ ストレージ製品名
- ◇ ストレージ種類
- ◇ Agent Version
- ◇ 最終利用者

5.28. 管理下 PC の検索

1. ホーム画面の左にあるメニューの”PC”、または、ホームにある”PC 数”を選択します



2. 検索ボックスに検索キーワードを入力します



検索キーワードには、検索をしたい PC のコンピューター名を入力してください

検索方法は、部分一致となります

5.29. パスワードのリセット

1. ログイン画面の“パスワードを忘れた場合”を選択します

The screenshot shows a web browser window with the URL `www-jass.net/login`. The page title is "Jasmy Secure PC Manager". The main content is a login form titled "ログイン" (Login). The form includes two input fields: "メールアドレス*" (Email address) and "パスワード*" (Password). A link labeled "パスワードを忘れた場合" (Forgot password) is highlighted with a red box. Below the form is a "ログイン" (Login) button.

2. パスワードの再設定画面で、登録済みのメールアドレスを入力します



The screenshot shows a web browser window with the URL `a.www-jass.net/forgot-pw`. The page title is "パスワードの再設定 | Jasmy Secure". The main heading is "Jasmy Secure PC Manager". Below this, a central box contains the title "パスワードの再設定" and the instruction: "ご登録のメールアドレスを入力してください。パスワード変更に必要な認証コードをお送りします。" There is a text input field labeled "メールアドレス*" with a red "入力" (input) button. Below the input field, it says "認証コード送信後に自動でページが切り替わります。" and a large orange "認証コード送信" (send authentication code) button. At the bottom of the page, there is a link "ログインページに戻る" (return to login page).

3. “認証コード送信”ボタンを選択します



パスワードの再設定

ご登録のメールアドレスを入力してください。パスワード変更に必要な認証コードをお送りします。

メールアドレス*

xxxxxxxxxx@example.com

認証コード送信後に自動でページが切り替わります。

認証コード送信

[ログインページに戻る](#)

4. 入力したメールアドレス宛に、パスワードリセットのお知らせメールが送付されます




図 パスワードリセット時に送付されるメール

5. メールに記載された認証コード、新しいパスワードを入力します

パスワードの再設定 | Jasmy Secure

reset-pw?email=jass.test2%2B059-dev-manager%40gmail.com

Jasmy Secure PC Manager

パスワードの再設定

xxxxxxxxxx@example.com

認証コード* 入力

パスワードは、8文字以上で半角の英字と数字が少なくとも一文字以上含まれる形式をお願いします。(使用できる文字、0~9、a~z、A~Z、./-/)

新しいパスワード* 入力

新しいパスワード (確認) * 入力

パスワードの再設定

認証コードの有効期限は、パスワードリセットの**お知らせメール受信後 1 時間**となります
有効期限内に、パスワードの再設定を行ってください

6. “パスワードの再設定”ボタンを選択します

ww-jass.net/reset-pw?email=jass.test2%2B059...

Jasmy Secure PC Manager

パスワードの再設定

xxxxxxxxxx@example.com

認証コード*
XXXXXX

パスワードは、8文字以上で半角の英字と数字が少なくとも一文字以上含まれる形式をお願いします。(使用できる文字、0~9、a~z、A~Z、./-)

新しいパスワード*
.....


新しいパスワード (確認) *
.....

パスワードの再設定


7. パスワードのリセットが完了しました

5.30. ログアウト方法

1. 画面右上にある管理者メニュー選択します



2. メニューが表示されるので、“ログアウト”を選択します




3. ログアウトが完了し、ログイン画面が表示されます




The screenshot shows a web browser window with the address bar displaying "v-jass.net/login". The page title is "ログイン | Jasmy Secure PC Manager". The main heading is "Jasmy Secure PC Manager". Below the heading is a login form titled "ログイン". The form contains two input fields: "メールアドレス*" (Email address) and "パスワード*" (Password). Below the password field is a link that says "パスワードを忘れた場合" (Forgot password). At the bottom of the form is an orange button labeled "ログイン" (Login).

5.31. 言語設定


1. 画面右上にある管理者メニューを選択します



2. メニューが表示されるので、“言語設定”を選択します



3. 言語を選びます



通常は、Agent の言語設定が反映されます。

6. Jasmy Secure PC エージェント DR から PRO へのアップグレードについて

管理下のユーザーが“Jasmy Secure PC エージェント DR” から “Jasmy Secure PC エージェント PRO” にアップグレードした場合、DR 版の時のデータはそれぞれ引き継がれているため、引き続き見ることができます。

また、DR 版利用ユーザーとして管理していたユーザーもそのまま管理下ユーザーとして管理されます。

7. 制限事項

- ログインパスワードは、半角英数字を組み合わせ、少なくとも1つの数字を含む 8 文字以上で設定してください。
- ユーザー追加を行っても、管理下リクエストをしたユーザーが承諾するまで、ユーザー一覧には表示されません。
- エージェント DR 利用端末に対しオンラインコマンドを発行しても、実行はされません。オンラインコマンドが実行できるのは、エージェント PRO 利用端末のみとなります。
- 画面ロック:OFF コマンドを発行することはできますが、実行はされません。
- 管理下ユーザーからの削除を行った場合、既に発行済みのコマンドは取り消すことができません。
- ユーザーの稼働時間は、休憩時間などを考慮していません。近似値としての表示であるため、正確でないことがあります。
- 稼働ステータス(稼働/離席/休憩/非稼働)は、入力デバイスの挙動から自動的に判定し表示をしているため、実際の表示とは異なる場合があります。
- マウスクリック数は、マウスのホイールを使用した場合や、使用しているマウスの種類によっては、クリック数として正確にカウントできない場合があります。
- 管理ユーザー (Agent 利用者) がネットワーク未接続の場合や、Agent 未使用の場合、ユーザーの端末詳細情報は更新されません。更新されない場合は、管理ユーザーの利用状況をご確認ください。

8. OSS ライセンス

本アプリケーションには、次の OSS ライセンスのモジュールが含まれます。

•Apache License 2.0

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of

the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a

result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

•The MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit

persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

•Zero-Clause BSD (0BSD)

SPDX short identifier: 0BSD

Note: Despite its name, Zero-Clause BSD is an alteration of the [ISC license](#), and is not textually derived from licenses in the BSD family. Zero-Clause BSD was originally approved under the name "Free Public License 1.0.0".

•Zero-Clause BSD

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

•ISC License (ISC)

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

•The 2-Clause BSD License

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

•The 3-Clause BSD License

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

•CC0 1.0 Universal

CREATIVE COMMONS CORPORATION IS NOT A LAW FIRM AND DOES NOT PROVIDE LEGAL SERVICES. DISTRIBUTION OF THIS DOCUMENT DOES NOT CREATE AN ATTORNEY-CLIENT RELATIONSHIP. CREATIVE COMMONS PROVIDES THIS INFORMATION ON AN "AS-IS" BASIS. CREATIVE COMMONS MAKES NO WARRANTIES REGARDING THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER, AND DISCLAIMS LIABILITY FOR DAMAGES RESULTING FROM THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER.

Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
- v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
- vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal

protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and

- vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

4. Limitations and Disclaimers.

- a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.
- b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.
- c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's

Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.

- d. Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

•Creative Commons Attribution 4.0 International Public License

By exercising the Licensed Rights (defined below), You accept and agree to be bound by the terms and conditions of this Creative Commons Attribution 4.0 International Public License ("Public License"). To the extent this Public License may be interpreted as a contract, You are granted the Licensed Rights in consideration of Your acceptance of these terms and conditions, and the Licensor grants You such rights in consideration of benefits the Licensor receives from making the Licensed Material available under these terms and conditions.

Section 1 – Definitions.

- a. **Adapted Material** means material subject to Copyright and Similar Rights that is derived from or based upon the Licensed Material and in which the Licensed Material is translated, altered, arranged, transformed, or otherwise modified in a manner requiring permission under the Copyright and Similar Rights held by the Licensor. For purposes of this Public License, where the Licensed Material is a musical work, performance, or sound recording, Adapted Material is always produced where the Licensed Material is synched in timed relation with a moving image.
- b. **Adapter's License** means the license You apply to Your Copyright and Similar Rights in Your contributions to Adapted Material in accordance with the terms and conditions of this Public License.
- c. **Copyright and Similar Rights** means copyright and/or similar rights closely related to copyright including, without limitation, performance, broadcast, sound recording, and Sui Generis Database Rights, without regard to how the rights are labeled or categorized. For purposes of this Public License, the rights specified in Section [2\(b\)\(1\)-\(2\)](#) are not Copyright and Similar Rights.
- d. **Effective Technological Measures** means those measures that, in the absence of proper authority, may not be circumvented under laws fulfilling obligations under Article 11 of the WIPO Copyright Treaty adopted on December 20, 1996, and/or similar international agreements.
- e. **Exceptions and Limitations** means fair use, fair dealing, and/or any other exception or limitation to Copyright and Similar Rights that applies to Your use of the Licensed Material.
- f. **Licensed Material** means the artistic or literary work, database, or other material to which the Licensor applied this Public License.

- g. **Licensed Rights** means the rights granted to You subject to the terms and conditions of this Public License, which are limited to all Copyright and Similar Rights that apply to Your use of the Licensed Material and that the Licensor has authority to license.
- h. **Licensor** means the individual(s) or entity(ies) granting rights under this Public License.
- i. **Share** means to provide material to the public by any means or process that requires permission under the Licensed Rights, such as reproduction, public display, public performance, distribution, dissemination, communication, or importation, and to make material available to the public including in ways that members of the public may access the material from a place and at a time individually chosen by them.
- j. **Sui Generis Database Rights** means rights other than copyright resulting from Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, as amended and/or succeeded, as well as other essentially equivalent rights anywhere in the world.
- k. **You** means the individual or entity exercising the Licensed Rights under this Public License. **Your** has a corresponding meaning.

Section 2 – Scope.

- a. **License grant.**
 - 1. Subject to the terms and conditions of this Public License, the Licensor hereby grants You a worldwide, royalty-free, non-sublicensable, non-exclusive, irrevocable license to exercise the Licensed Rights in the Licensed Material to:
 - A. reproduce and Share the Licensed Material, in whole or in part; and
 - B. produce, reproduce, and Share Adapted Material.
 - 2. Exceptions and Limitations. For the avoidance of doubt, where Exceptions and Limitations apply to Your use, this Public License does not apply, and You do not need to comply with its terms and conditions.
 - 3. Term. The term of this Public License is specified in Section [6\(a\)](#).
 - 4. Media and formats; technical modifications allowed. The Licensor authorizes You to exercise the Licensed Rights in all media and formats whether now known or hereafter created, and to make technical modifications necessary to do so. The Licensor waives and/or agrees not to assert any right or authority to forbid You from making technical modifications necessary to exercise the Licensed Rights, including technical modifications necessary to circumvent Effective Technological Measures. For purposes of this Public License, simply making modifications authorized by this Section [2\(a\)\(4\)](#) never produces Adapted Material.
 - 5. Downstream recipients.

- A. Offer from the Licensor – Licensed Material. Every recipient of the Licensed Material automatically receives an offer from the Licensor to exercise the Licensed Rights under the terms and conditions of this Public License.
 - B. No downstream restrictions. You may not offer or impose any additional or different terms or conditions on, or apply any Effective Technological Measures to, the Licensed Material if doing so restricts exercise of the Licensed Rights by any recipient of the Licensed Material.
6. No endorsement. Nothing in this Public License constitutes or may be construed as permission to assert or imply that You are, or that Your use of the Licensed Material is, connected with, or sponsored, endorsed, or granted official status by, the Licensor or others designated to receive attribution as provided in Section [3\(a\)\(1\)\(A\)\(i\)](#).
- b. **Other rights.**
1. Moral rights, such as the right of integrity, are not licensed under this Public License, nor are publicity, privacy, and/or other similar personality rights; however, to the extent possible, the Licensor waives and/or agrees not to assert any such rights held by the Licensor to the limited extent necessary to allow You to exercise the Licensed Rights, but not otherwise.
 2. Patent and trademark rights are not licensed under this Public License.
 3. To the extent possible, the Licensor waives any right to collect royalties from You for the exercise of the Licensed Rights, whether directly or through a collecting society under any voluntary or waivable statutory or compulsory licensing scheme. In all other cases the Licensor expressly reserves any right to collect such royalties.

Section 3 – License Conditions.

Your exercise of the Licensed Rights is expressly made subject to the following conditions.

a. **Attribution.**

1. If You Share the Licensed Material (including in modified form), You must:
 - A. retain the following if it is supplied by the Licensor with the Licensed Material:
 - i. identification of the creator(s) of the Licensed Material and any others designated to receive attribution, in any reasonable manner requested by the Licensor (including by pseudonym if designated);
 - ii. a copyright notice;
 - iii. a notice that refers to this Public License;

- iv. a notice that refers to the disclaimer of warranties;
 - v. a URI or hyperlink to the Licensed Material to the extent reasonably practicable;
- B. indicate if You modified the Licensed Material and retain an indication of any previous modifications; and
- C. indicate the Licensed Material is licensed under this Public License, and include the text of, or the URI or hyperlink to, this Public License.
2. You may satisfy the conditions in Section [3\(a\)\(1\)](#) in any reasonable manner based on the medium, means, and context in which You Share the Licensed Material. For example, it may be reasonable to satisfy the conditions by providing a URI or hyperlink to a resource that includes the required information.
3. If requested by the Licensor, You must remove any of the information required by Section [3\(a\)\(1\)\(A\)](#) to the extent reasonably practicable.
4. If You Share Adapted Material You produce, the Adapter's License You apply must not prevent recipients of the Adapted Material from complying with this Public License.

Section 4 – Sui Generis Database Rights.

Where the Licensed Rights include Sui Generis Database Rights that apply to Your use of the Licensed Material:

- a. for the avoidance of doubt, Section [2\(a\)\(1\)](#) grants You the right to extract, reuse, reproduce, and Share all or a substantial portion of the contents of the database;
- b. if You include all or a substantial portion of the database contents in a database in which You have Sui Generis Database Rights, then the database in which You have Sui Generis Database Rights (but not its individual contents) is Adapted Material; and
- c. You must comply with the conditions in Section [3\(a\)](#) if You Share all or a substantial portion of the contents of the database.

For the avoidance of doubt, this Section [4](#) supplements and does not replace Your obligations under this Public License where the Licensed Rights include other Copyright and Similar Rights.

Section 5 – Disclaimer of Warranties and Limitation of Liability.

- a. **Unless otherwise separately undertaken by the Licensor, to the extent possible, the Licensor offers the Licensed Material as-is and as-available, and makes no representations or warranties of any kind concerning the Licensed Material, whether express, implied, statutory, or other. This includes, without limitation, warranties of title, merchantability, fitness for a particular purpose, non-infringement, absence of latent or other defects, accuracy, or the presence or absence of errors, whether or not known or discoverable.**

Where disclaimers of warranties are not allowed in full or in part, this disclaimer may not apply to You.

- b. To the extent possible, in no event will the Licensor be liable to You on any legal theory (including, without limitation, negligence) or otherwise for any direct, special, indirect, incidental, consequential, punitive, exemplary, or other losses, costs, expenses, or damages arising out of this Public License or use of the Licensed Material, even if the Licensor has been advised of the possibility of such losses, costs, expenses, or damages. Where a limitation of liability is not allowed in full or in part, this limitation may not apply to You.**
- c. The disclaimer of warranties and limitation of liability provided above shall be interpreted in a manner that, to the extent possible, most closely approximates an absolute disclaimer and waiver of all liability.

Section 6 – Term and Termination.

- a. This Public License applies for the term of the Copyright and Similar Rights licensed here. However, if You fail to comply with this Public License, then Your rights under this Public License terminate automatically.
- b. Where Your right to use the Licensed Material has terminated under Section [6\(a\)](#), it reinstates:
 - 1. automatically as of the date the violation is cured, provided it is cured within 30 days of Your discovery of the violation; or
 - 2. upon express reinstatement by the Licensor.

For the avoidance of doubt, this Section [6\(b\)](#) does not affect any right the Licensor may have to seek remedies for Your violations of this Public License.

- c. For the avoidance of doubt, the Licensor may also offer the Licensed Material under separate terms or conditions or stop distributing the Licensed Material at any time; however, doing so will not terminate this Public License.
- d. Sections [1](#), [5](#), [6](#), [7](#), and [8](#) survive termination of this Public License.

Section 7 – Other Terms and Conditions.

- a. The Licensor shall not be bound by any additional or different terms or conditions communicated by You unless expressly agreed.
- b. Any arrangements, understandings, or agreements regarding the Licensed Material not stated herein are separate from and independent of the terms and conditions of this Public License.

Section 8 – Interpretation.

- a. For the avoidance of doubt, this Public License does not, and shall not be interpreted to, reduce, limit, restrict, or impose conditions on any use of the Licensed Material that could lawfully be made without permission under this Public License.
- b. To the extent possible, if any provision of this Public License is deemed unenforceable, it shall be automatically reformed to the minimum extent

necessary to make it enforceable. If the provision cannot be reformed, it shall be severed from this Public License without affecting the enforceability of the remaining terms and conditions.

- c. No term or condition of this Public License will be waived and no failure to comply consented to unless expressly agreed to by the Licensor.
- d. Nothing in this Public License constitutes or may be interpreted as a limitation upon, or waiver of, any privileges and immunities that apply to the Licensor or You, including from the legal processes of any jurisdiction or authority.

Creative Commons is not a party to its public licenses. Notwithstanding, Creative Commons may elect to apply one of its public licenses to material it publishes and in those instances will be considered the “Licensor.” The text of the Creative Commons public licenses is dedicated to the public domain under the [*CC0 Public Domain Dedication*](#). Except for the limited purpose of indicating that material is shared under a Creative Commons public license or as otherwise permitted by the Creative Commons policies published at creativecommons.org/policies, Creative Commons does not authorize the use of the trademark “Creative Commons” or any other trademark or logo of Creative Commons without its prior written consent including, without limitation, in connection with any unauthorized modifications to any of its public licenses or any other arrangements, understandings, or agreements concerning use of licensed material. For the avoidance of doubt, this paragraph does not form part of the public licenses.

Creative Commons may be contacted at creativecommons.org.