Jasmy Secure PC Manager

User manual

Ver. 3.1

Contents

Trademarks	
What is "Jasmy Secure PC Manag	ger"? 3
2. recommended environment	
3. advance preparation	
4. activation method	
5. method of use	
5.1. how to view the home scree	n 15
5.2 Adding Administrative Use	<i>c</i> s17
5.3. forcibly adding a managed	user
5.4 . Delete a managed user	
5.5 . Display of list of users und	er management37
5.6 . Edit managed user inform	ation
5.7 . Search for users under ma	nagement
5.8 . Display of PCs used by use	rs under management 53
5.9 . Edit profiles of managed u	sers
5.10 . agent settings for manage	ed users
5.11 . Display of work status (da	ashboard) of users under management
5.12 . Display of user activity h	story under management
5.13 .Issue online commands	
5.14 . QR Code Issuance	
5.15 .Log search	
5.16 . Downloading of the opera	tion log 118
5.17 . Create a group	
5.18 . Display of group list	
5.19 . Displaying a list of group	members 137
5.20 . Adding members to a gro	ap145
5.21 . Edit group membership	
5.22 . Setting up alerts	
5.23 . Removing members from	a group 189
5.24 . Delete group	

5.25 . Display of list of PCs under management
5.26 . Setting of items to be displayed in the list of PCs under management. 204
5.27 . Display of detailed information on PCs under management
5.28 . search for controlled PCs
5.29 . Reset password
5.30 . How to log out
5.31 . language settings
6. upgrade from Jasmy Secure PC Agent DR to PRO 226
7. restrictions
8. OSS Licenses

Trademarks

Company names, system names, and product names mentioned in this document are generally registered trademarks or trademarks of the respective companies.

Note that " $\ensuremath{\mathbb{T}}\xspace$ " and " $\ensuremath{\mathbb{R}}\xspace$ " are not specified in the text and figures.

- Microsoft and Windows are trademarks or registered trademarks of Microsoft Corporation in the United States and other countries.
- QR Code is a registered trademark of DENSO WAVE INCORPORATED.
- Ghost Drive is a registered trademark of Jasmy Corporation.

What is "Jasmy Secure PC Manager"?

"Jasmy Secure PC Manager" is a website that displays a list of terminals running the "Jasmy Secure PC Agent" application and provides detailed information about each terminal. Jasmy Secure PC Agent" application.

	Jasmy Secure PC Ma					8
ŧ	Home	^{User list}				
•	Users	User list				_
*	Groups	EDIT DELET		(true		
	PCs	Name	Group	Status -	DISPLAY INFORMATION SELEC	
		□ Name ↑	Email Address	Status	Label Today's operating hour	· · · · · · · · · · · · · · · · · · ·
		yoko tanabe	xxxxxxxxx@example.com	1 hour Rest	02 hour 37 min	2024/11/12 07:10:00
		jasmy	xxxxxxxxx@example.com	41 min Operating	00 hour 46 min	2024/11/12 09:01:00
		•			Rows per page 10 👻 1 - 2 ou	tof2 < < >>

Key features include

- > Add / remove users running the "Jasmy Secure PC Agent" application
- \succ User List
- \succ User Search
- \succ PC List
- > PC Search
- > Display of detailed terminal information
- Windows Update History
- > Display of operational status, application usage history, and file access history
- > Operational Information History
- ➢ Creating Groups
- > Alert settings
- Issue online commands
- ➢ QR Code Issuance
- > Network History
- Network/Web browsing control settings
- ➢ Reset Password

2. recommended environment

We recommend using "Jasmy Secure PC Manager" in the following environment

If you use a browser in an environment other than the recommended environment, or if you use a browser in a recommended environment but your browser settings are not compatible with the recommended environment, you may need to change the browser settings.

Please note that some of the above may not be used correctly. Please understand.

If you have any questions or inquiries, please contact Jasmy Corporation Support Desk (https://dx.jasmy.co.jp/contact/).

Recommended OS

➢ Windows 10 and Windows 11

(web) browser

➢ Microsoft Edge and Chrome

3. advance preparation


"Jasmy Secure PC Manager" must be prepared in advance by following these steps

1. Launch the application "Jasmy Secure PC Agent Pro

For information on how to install and start the application, please refer to the Jasmy Secure PC Agent User Manual

When you first launch Jasmy Secure PC Agent PRO, you will be able to enter your "User Profile" by selecting your user email address in the upper right corner of the main screen (dashboard).

2. Select the three lines in the upper left corner of the main screen (dashboard) and select the "Manager Launch " button.



3. The "Jasmy Secure PC Manager" website opens.

Manager's email address and temporary password sent to you in advance by email (next page)

(see figure) and select the "Login" button

Sign in	🔯 login Jasmy Secure PC Manager 🗙 🕂	_		×
← C	🕆 https://manager.jas 🖉 🏠 🗘	≨≣	0	%
Ja	asmy Secure PC Mana	qe	r	
	login			
	login			
	Enter your registered email			
	Enter temporary password			
	I <u>f you forget your password</u>			
	n you longer your password			
	LOGIN			

Caution:

Temporary passwords are valid for <u>**30**</u> days <u>after receiving an email</u> <u>confirming completion of temporary registration.</u>

Please change your temporary password and password verification before the expiration date.

Subject: Notice of provisional manager registration completion (Jasmy Incorporated)

body (of letter)

We are Jasmy Incorporated.

Thank you for applying for Jasmy Secure PC Manager.

Thank you for your patience, we are pleased to inform you that the provisional registration has been completed.

Please read the operations manual before use.

Currently, it is in a state of provisional registration.

To complete this registration, please follow the below.

■ Your registered email address

securepc.sample.v***@****.***

Temporary password

qRWHarIM

*The temporary password is valid for 30.

Please change your password within the period.

You will need your registered email address and temporary password when you log in for the first time.

Please remember to keep them safely.

<Preparations for using Jasmy Secure PC Manager>

1. Install Jasmy Secure PC Agent PRO.

*For installation instructions, please refer to the email sent to you when you applied for Jasmy Secure PC Agent PRO (Subject: Notice of Download Information and Completion of Temporary Registration (Jasmy Incorporated)).

2. Launch Jasmy Secure PC Agent PRO and select the "Startup Manager" button.

3. Jasmy Secure PC Manager will launch automatically.

4. Please enter the registered email address as the username on the login screen, and the temporary password provided in this email as the temporary password.

5. Next, the password change screen will be displayed. Assign a new password with at least 8 characters, including at least one number and a combination of alphanumeric characters.

* You cannot use Jasmy Secure PC Manager with a temporary password.

Please ensure to change the password before use.

This completes the preparations for using "Jasmy Secure PC Manager".


If you have any questions, please contact us.

Jasmy Incorporated support window (https://www.avita.com/blockchainpc).

4. The password initialization screen will appear.

Enter the temporary password sent to you in advance by email at and then enter your new password at. Enter the temporary password that was emailed to you in advance, then enter your new password at and select the " login " button.

*The new password you enter must be <u>a combination of one-byte</u> <u>alphanumeric characters and at least 8 characters long, including at least one</u> <u>number.</u>




Caution:

If you do not authenticate and reset your temporary password, you will not be able to use "Jasmy Secure PC Manager".


<u>Please be sure to perform temporary password authentication and password</u> <u>resetting (steps 3 and 4)</u>

- 5. Read the Jasmy SecurePC End User License Agreement and check the "I accept the End User License Terms of Jasmy Secure PC." checkbox at the bottom of the screen.
- 6. Select the "GET STARTED" button.

Jasmy Secure PC Manager	8
Jasmy Secure PC End User License Agreement To use Jasmy Secure PC Manager, you must accept following terms.	
[Translation] Jasmy Secure PC End User License Rules The User shall consent to these Jasmy Secure PC End User License Rules upon downloading the User Software and/or upon using the Service. 1. Definitions I accept the End User License Terms of Jasmy Secure PC. GET STARTED	Ļ
	ver: 3.0.0.b810b3a



7. "Jasmy Secure PC Manager" is ready and ready to use.



Caution:

Immediately after the startup, the user to be managed (the application "Jasmy Secure PC Agent") must be installed on the PC.

(Users using) is empty

Refer to <u>"5.2. Adding Managed Users</u>" to add users to be managed and use the system.


4. activation method

Open the "Jasmy Secure PC Manager" website by following the steps below

1. Launch "Jasmy Secure PC Agent Pro


For details on how to start the application, please refer to the Jasmy Secure PC Agent PRO operating instructions.

2. Select the three lines in the upper left corner of the main screen (dashboard) and select the "Launch Manager" button.




3. "Jasmy Secure PC Manager" website will open at

4. Enter your registered email address and the password you changed in the preparation step, then select the "Login" button.



5. The Home screen will appear and you can use " Jasmy Secure PC Manager "



5. method of use

5.1. how to view the home screen

The Home screen displays the following items

- ➢ Menu ((1))
 - ♦ Home
 - ♦ user

For more information, see "<u>5..5. Viewing the List of Managed Users</u>

 \diamond group (usu. of people)

For more information, see "<u>5.18. Group Displaying</u>

♦ PC

For details, see "<u>5.25. Managed PCsDisplaying the List of</u> for more information.

> Currently logged in administrator account (2)

<pull-down list>.

- Manager's email address
- Language Settings
- FAQ
- End User License Agreement
- Logout

> Transition history list (③)

The transition history of the screen is displayed, and you can return to the original screen by selecting the transition history (link).

 \succ Home (④)

Home (i)	(ii)	(iii)
Number of users	Number of groups	Number of PCs
0	0	0
Display the list page	Display the list page	Display the list page

(i) Number of users

Show the number of users you are managing.

Link to User List

(ii) Number of groups

Show the number of groups created.

Link to group list.

(iii) Number of PCs

Show the number of PCs managed.


Link to PC List

 \blacktriangleright Version information (5)

You can check the version in the lower right corner of the home screen.

5.2 Adding Administrative Users

1. Select "Users" in the menu on the left of the home screen, or "Number of users" in the home.



2. Select the "Add User" button from the user list screen.

	st view>	anager	•
A	Home	User list User List	
•	Users Groups		ADD USER DOWNLOAD CSV FILE
	PCs	Name Group Status ▼ ✓ Name ↑ Email Address Status Label Today's operating hours	Operation start date Last operation date Last status (
		<	Rows per page 10 -

The user list can be displayed in "list view" or "card view" (see next page).

(The first time it is started, it is displayed as a "list view".)

See "5.5. displaying the list of users under management" for more information on this topic.

Jasmy Corporation

<Card view>

≡	≡ Jasmy Secure PC Manager				
Ĥ	Home	User list User List			
*	Users				
÷	Groups	EDIT DELETE ADD USER DOWNLOAD CSV FILE			
□	PCs				
		Rows per page 10 + IC C > >I			

3. On the Add User screen, enter the email address of the user you wish to add into the input form and select the "Send Request" button.

=	Jasmy Secure PC M	anager 🔹
	Home	User list > Add User
	Home	Add User
*	Users	
;;	Groups	You can submit a request for additional admin users. If It is approved by the sender, it will be added as an administrative user under this manager and the information can be confirmed from the user list For importing CSV file, please just enter a single email address on every new line.
	PCs	user01@example.com user02@example.com
		ADD DESTINATION READ CSV FILE User's small address to be added DELETE
		xxxxxx@example.com
		SEND REQUEST
		ADD FORCIBLY

If an email address is entered that is not in the format of an email address, a message will be displayed below the input field and the "Send Request" button will not be selectable.

4. Confirm that the user's email address displayed in the confirmation dialog is correct and select the "Send request to user" button

			8		
ń	Home	User list > Add User Add User			
+	Users	You can submit a request for additional admin users.			
	Groups	If it is approved by the sender, it will be added as an administrative user under this manager and the information can be confirmed from the user list For importing CSV file, please just enter a single email address on every new line.			
	PCs	User01@example Confirm user02@example Do you want to send out the request? Number of destinations: 1 Number of destinations: 1 ADD DESTINATION Email Address User's email address to VXXXXXX/@example.com			
	×××××××@example.c	CANCIL SEND THE REQUEST TO USER			
ADD FORCIBLY					

At this time, a request email is sent to the user with the email address entered.

For more information, please refer to the "Jasmy Secure PC Agent" operating instructions.

5. If the user who sent the request approves, the user will be added to the user list.

≡	Jasmy Secure PC N	lanager	8
÷	Home	User list > Add User	
•	Users	Add User	
•	Groups	Sent user addition request. CLOSE DETAILS ∧	×
	PCs	jass.test2+stg-agent-001@gmail.com	
		You can submit a request for additional admin users. If it is approved by the sender, it will be added as an administrative user under this manager and the information can be confirmed from the user list For importing CSV file, please just enter a single email address on every new line.	
		user01@example.com user02@example.com	
		ADD DESTINATION READ CSV FILE	
		User's email address to be added DEI	LETE
		SEND REQUEST	
		ADD FORCIBLY	

- ≻ Message (①)
 - ♦ If the request was successfully sent: "Sent user additional request."

Even if there are multiple successful email addresses, one message will be displayed at a time.

✤ If the request fails to be sent: Display a message corresponding to the content of the error.

If it fails, a message corresponding to the error content is displayed.

 \succ E-mail address at which the request was sent (2)

The email address you sent your request will be displayed.

If you wish to register multiple users at once, there are two methods.

- How to do this by adding a destination
- How to read email addresses from a CSV file

< How to do this by adding a destination.

① Select the "Add destination" button on the "Add user" screen.

Jasmy Secure PC M		8
Home	User list > Add User	
	Add User	
Users	You can submit a ranuact for additional admin usars	
Groups	If it is approved by the sender, it will be added as an administrative user under this manager and the information can be confirmed from the user list For importing CSV file, please just enter a single email address on every new line.	
PCs	user01@example.com user02@example.com	
	ADD DESTINATION READ CSV FILE	
	User's email address to be added xxxxxxxxxxx (@examplel.com	LETE
	SEND REQUEST	
		_
	AUU FURGIEL	
	Home Users Groups	Home Add User Users Vou can submit a request for additional admin users. Groups You can submit a request for additional admin users. PCs user01@example.com User02@example.com user02@example.com User0 termal address to be added mathematication

② Add the number of email address forms for the number of users you wish to add, enter the email addresses for each form, and then select the "Send Request" button.

			2
÷	Home	User list > Add User Add User	
÷	Users	You can submit a request for additional admin users.	
	Groups	If it is approved by the sector autonoina autonoina sector. If it is approved by the sector, it will be added as an administrative user under this manager and the information can be confirmed from the user list For importing CSV file, please just enter a single email address on every new line.	
	PCs	USER01@example.com USER02@example.com READ CSV FILE	
		input	LETE LETE
		SEND REQUEST	ETE

If you want to delete an input form, select the "Delete" button on the right side of the form.

If the "Delete" button is grayed out and cannot be pressed, select the "Add destination" button again, and when the "Delete" button can be pressed Select the "Delete" button for the line you wish to delete.

③ Confirm that the user's email address displayed in the confirmation dialog is correct and select the "Send request to user" button.

<How to read email addresses from a CSV file.

1 0 On the Add User screen, select the " Read CSV file" button.

	Jasmy Secure PC M		2
	Home	User list > Add User	
		Add User	
*	Users		
-	Groups	You can submit a request for additional admin users. If it is approved by the sender, it will be added as an administrative user under this manager and the information can be confirmed from the user list For importing CSV file, please just enter a single email address on every new line.	
	PCs	user01@example.com user02@example.com	
		ADD DESTINATION READ CSV FILE User's email address. Is the solution xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	LETE
		SEND REQUEST	
		ADD FORCIBLY	

② When the Open File dialog appears, select the CSV file containing the email addresses of the users you wish to register additionally, and then select the " Open" button.

🕑 Open					>
$\leftarrow \rightarrow \checkmark \uparrow$	늘 > Desktop > Jasmy		~ (C Search Jasmy	م
Organize 👻 New fo				≡	- 🛯 🔋
E Desktop Downloads Documents Pictures Music Videos Desktop Desktop Cre ↓ Fil ↓ Fil Network		Date modified 11/3/2024 11:12 AM	Type Microsoft Excel C	Size 1 KB	
Fil	le <u>n</u> ame:		Upload from m	→ Microsoft Excel Co obile	mma Separa ∨ Cancel

③ Email addresses are read from the CSV file.

Once the email address is entered, select the "Send Request" button.

④ Confirm that the user's email address displayed in the confirmation dialog is correct and select the "Send request to user" button.

5.3. forcibly adding a managed user

This function is only available for managers who have the authority to force the addition of agents.

The "Force Add" button will be displayed for authorized managers. The "Force add" button will appear for authorized managers.

If you would like to add an agent to the mandatory For authorization, please contact_sales@jasmy.co.jp

one (esp. of two)

1. On the Add User screen, go to and enter the email address of the user you wish to force to be added in the input form and select the "Add forcibly" button.

	Jasmy Secure PC M		8
	Home	User list > Add User	
		Add User	
*	Users		
*	Groups	You can submit a request for additional admin users. If it is approved by the sender, it will be added as an administrative user under this manager and the information can be confirmed from the user list For importing CSV file, please just enter a single email address on every new line.	
	PCs	user01@example.com user02@example.com	
		xxxxxxxx@example.com FILE User's email address to be added	LETE
		SEND REQUEST	
		ADD FORCIBLY	

2. Confirm that the user's email address displayed in the confirmation dialog is correct and select the "Add forcibly" button

≡ Jasmy Secure PC M	anager	3
f Home	User list » Add User Add User	
Lusers	You can submit a request for additional admin users.	
Sroups	If it is approved by the sender, it will be added as an administrative user under this manager and the information can be confirmed from the user list For importing	
🗖 PCs	Confirm user01@ex user02@ex Would you like to forcefully add the user? Number of destinations: 1	
	ADD DESTIN User's email ad	
	CANCEL ADD FORCIBLY SEND REQUEST	
	ADD FORCIBLY	j

Jasmy Corporation

3. The user is forcibly added to the user list.

	Jasmy Secure PC N	lanager	2
	Home	User list > Add User	
Π	Home	Add User	
•	Users		
	Groups	CLOSE DETAILS ^	×
	PCs	2 jass.test2+080-stg-agentpro@gmail.com	
		You can submit a request for additional admin users. If it is approved by the sender, it will be added as an administrative user under this manager and the information can be confirmed from user list For importing CSV file, please just enter a single email address on every new line. user01@example.com user02@example.com	the
		ADD DESTINATION READ CSV FILE	
		User's email address to be added DE	LETE
		SEND REQUEST	
		ADD FORCIBLY	

- ► Message (①)
 - ♦ Successful submission: "Forcefully added user."

Even if there are multiple email addresses added, a single message will be displayed at a time.

♦ If the transmission fails: Display a message according to the content of the error.


If it fails, a message corresponding to the error content is displayed.

 \succ E-mail address with which you sent the transmission (2)

The email address you sent will be displayed.

5.4 . Delete a managed user

1. Select "Users" in the menu on the left of the home screen, or "Number of users" in the home.



2. From the list view of the user list, check the checkboxes of the users you wish to delete.

2 User list A Home User List L Users DELETE EDIT Sroups ✓ Status ≡) ⊑ Group -Name D PCs Name Email Address Today's operating hours Operation start date Status Label xxxxxxxxx@example.com 2024/11/12 10:31:00 \checkmark Jasmin Jasmy 06 hour 39 min eng KaKazuya Suzuki xxxxxxxxx@example.com HR No operation No operation Ayumi Sasazuka xxxxxxxxx@example.com ACCG No operation No operation yoko tanabe xxxxxxxxx@example.com PR No operation No operation xxxxxxxxx@example.com koya Kikuchi QA No operation No operation

square bearing block (at the top of a pillar)

<List View>

Deletion of managed users can only be performed on the "List View" screen of the "User List" at

Jasmy Corporation

3. Select the "Delete" button

📄 Jasmy Secu	re PC Manager					8
🔒 Home	^{User list}					
🚊 Users		ו			ADD USER DO	WNLOAD CSV FILE
🚉 Groups	EDIT DELETE Name	Group - Status	•	DISPL	AY INFORMATION SELECTION	. ≡ .
D PCs	Name	Email Address	Status	Label	Today's operating hours	Operation start date
	Jasmin Jasmy	xxxxxxxxx@example.com	6 min Operating	eng	06 hour 39 min	2024/11/12 10:31:00
	🗌 KaKazuya Suzuki	xxxxxxxxx@example.com	18 day non-operating	HR	No operation	No operation
	Ayumi Sasazuka	xxxxxxxx@example.com	61 day non-operating	ACCG	No operation	No operation
	🗌 yoko tanabe	xxxxxxxxx@example.com	67 day non-operating	PR	No operation	No operation
	koya Kikuchi	xxxxxxxxx@example.com	68 day non-operating	QA	No operation	No operation

4. When the "Delete User" dialog box appears, confirm that the username and email address are correct and click "Delete", Select the "Delete" button in the dialog.

	C Manager			8
A Home	User list User list			
LUSERS	EDIT DELETE			ADD USER
PCs	Name Group + Status +	DISPLAY IN	Last operation date) 💷 🔿 🗈
	Ayaka Kobayashi ja Name	peration	2024/07/22 15:09:00	2024/07/22 15:09
	Ayumi Saszuka ja Jasmin Jasmy Confirm to remove from the administrative u	er list /11/03 12:55:00	2024/09/12 16:47:00 2024/11/03 13:25:00	2024/09/12 16:47 2024/11/03 13:25
	CANCEL DELTE	peration	2024/10/24 20:36:00	2024/10/24 20:44
	kazuhiko sato xxxxxxxx@example.com (of dor ron-operation MK No operation koya Kikuchi xxxxxxxxx@example.com (31 dor ron-operation) QA No operation	No operation	2024/08/28 11:06:00	2024/08/28 11:06
	yoke tanabe xxxxxxxGexample.com xxt Gay non-operation PR No operation	No operation	2024/09/06 11:22:00	2024/09/06 11:22

X Deletion here only means that the user is removed from the list of managed users, not that the user is deleted.

5. To delete all users at once, select the check box at the top of the "User List (List View)" screen

≡	Jasmy Secure PC M	lanager					2
ŧ	Home	^{User list}					
*	Users					ADD USER DO	WNLOAD CSV FILE
-	Groups	EDIT DELETE Name	Group - Status	~	DISPL	AY INFORMATION SELECTION	
	PCs	Name	Email Address	Status	Label	Today's operating hours	Operation start date
		Jasmin Jasmy	xxxxxxxxx@example.com	6 min Operating	eng	06 hour 39 min	2024/11/12 10:31:00
		🗌 KaKazuya Suzuki	xxxxxxxx@example.com	18 day non-operating	HR	No operation	No operation
		Ayumi Sasazuka	xxxxxxxx@example.com	61 day non-operating	ACCG	No operation	No operation
		yoko tanabe	xxxxxxxxx@example.com	67 day non-operating	PR	No operation	No operation
		🔲 koya Kikuchi	xxxxxxxx@example.com	68 day non-operating	QA	No operation	No operation


Jasmy Corporation

6. Select the "Delete" button

A Home	User List					
Users	EDIT)			ADD USER DO	WNLOAD CSV FILE
Groups	Name	Group - Status	*	DISP	AY INFORMATION SELECTION	. = ○ =
PCs	S Name	Email Address	Status	Label	Today's operating hours	Operation start date
	🔽 Jasmin Jasmy	xxxxxxxxx@example.com	21 min Operating	eng	06 hour 39 min	2024/11/12 10:31:0
	🔽 KaKazuya Suzuki	xxxxxxxxx@example.com	18 day non-operating	HR	No operation	No operation
	Ayumi Sasazuka	xxxxxxxxx@example.com	61 day non-operating	ACCG	No operation	No operation
	yoko tanabe	xxxxxxxx@example.com	67 day non-operating	PR	No operation	No operation
	🛃 🛛 koya Kikuchi	xxxxxxxx@example.com	68 day non-operating	QA	No operation	No operation

7. The "Delete User" dialog box will appear.

Select the "Delete" button in the dialog.




5.5 . Display of list of users under management

In "Jasmy Secure PC Manager" there are two user list display modes: "List view" and "Card view"

If the display mode is changed, it will remain in the "list display" mode from the next time onward.

<List view >

1. Select "Users" in the menu on the left of the home screen or "Number of users" in the home



2. The list view displays a list of users who are managed by the currently logged in administrator, and the list of users who are managed by the currently logged in administrator is displayed in the list view.

≡ Jasmy Secure P	C Manager							8
🚖 Home	User list User List							~
🚊 Users	EDIT (14) DELETI	15				16		19 ILOAD CSV FILE
Groups	Name (1)	- 2 • Sta	3 -					= 0 =
_	□ Name ↑	Email Address	Status	Label	Today's operating hours	Operation start date	Last operation date	Last status update
	Ayaka Kobayashi	xxxxxxxxxx@example.com	103 day non-operating	HR	No operation	No operation	2024/07/22 15:09:00	2024/07/22 15:09:
	Ayumi Sasazuka	xxxxxxxxx@example.com	51 day non operating	ACCG	No operation	No operation	2024/09/12 16:47:00	2024/09/12 16:47:
	Jasmin Jasmy	xxxxxxxxx@example.com	6 min Operating	eng	00 hour 36 min	2024/11/03 12:55:00	2024/11/03 13:25:00	2024/11/03 13:25:
	🗌 KaKazuya Suzuki	xxxxxxxxx@example.com	9 day non-operating	HR	No operation	No operation	2024/10/24 20:36:00	2024/10/24 20:44:
	kazuhiko sato	xxxxxxxxx@example.com	67 day non-operating	МК	No operation	No operation	2024/08/28 11:06:00	2024/08/28 11:06:
	🗌 koya Kikuchi	xxxxxxxxxxxi@example.com	58 day non-operating	QA	No operation	No operation	2024/09/05 16:58:00	2024/09/05 16:58:
	yoko tanabe	xxxxxxxxxx@example.com	58 day non-operating	PR	No operation	No operation	2024/09/06 11:22:00	2024/09/06 11:22:
	56	\bigcirc	8	9	10	(1)	(12)	(13)

square bearing block (at the top of a pillar)

> Name search box (1)

You can search for users by entering their user name (partial match)

➢ Group filter selection list (②)

By selecting a created group, users registered in the selected grou

Only the

For information on creating groups, see "5.17._ Creating Groups".

➢ Status selection list box (③)

By selecting the status you want to display (unspecified, active, away, rest, or not active), you can select

Only users with the selected status can be displayed

➢ Display format radio button (④)

You can choose between two display methods (list view and card view)

*Edit and delete users from the "List View" screen at

▶ User selection checkbox (⑤)

Edit button (4) by selecting the check box of the user you wish to edit, Delete button

(16) will be available for selection

Select the checkbox at the top to select all users for batch editing and deletion

➤ Name (⑥)

Displays the name of the user being managed

Selecting a user name will take you to the list of PCs used by the user and the operation information page.

➢ E-mail address (⑦)

Displays the email addresses of the users you are managing

➤ Status (⑧)

Displays the current status of the user

➤ Label (⑨)

Displays the text set for the user

> Operating hours today (10)

Displays the operating hours for the day

> Start of operation ((1))

Displays the date and time of the user's start of operation

- Last operating date (12)
 Displays the user's last active date and time
- ➤ Last status update date (①)

Displays the user's last status update date

➢ Edit button (⑭)

Displays the user edit screen

Button cannot be selected when the User Selection checkbox (5) is not selected

> Delete button (15)

Displays the user deletion screen

Button cannot be selected when the User Selection checkbox (5) is not selected

> Add user button ((16))

Displays the Add User screen

For information on how to add users, see "5.2 Adding Administrative Users".

						8
A Home	User list User list					
L Users						
Groups	EDIT DELETE		_			ADD USER
	Name Group	 Display information selection 		DISPLAY INF	ORMATION SELECTION	≡ ○ ∎
PCs	S Name 🛧 Email Address	Name Name (kana)	atin	ng hours Operation start date	Last operation date	Last status update
	🛃 Ayaka Kobayashi 🗴 🕬 📾 📾	nple.com C Empil Address Status Employee Number	- 11	No operation	2024/07/22 15:09:00	2024/07/22 15:09
	🛃 Ayumi Sasazuka noxooro@ee		- 11	No operation	2024/09/12 16:47:00	2024/09/12 16:47
	💆 Jasmin Jasmy 🛛 🛛 🖉	nple.com Operation start date	in	2024/11/03 12:55:00	2024/11/03 13:25:00	2024/11/03 13:25
	🔯 KaKazuya Suzuki 🕬 🛛 🖉	nple.com V Last operation date	1	No operation	2024/10/24 20:36:00	2024/10/24 20:44
	🔯 kazuhiko sato 🚥 🕬	nple.com i	•	No operation	2024/08/28 11:06:00	2024/08/28 11:06
	🔯 koya Kikuchi 🚥 🕬	nple.com	QA No operation	No operation	2024/09/05 16:58:00	2024/09/05 16:58
	🜠 yoko tanabe 🚥 🕬	nple.com 58 day tion-operating	PR No operation	No operation	2024/09/06 11:22:00	2024/09/06 11:23

> Select display information (17)

You can choose which items to display in the user list

- Name
- Name (Kana)
- Email Address
- status
- employee number
- belong to

- Label
- Today's operating hours
- Operation start date
- Last operation date
- Last status update date
- ➢ Item Title (¹/₈)

By selecting the title name of each item, you can change the order of each item in ascending or descending order.

*Sorting order can be changed by hiragana, katakana, alphabet, and numbers.

> Download CSV file button (19)

User list information can be downloaded as a CSV file

<Card View >

When the "User List" screen is launched for the first time, it is displayed in "List View". If the display mode is changed, it will remain in the display mode from the next time onward.

1. Home on the left of the screen, in the menu " Users" or in the home section of the " Number of users" on the left side of the home page

≡ Jasmy Secure PC N			8
Home Users Groups PCs	Home Home Number of users Z Display the list page	Number of groups 3 Display the list page	Number of PCs
			ver: 3.0.0.76bfd7b

2. Displays a list of users currently managed by the currently logged in administrator.

Select the radio button on the upper right of the "User List" screen to "Show Cards" on the right side

=									8
A	Home	User list User List							
÷	Users						_		_
*	Groups PCs	EDIT DELETE Name	Group • Status	v				DD USER DOWN	
		□ Name ↑	Email Address	Status	Label	Today's operating hours	Operation start date	Last operation date	Last status update
		Ayaka Kobayashi	xxxxxxxxx@example.com	103 day non-operating	HR	No operation	No operation	2024/07/22 15:09:00	2024/07/22 15:09:
		Ayumi Sasazuka	xxxxxxxxxx@example.com	51 day non-operating	ACCG	No operation	No operation	2024/09/12 16:47:00	2024/09/12 16:47:
		Jasmin Jasmy	xxxxxxxxx@example.com	6 min Operating	eng	00 hour 36 min	2024/11/03 12:55:00	2024/11/03 13:25:00	2024/11/03 13:25:
		🗌 KaKazuya Suzuki	xxxxxxxxx@example.com	9 day non-operating	HR	No operation	No operation	2024/10/24 20:36:00	2024/10/24 20:44:
		kazuhiko sato	xxxxxxxxx@example.com	67 day non-operating	МК	No operation	No operation	2024/08/28 11:06:00	2024/08/28 11:06:
		koya Kikuchi	xxxxxxxxx@example.com	58 day non-operating	QA	No operation	No operation	2024/09/05 16:58:00	2024/09/05 16:58:
		yoko tanabe	xxxxxxxxx@example.com	58 day non-operating	PR	No operation	No operation	2024/09/06 11:22:00	2024/09/06 11:22:

3. Card view displays a list of users

	Jasmy Secure PC M		8
ń	Home	User list	
<u>.</u>	Users		5
<u></u>	Groups	Image: Constraint of the second se	NLOAD CSV FILE
	PCs) := • • • 4
	6	KaKazuya Suzuki yoko tanabe Employee Number: 4000074L Employee Number: 4000073B Being to Human Resources Depart XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	
		HR PR ACCG Operating hours: No operation Operating hours: No operation Operating hours: No operation	
		1 hour Operating 01 hour 22 min 67 day non-operating 03 hour 41 min 103 day non-operating 23 hour	xur 38 min
		Ayaka Kobayashi Employee Number: Not set Banger Number: A set Stankarkan Kategori (Sama) Banger Stankarkan Kategori (Sama) Ban	r Depart
		Operating hours: 01 hour \$2 min Operating hours: No operation Operating hours: No operation	1

> Name search box (1)

You can search for users by entering their username (partial match)

➢ Group filter selection list (②)

By selecting a created group, users registered in the selected group

Only the

For more information on creating groups, see "5.17 Creating Groups" for more information on creating groups.

➤ Status selection list box (③)

By selecting the status, you want to display (unspecified, active, away, rest, or not active), you can select

Only users with the selected status can be displayed.

> Display format radio button (④)

You can choose between two display methods (list view and card view)

 \succ Add user button (5)

Displays the Add User screen.

For information on how to add users, see "5.2 Adding Administrative Users ".

 \succ User Information (6)



i. Operational Status

Displays the user's most recent operational status.

ii. elapsed time

Displays the time elapsed since the switch to the operation status state

iii. username

Displays the name of the user being managed.

iv. Employee No.

Displays the employee No. of the user being managed.

v. Affiliation Name

Displays the affiliation name of the user being managed.

vi. Email Address

Displays the email addresses of the users you manage.

vii. Labels.

Show the user the text set


viii. number of hours worked.

Operating hours of the day (since the Secure PC was activated) are

shown.

5.6 . Edit managed user information

1. Select "Users" in the menu on the left of the home screen, or "Number of users" in the home



2. A list of users will be displayed.


Select the "List view" radio button, check the checkbox of the user you want to change and click the "Edit" button.

<l< th=""><th colspan="8"><list view=""></list></th></l<>	<list view=""></list>							
≡	Jasmy Secure PC M						8	
ŵ	Home	User list						
*	Users	User List						
	Groups	EDIT DELETE			_		OWNLOAD CSV FILE	
	PCs	iverme	Group - Status	•			. = ○ =	
1		Name	Email Address	Status	Label	Today's operating hours	Operation start date	
		Jasmin Jasmy	xxxxxxxxx@example.com	6 min Operating	eng	06 hour 39 min	2024/11/12 10:31:00	
		🗌 KaKazuya Suzuki	xxxxxxxx@example.com	18 day non-operating	HR	No operation	No operation	
		Ayumi Sasazuka	xxxxxxxx@example.com	61 day non-operating	ACCG	No operation	No operation	
		yoko tanabe	xxxxxxxx@example.com	67 day non-operating	PR	No operation	No operation	
		koya Kikuchi	xxxxxxxx@example.com	68 day non-operating	QA	No operation	No operation	

Editing of managed users can only be done in the "List view" screen of the "User List" at

3. The edit screen will appear.

Select a user name.



4. An edit box will appear.

	Jasmy Secure PC Manager								
A Home	User list								
🚨 Users									
Groups	EDIT DELETE edit		DISPLAY INF		DD USER				
PCs	🗧 Name 🛧 🕞	××××××××@example.com First Name (kana) First Name (kana)	ation start date	Last operation date	Last status update				
	🗋 Ayaka Kobayashi ja	Jasmy Jasmin Family Name First Name	peration	2024/07/22 15:09:00	2024/07/22 15:09:				
	🔲 Ayumi Sasazuka ja	Jasmy Jasmin	peration	2024/09/12 16:47:00	2024/09/12 16:47:				
	🧧 Jasmin Jasmy ja	Belong to	/11/03 12:55:00	2024/11/03 13:25:00	2024/11/03 13:25:				
	🔲 KaKazuya Suzuki ja	Label eng	peration	2024/10/24 20:36:00	2024/10/24 20:44:				
	🔲 kazuhiko sato ja	CANCEL	peration	2024/08/28 11:06:00	2024/08/28 11:06:				
	🗋 koya Kikuchi ja.		peration	2024/09/05 16:58:00	2024/09/05 16:58:				
	yoko tanabe xxxxxxxxx@example.com	m 58 day non-operating PR No operation	No operation	2024/09/06 11:22:00	2024/09/06 11:22:				

Here you can change the following items.

- ♦ Family name (kana)
- ♦ Name(kana)
- ♦ Family name
- ♦ Name
- \diamond employee number
- \diamond belong to
- ♦ Label.

*You cannot change your e-mail address.

5. When editing is complete, select the "Update" button.

Caution:

The edits you make in this edit window will be shared on " Jasmy Secure PC Manager " .

Because of the changed administrator's " Jasmy Secure PC Manager" as well as on the " Jasmy Secure PC Manager" ,


The edited items will be changed on all administrators who have the modified user under their control.

Therefore, if changed by another administrator, you can use your own " Jasmy Secure PC Manager

The display on " " will be changed.

5.7 . Search for users under management

1. Select "Users" in the menu on the left of the home screen, or "Number of users" in the home



2. Enter search terms in the Name Search box.


Enter the username of the user you wish to search for in the search keywords field.

The search method is partial match.

<List View>


=	Jasmy Secure PC M	anager					8
A	Home	User list					
÷	Users						_
-	Groups	EDIT DELETE	Group - Status	*	DISPLA	ADD USER D	
	PCs	Name	Email Address	Status	Label	Today's operating hours	Operation start date
		🗹 Jasmin Jasmy	xxxxxxxxx@example.com	6 min Operating	eng	06 hour 39 min	2024/11/12 10:31:00
		🗌 KaKazuya Suzuki	xxxxxxxxx@example.com	18 day non-operating	HR	No operation	No operation
		Ayumi Sasazuka	xxxxxxxx@example.com	61 day non-operating	ACCG	No operation	No operation
		yoko tanabe	xxxxxxxx@example.com	67 day non-operating	PR	No operation	No operation
		koya Kikuchi	xxxxxxxx@example.com	68 day non-operating	QA	No operation	No operation

<Card View>



5.8 . Display of PCs used by users under management

1. In the menu on the left of the home screen, select " Users" or "Number of users" at home.




2. Select the username from the user list whose PC usage status you wish to view

<List View>

	Jasmy Secure PC M						8
÷	Home	^{User list}					
*	Users					ADD USER DO	WNLOAD CSV FILE
-	Groups	EDIT DELETE	Group - Status	-	DISPLA	Y INFORMATION SELECTION	
	PCs	Name	Email Address	Status	Label	Today's operating hours	Operation start date
		Jasmin Jasmy	xxxxxxxxx@example.com	6 min Operating	eng	06 hour 39 min	2024/11/12 10:31:00
		🗌 KaKazuya Suzuki	xxxxxxxxx@example.com	18 day non-operating	HR	No operation	No operation
		Ayumi Sasazuka	xxxxxxxx@example.com	61 day non-operating	ACCG	No operation	No operation
		yoko tanabe	xxxxxxxx@example.com	67 day non-operating	PR	No operation	No operation
		koya Kikuchi	xxxxxxxx@example.com	68 day non-operating	QA	No operation	No operation

<Card View>



	1 0		0		
≡	Jasmy S	ecure PC Manager			8
A	Home	User list	t ゝ Ayaka Kobayashi		
•	Users	7		List of PCs in use 1 2]3
-	Groups				
	PCs			WPL-WC02 82R3, LENOVO Update date: 2024/10/24 19:20:32	
		40000	ka Kobayashi 1069F In Resources Department XXXXX @example.com	4	
		HR 6 mir	n Operating		
		5	EDIT BY USER		
		6	AGENT SETTINGS		

3. Displays a list of PCs used by the selected user

> Transition history list (①)

The transition history of the screen is displayed, and by selecting the transition history (link), the user can return to the original screen.

can be done.

➢ Number of PCs used (②)

Displays the number of PCs used by the specified user

> Search box (3)

You can search for PCs in use

➤ Terminal name (④)

Displays the name of the terminal used by the selected user

Select the name of the PC whose operation status you want to know, and you will be redirected to the operation status page (dashboard).

> User edit (5)

Displays the edit user profile


For more information, see "<u>5.9. Editing the profile of a managed user</u> for more information.

> Agent setting (6)

Displays the agent setting screen

For more information, see "<u>5.10. Agent Settings for Managed Users</u> for more information.

▶ User profile (⑦)



(i)Username

Displays the user name that you are managing.

(ii)Employee No.

Displays the employee No. of the user being managed.

(iii) Affiliation Name

Displays the affiliation name of the user being managed.

(iv)Email address

Displays the email addresses of the users you are managing.

(v) Label

Displays the text set for the user.

(vi)Operating hours


Displays the uptime of managed users.

User profiles can be edited

For details, see "5.9. Editing the Profile of a User Under Management".

5.9 . Edit profiles of managed users

1. Select "Users" in the menu on the left of the home screen or "Number of users" in the home




2. Select the username for which you wish to configure agent settings from the user list

∃asmy Secure PC	Manager			8
A Home	^{User list}			
Lusers			ADD USER	DOWNLOAD CSV FILE
Croups	EDIT DELETE Name Group -	Status 👻	DISPLAY INFORMATION SELECTION	
D PCs	Name Email Address	Status	Label Today's operating hou	rs Operation start date
	Jasmin Jasmy xxxxxxxxx@example.co	6 min Operating	eng 06 hour 39 min	2024/11/12 10:31:00
	KaKazuya Suzuki xxxxxxxxx@example.co	0 M 18 day non-operating	HR No operation	No operation
	Ayumi Sasazuka xxxxxxxxxx@example.co	0M 61 day non-operating	ACCG No operation	No operation
	yoko tanabe xxxxxxxxxx@example.co	0 m 67 day non-operating	PR No operation	No operation
	koya Kikuchi xxxxxxxx@example.co	68 day non-operating	QA No operation	No operation

<List View>

<Card View>



3. Displays a list of PCs used by the selected user

Select the "Edit User" button

=	Jasmy Secure PC N	N anager		2
A	Home	User list > Ayaka Kobayashi		
•	Users		List of PCs in use 1 Computer Name	
	Groups			
	PCs	$\mathbf{\Theta}$	WPL-WC02 82R3, LENOVO Update date: 2024/10/24 19:20:32	
		Ayaka Kobayashi 4000069F Human Resources Denartment HR 6 min Operating EDIT BY USER AGENT SETTINGS		

4. The "Edit User Profile" screen will appear.


=	E Jasmy Secure PC Manager						
•	Home	User list 🔸 Ayaka Kobayash	1				
.	Users		Edit User Profile				
	Groups		% It may take some time to	update.			
	PCs		Full Name	Family Name			
		Ayaka Kobayash	Full Name (kana)	Family Name (kana) First Name (kana) Kobayashi Ayaka			
	xxxxxxxxx@example.com } HR		Employee Number	40000069F			
			Belong to	Human Resources Department			
		AGENT SETTING	Label	HR			
			CAI				

You can edit the following items.

- \diamond identity
- ♦ Name (Kana)
- \diamond employee number
- \diamond belong to
- \diamond Label.
- 5. When you are done editing, select the "Applicable to " button

5.10 . agent settings for managed users

1. Select "Users" in the menu on the left of the home screen or "Number of users" in the home.




2. Select the username for which you wish to configure agent settings from the user list.

≡ Jasmy Secure PC	= Jasmy Secure PC Manager							
A Home	^{User list}							
🔔 Users			ADD USER	DOWNLOAD CSV FILE				
🚉 Groups	EDIT DELETE	Status -	DISPLAY INFORMATION SELECTION					
D PCs	Name Email Address	Status	Label Today's operating hours	Operation start date				
	Jasmin Jasmy xxxxxxxxxx@example	.com 6 min Operating	eng 06 hour 39 min	2024/11/12 10:31:00				
	KaKazuya Suzuki xxxxxxxxxx@example	.com 18 day non-operating	HR No operation	No operation				
	Ayumi Sasazuka xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	.com 61 day non-operating	ACCG No operation	No operation				
	yoko tanabe xxxxxxxx@example	.com 67 day non-operating	PR No operation	No operation				
	koya Kikuchi xxxxxxxxx@example	68 day non-operating	QA No operation	No operation				

<List View>

<Card View>



3. Displays a list of PCs used by the selected user.

Select the "Agent Settings" button

≡	Jasmy Secure PC N	lanager		2
A	Home	User list > Ayaka Kobayashi		
•	Users		List of PCs in use Computer Name	
*	Groups			
	PCs		WPL-WC02 82R3, LENOVO Update date: 2024/10/24 19:20:32	
		Ayaka Kobayashi 40000069F Human Resources Department xxxxxxxxx@example.com HR 6 min Operating EDIT BY USER AGENT SETTINGS)	

4. Displays the Agent Settings dialog.

	■ Jasmy Secure PC Manager						
A	н	APPLICATION URL NETWORK TITLE IP ADDRESS OPERATION START					
±	U	> 🔲 Windows Application (0)					
	GI	> 🔲 System Tools 💿					
	P	> 🗋 Microsoft365 (0)					
		> 🔲 Business Application 🕕					
		> Development Tools (0)					
		> Creator Tools					
		> others (0)					
	L	CANCEL (APPLICABLE TO					

Here you can set the following items.

- > Application
- Windows Applications
- System Tools
- Microsoft 365
- Business Applications
- Development Tools
- Creator Tools
- Others

Select the applications you want to allow users to use

However, if all are unchecked, the application alert settings will be deactivated.

- > URL
- rejection list
- > Network
- Intra-office network (SSID)
- Home network name (SSID)
- Office VPN Name

- ➤ Title.
- denied title list.
- \succ IP address
- permission list
- rejection list
- \succ Start of operation

Select the day of the week you would like to notify the manager by email when the system starts up

5. After setting, select the "Applicable to" button at the bottom of the screen

5.11 . Display of work status (dashboard) of users under management

1. In the menu on the left of the home screen, select " Users" or "Number of users" in the home


≡ J	Jasmy Secure PC M	lanager			8
	Home Users Groups PCs	Home Home Number of users Z Display the list page	Number of groups	Number of PCs	
				ver: 3.0.	0.76bfd7b

2. Select the user whose work status you want to display from the user list.

<List View>

≡ Jasmy Secure PC Ma	anager							8	
A Home	User list User List								
🚊 Users	EDIT DELETE						DD USER DOWN	LOAD CSV FILE	
Groups	Name	Group • Status	•				RMATION SELECTION	= o 1	
	□ Name ↑	Email Address	Status	Label	Today's operating hours	Operation start date	Last operation date	Last status update	
	🗌 Ayaka Kobayashi	xxxxxxxxx@example.com	103 day non-operating	HR	No operation	No operation	2024/07/22 15:09:00	2024/07/22 15:09:	
	Ayumi Sasazuka	xxxxxxxxx@example.com	\$1 day non-operating	ACCG	No operation	No operation	2024/09/12 16:47:00	2024/09/12 16:47:	
	🔲 🛛 Jasmin Jasmy	xxxxxxxxx@example.com	6 min Operating	eng	00 hour 36 min	2024/11/03 12:55:00	2024/11/03 13:25:00	2024/11/03 13:25:	
	🔲 KaKazuya Suzuki	xxxxxxxxx@example.com	9 day non-operating	HR	No operation	No operation	2024/10/24 20:36:00	2024/10/24 20:44:	
	kazuhiko sato	xxxxxxxxx@example.com	67 day non-operating	MK	No operation	No operation	2024/08/28 11:06:00	2024/08/28 11:06:	
	koya Kikuchi	xxxxxxxxxxi@example.com	58 day non-operating	QA	No operation	No operation	2024/09/05 16:58:00	2024/09/05 16:58	
	yoko tanabe	xxxxxxxx@example.com	58 day non-operating	PR	No operation	No operation	2024/09/06 11:22:00	2024/09/06 11:22:	

<Card View>



3. Displays a list of PCs used by the selected user.

Select the name of the PC you wish to check the operation status of from the list of PCs in use.

	Jasmy Secure PC M	lanager		8
A	Home	User list 🔸 Ayaka Kobayashi		
•	Users		List of PCs in u_3 1 Computer Name	
-	Groups			
	PCs	$\mathbf{\Theta}$	WPL-WC02 82R3, LENOVO Update date: 2024/10/24 19:20:32	
		Ayaka Kobayashi 40000069F Luman Descurses Renortment MR 6 min Operating EDIT BY USER		
		AGENT SETTINGS		



	Jasmy Secure PC M				6
ĥ	Home		bayashi > WPL-WC02		
•	Users	WPL-WC02	2		
		Dashboard	Dashboard		
0 0 Ih h	Groups	✓ Operation history	Operating status (1)		
	PCs	Command issue	2024/11/03		뙡
		EQ. Search Log	Operating Rest 00.00 leave seat Timeline (5:00 - Next morning 5:	01.10 mouse moved distance 207m 207m Image: State of the s	
			06:00 08:00 10:00 12:00 Terminal	14.00 16.00 18.00 20.00 22.00 04.Nov 02.00 04.00 • Operating • leave seat	AIL
			Computer Name	WPL-WC02	
			Product Name	82R3	
			OS Name	Microsoft Windows 11 Pro	
			Agent Version	2.9.1021.0 PRO-	
			Network Connection		
			access point	xg100n-	
			VPN Connection	No Data	
			Local IP	192.168.0.0	
			Global IP	192.168.0.0	
				ver: 3.0.0.	97b

(1) Operating status

Specify the date for which you want to know the operation status, and the operation status will be displayed.

	Jasmy Secur	e PC Ma	nager	
A	Home	1) 2	User list > Ayaka Ko	bayashi > WPL-WC02
):	Users Groups	3	Dashboard	Dashboard Operating status
- -	PCs		Command issue	2024/11/03 Operating 02:41 Operating hours 03:51 mouse moved distance 207m
			6	With the second seco
				06:00 08:00 10:00 12:00 14:00 16:00 18:00 20:00 22:00 04 Nov 02:00 0 © Operating © leave seat

> Transition history list (1)

The transition history of the screen is displayed, and by selecting the transition history (link), the user returns to the original screen.

can be done.

▶ Name of PC used (②)

Displays the name of the PC used by the selected user.

➢ Various menu columns (③)

You will be redirected to the following menu.

- \diamond dashboard
- \diamond Operational Information History
- \diamond command issue
- \diamond log search

> Date-specified frame (4)

Set the date of operation you want to check.

> Confirmation of work status (5)

Displays the following information about uptime and PC performance.

- \diamond number of hours worked
- ♦ Cumulative time pie chart for each operation status
- \diamond Cumulative distance traveled by mouse on the day
- \diamond Total number of mouse clicks on the day
- \diamond Cumulative number of times the keyboard was used on the day
- \diamond timeline

(2) Terminal

Displays the terminal information of the PC used by the specified user

	Jasmy Secure PC Ma	anager			8
ŧ	Home	(2)	Terminal		DETAIL
<u>+</u>	Users		Computer Name	WPL-WC02	
"	Groups		Product Name	82R3	
	PCs		OS Name	Microsoft Windows 11 Pro	
			Agent Version	2.9.1021.0 PRO-	
		(3)	Network Connection		
			access point	xg100n-	
			VPN Connection	No Data	
			Local IP	192.x x x . ×××x x x. ××x x x.	
			Global IP	117.x x x., ××xx x. x x. ××x x 192.108.0.0	

- ♦ Computer Name
- ♦ Product Name
- ♦ OS Name
- ♦ Agent Version
- \diamond "Details" button: Displays detailed information about the PC the user is using.

≡ Jasmy Secure PC Mana	ger		
A Home	ser list > Ayaka Kobayashi > WPL-V		
	PC details	Last Modified Date: 2024/10/24 19:2	20:32
Groups	Last Modified Date		1
	Computer Name	WPL-WC02	
	Product Name	82R3	DETAIL
	Product	LENOVO	DETAIL
	Serial Number	PF44LCRG	
	OS	Microsoft Windows 11 Pro	
	OS Version	10.0.22631	
	OS Edition	Professional	
	OS Name	Windows 11 23H2	
	011	AMD Duzon 2 500011 with Dadoon Graphice	*

Computer Name

Product Name

Manufacturing Serial Number OS **OS** Version **OS** Edition OS Name CPU Number of cores Maximum frequency GPU GPU memory GPU type **GPU Driver Version** Motherboard Motherboard manufacturer Memory Memory manufacturer Memory operating frequency Amount of memory Storage Capacity Storage Product Name Storage type Agent Version


(3) Network connection

Displays the following network information

- \diamond Access point
- ♦ VPN Connection
- \diamond local IP address
- ♦ global IP address

5.12 . Display of user activity history under management

1. In the menu on the left of the home screen, select " Users" or "Number of users" in the home




2. Select the username from the user list for which you want to display the operation information history.

	anager					8
A Home	^{User list}					
🚊 Users					DO USER DOWN	LOAD CSV FILE
Groups	EDIT DELETE Name Group - Status	Ŧ				
	Name Email Address	Status La	bel Today's operating hours	Operation start date	Last operation date	Last status update
	Ayaka Kobayashi xxxxxxxxx@example.com	103 day non-operating HF	R No operation	No operation	2024/07/22 15:09:00	2024/07/22 15:09:
	Ayumi Sasazuka xxxxxxxx@example.com	51 day non-operating AC	CCG No operation	No operation	2024/09/12 16:47:00	2024/09/12 16:47:
	Jasmin Jasmy xxxxxxxx@example.com	6 min Operating 60	ng 00 hour 36 min	2024/11/03 12:55:00	2024/11/03 13:25:00	2024/11/03 13:25:
	KaKazuya Suzuki xxxxxxxx@example.com	9 day non-operating HS	R No operation	No operation	2024/10/24 20:36:00	2024/10/24 20:44:
	kazuhiko sato xxxxxxxx@example.com	67 day non-operating Mi	K No operation	No operation	2024/08/28 11:06:00	2024/08/28 11:06:
	koya Kikuchi xxxxxxxxx@example.com	58 day non-operating Q4	A No operation	No operation	2024/09/05 16:58:00	2024/09/05 16:58:
	yoko tanabe xxxxxxxxx@example.com	58 day non-operating PS	R No operation	No operation	2024/09/06 11:22:00	2024/09/06 11:22:

<List View>


<Card View>



3. Select the name of the PC for which you want to view the operation information history.

User list > Ayaka Kobayashi	
Users List of PCs in use 1 Computer Name	
Groups	
PCs PCs PCs PCs	
Ayaka Kobayashi 4000069F Human Resources Department xxxxxxxxx@example.com HR 6 min Operating EDIT BY USER	
AGENT SETTINGS	

4. Select "Operating Information History



😑 Jasmy Secure PC N	Manager	8
A Home	User list > Ayaka Kobayashi > WPL-WC02 > Works WPL-WC02	
 Users Groups 	Dashboard Operation history Applicable date range	
D PCs	Coperation history 2024/11/03 ~ 2024/11/03 Command issue 1	翸
	EQ. Search Log 2024/11/03	
	06:00 08:00 10:00 12:00 14:00 16:00 18:00 20:00 22:00 04 Nov 02:00 04:00 • Operating • leave seat	
	ver: 3.0.0:	97b5dae

5. Displays the Operating Information History screen

> Applicable date and time range (1)

Enter here the range of dates and times you want the history to appear:

To enter the date and time, select the "Applicable date range" input box, and a calendar will be displayed,

Select the start and end dates of the period, then select the "OK" button

	Jasmy Secure PC M	lanager		8
•	Home	User list > Ayaka Ko	bayashi > WPL-WC02 > Works	
	Home	WPL-WC02	2	
:	Users			
	Croupe	Dashboard	Operation history	
	Groups	✓ Operation history	Applicable date range	
	PCs	20 Operation history	2024/11/02 ~ 2024/11/03	齼
		H Command issue	2024/11/02 ~ 2024/11/03	
		=Q. Search Log	< Nov, 2024 > < Dec, 2024 >	
			Su Mo Tu We Th Fr Sa Su Mo Tu We Th Fr Sa 27 28 29 30 31 1 2 + 2 + 4 5 6 +	
			3 4 5 6 7 8 9 8 9 10 11 12 13 14	
			10 11 12 13 14 15 16 15 16 17 18 19 20 21	
			17 10 19 20 21 22 23 24 25 26 27 20 24 25 26 27 20 24 25 26 27 20 24 25 26 27 20 20 30 31 1 2 0 4	
			24 25 26 27 28 29 30 29 30 31 1 2 9 4 1 2 3 4 5 6 7 5 6 7 8 9 10 11	
			Today Yesterday Last 7 Days	_

≡	Jasmy Secure PC M	Aanager (9				
	Home Users	ist > Ayaka Kobayashi > WPL-WC02 > Works PL-WC02					
*	Groups	Dashboard Operation history Applicable date range					
	PCs						
		06:00 08:00 10:00 12:00 14:00 16:00 18:00 20:00 22:00 04 Nov 02:00 04:00 @ Operating @ leave seat	_				
		ver: 3.0.	.0.97				

In case there is no operation data, "No operation data" will be displayed.

➤ Date (②)

Displays the date for the period selected in 1.


➤ Timeline (③)

Displays a timeline for the date of (2)

5.13 .Issue online commands

1. Select the user to whom you want to issue the online command


Select "Users" in the menu on the left of the home screen, or "Number of users" in the home.



2. Select the user name you wish to issue the online command from the list of users

								8
🟦 Home	User list User List							
🔔 Users	EDIT DELETE					•	DD USER DOWN	LOAD CSV FILE
Groups	Name	Group • Status	•			DISPLAY INFO	RMATION SELECTION	= _ 1
	□ Name ↑	Email Address	Status	Label	Today's operating hours	Operation start date	Last operation date	Last status update
	Ayaka Kobayashi	xxxxxxxxxx@example.com	103 day non operating	HR	No operation	No operation	2024/07/22 15:09:00	2024/07/22 15:0
	Ayumi Sasazuka	xxxxxxxxx@example.com	51 day non-operating	ACCG	No operation	No operation	2024/09/12 16:47:00	2024/09/12 16:4
	Jasmin Jasmy	xxxxxxxxx@example.com	6 min Operating	eng	00 hour 36 min	2024/11/03 12:55:00	2024/11/03 13:25:00	2024/11/03 13:2
	🗌 KaKazuya Suzuki	xxxxxxxxx@example.com	9 day non-operating	HR	No operation	No operation	2024/10/24 20:36:00	2024/10/24 20:4
	kazuhiko sato	xxxxxxxxx@example.com	67 day non-operating	МК	No operation	No operation	2024/08/28 11:06:00	2024/08/28 11:0
	koya Kikuchi	xxxxxxxxxxil@example.com	58 day non-operating	QA	No operation	No operation	2024/09/05 16:58:00	2024/09/05 16:5
	yoko tanabe	xxxxxxxxx@example.com	58 day non-operating	PR	No operation	No operation	2024/09/06 11:22:00	2024/09/06 11:2

<Card View>



3. Select the name of the PC to which you want to issue the online command.

≡	Jasmy Secure PC M	lanager		8
A	Home	User list > Ayaka Kobayashi		
.	Users		List of PCs in use 1 Computer Name	
	Groups			
	PCs	\mathbf{O}	WPL-WC02 <u>e2Rs, LENOVO</u> Update date: 2024/10/24 19:20:32	
		Ayaka Kobayashi 400069F Human Resources Department xxxxxxxxx @example.com HR of min Operating EDIT BY USER AGENT SETTINGS		

4. Select "issue command.

	Jasmy Secure PC Manager	
^	Home User list > WPL-V	Ayaka Kobayashi > WPL-WC02
	Groups PCs	Operating status 2024/11/03
3 - 8	EQ. Search L	og Operating 02:41 ■ Rest 00:00 ■ leave seat 01:10 Operating hours 03:51 ■ mouse moved distance 207m Number of mouse clicks 1776 times ■ keyboard usage 1304 times
		Timeline (5:00 - Next morning 5:00)

5. Displays the command issue screen

Jasmy Secure	PC Manager				8				
A Home	User list > Ayaka Kol	oayashi > WPL-WC02 > 0	command						
• Heero	WPL-WC02	PL-WC02							
LUSERS	Dashboard	Command issue							
Sroups Groups	Operation history	Target User							
D PCs	Command issue	User Name	Ayaka Kobayashi						
	EQ. Search Log	Computer Name	WPL-WC02						
		Target	USB Storage	-					
		Operation	ON	•					
		Applicable date range	2024/11/03 17:31:33 ~ 2024/11/03	9 17:31:33					
		SEND COMMAND							
		Target 👻	2020/01/01 ~ 2024/11/04	ê					
		Target Opera	tion Start Date	End date	Issue date ψ				
			Rows	per page 10 🔻	$ \langle \langle \rangle \rangle $				

6. Select the command to issue

≡	Jasmy Secure PC Manager										
	Home	User list > Ayaka Kobayashi > WPL-WC02 > Command									
п	nome	WPL-WC02	2								
<u>+</u>	Users										
	Groups	Dashboard	Command issue								
	PCs	Noperation history	Target User								
	103	H Command issue	User Name	Ayaka Kobayashi							
		EQ. Search Log	Computer Name	WPL-WC02							
			Target	USB Storage	•						
			Operation	USB Storage							
			Operation	Ghost Drive							
				Screen locked							
			Applicable date range	2024/11/17 14:50:10 ~ 2024/11/17 14:50:10	Ē						
			SEND COMMAND								
			QR CODE GENERATION								

<Commands that can be selected.

> USB Storage

 $\ensuremath{\text{USB}}\xspace$ storage can be set to $\ensuremath{\text{ON}}\xspace$ or $\ensuremath{\text{OFF}}\xspace$

➢ Ghost drive

Ghost drive use can be set to ON or OFF

 \succ Screen lock

Screen lock can be turned on/off for the specified device

7. Select the operation (ON/OFF) for the target command selected in step 6.

	: Jasmy Secure PC Manager										
	Home	User list > Ayaka Kol	Jser list > Ayaka Kobayashi > WPL-WC02 > Command								
п	Home	WPL-WC02	<u>)</u>								
*	Users										
	Groups	Dashboard	Command issue								
	PCs	M Operation history	Target User								
	103	Command issue	User Name	Ayaka Kobayashi							
		<u>=</u> Q, Search Log	Computer Name	WPL-WC02							
			Target	USB Storage 👻							
			Operation	ON 🔺							
			Applicable date range	ON OFF							
			SEND COMMAND								
			QR CODE GENERATION								

⊟ Jasmy Secure PC I	Manager	8
n Home	User list > Ayaka Kobayashi > WPL-WC02 > Command WPL-WC02	
L Users	Dashboard Command issue	
Sroups 🔐	Construction to a construction of the co	
D PCs	K Nov, 2024 17:31:33 Coec, 2024 17:31:33 Command issue User Su Mo Tu We Th Fr Sa	
	27 28 29 31 3 4 5 6 7 EQ. Search Log 3 4 5 6 7 8 9 8 9 10 11 12 13 14	
	10 11 12 13 14 15 16 15 16 17 18 19 20 21 Targe 17 18 19 20 21 22 23 24 25 26 27 28	
	24 25 26 27 28 29 30 29 30 31 1 2 3 4 Opera 1 2 3 4 5 6 7 5 6 7 8 9 10 11	
	Today Yesterday Last 7 Days	
	Applicable date range 2024/11/03 17:31:33 ~ 2024/11/03 17:31:33 - 2024/11/03 17:31 - 2024/11/03 17 - 2024/11/03 17 - 2024/11/03 17 - 2024/11 - 2024/11/03 17 - 2024/11/03 17 - 2024/11/03 17 - 2024/1100	
	SEND COMMAND	
	QR CODE GENERATION	

8. Set the scope of application.

Please remember to select the "OK" button after making changes.

9. Set the start/end time of application

Select the time portion of the "Applicable date and time range" and enter the time you wish to specify.

T 2024/11/03 17:31:33 ~ 2024/11/03 17:31:33															
	<	N	ov, 202	24 >		17:3	31:33		<	De	ec, 202	24 2	>	17:3	31:33
er	Su	Мо	Tu	We	Th	Fr	Sa		Su	Мо	Tu	We	Th	Fr	Sa
-	27	28	29	30	31	4	2		1	2	3	4	5	6	7
mţ	3	4	5	6	7	8	9		8	9	10	11	12	13	14
	10	11	12	13	14	15	16		15	16	17	18	19	20	21
rge	17	18	19	20	21	22	23		22	23	24	25	26	27	28
	24	25	26	27	28	29	30		29	30	31	1	2	3	4
era	1	2	3	4	5	6	7		5	6	7	8	9	10	11
Today Yesterday Last 7 Days OK								OK							
plica	plicable date range 2024/11/03 17:31:33 2024/11/03 17:31:33														

10. Select the "Send command" button

Dashboard Operation history	Command issue Target User		
Command issue	User Name	Ayaka Kobayashi	*)
کے Search Log	Computer Name	WPL-WC02	
	Target	USB Storage	÷
	Operation	ON	÷
	Applicable date range	2024/11/03 17:31:33 ~ 2024/11/03 17:31:33	齼
	SEND COMMAND		
	QR CODE GENERATION		

≡	Jasmy Secure PC Man	nager				8
A	Home	Dashboard	Command issue			
•	Users	Noteration history	Target User			
	Groups	ℜ Command issue	User Name	Ayaka Kobayashi		
	PCs	<u>=</u> Q, Search Log	Computer Name	WPL-WC02		
			Target	USB Storage	•	
			Operation	ON	•	
			Applicable date range	2024/11/03 17:31:33 ~ 2024/11/03 17:43:33	ŧ	
			SEND COMMAND			
6	5 command sent X		QR CODE GENERATION			

11. Online command will be issued

At this time, the online command is sent to the specified terminal and executed.

In steps 8 and 9, you set the start date and time for the application, but in reality, the start date and time is when the command is sent.


If you delete a user under your control, you cannot cancel commands that have already been issued.

Screen Lock: The OFF command can be issued but will not be executed.

5.14 . QR Code Issuance

1. Go online to and select the user you want to issue the command to with a \mbox{QR} code

Select "Users" in the menu on the left of the home screen, or "Number of users" in the home.





2. Select the user name for which you want to issue the QR Code from the list of users

<List View>

=									8
ń	Home	User list User List							
÷	Users						_		_
# _	Groups PCs	EDIT DELETE Name	Group * Status	×				DD USER DOWN	
		□ Name ↑	Email Address	Status	Label	Today's operating hours	Operation start date	Last operation date	Last status update
		🗌 🛛 Ayaka Kobayashi	xxxxxxxxx@example.com	103 day non-operating	HR	No operation	No operation	2024/07/22 15:09:00	2024/07/22 15:09:
		Ayumi Sasazuka	xxxxxxxxx@example.com	51 day non-operating	ACCG	No operation	No operation	2024/09/12 16:47:00	2024/09/12 16:47:
		Jasmin Jasmy	xxxxxxxxxx@example.com	6 min Operating	eng	00 hour 36 min	2024/11/03 12:55:00	2024/11/03 13:25:00	2024/11/03 13:25:
		🗌 KaKazuya Suzuki	xxxxxxxxx@example.com	9 day non-operating	HR	No operation	No operation	2024/10/24 20:36:00	2024/10/24 20:44:
		kazuhiko sato	xxxxxxxx@example.com	67 day non-operating	МК	No operation	No operation	2024/08/28 11:06:00	2024/08/28 11:06:
		koya Kikuchi	xxxxxxxxxxi@example.com	58 day non-operating	QA	No operation	No operation	2024/09/05 16:58:00	2024/09/05 16:58:
		yoko tanabe	xxxxxxxxxx@example.com	58 day non-operating	PR	No operation	No operation	2024/09/06 11:22:00	2024/09/06 11:22:

<Card View>





3. Select the PC name for which you want to issue a QR code

4. Select "issue command

	Jasmy Secure PC Ma	nager
↑	Home	User list > Ayaka Kobayashi > WPL-WC02 WPL-WC02
-	Groups PCs	Dashboard Operation history Command issue Command issue
		06:00 08:00 10:00 12:00 14:00 16:00 18:00 20:00 22:00 04 Nov 02:00 04

5. Select the command to issue

≡	≡ Jasmy Secure PC Manager										
ŧ	Home	User list > Ayaka Kobayashi > WPL-WC02 > Command WPL-WC02									
	Users										
	Groups	Dashboard									
	D 0-	Noperation history	Target User								
	PCs	H Command issue	User Name	Ayaka Kobayashi							
		EQ. Search Log	Computer Name	WPL-WC02							
			Target	USB Storage							
			Operation	USB Storage Ghost Drive Screen locked							
			Applicable date range	2024/11/17 14:50:10 ~ 2024/11/17 14:50:10							
			SEND COMMAND								
			QR CODE GENERATION								

<Commands that can be selected

> USB Storage

 $\ensuremath{\text{USB}}$ storage can be set to $\ensuremath{\text{ON}}$ or $\ensuremath{\text{OFF}}$

➢ Ghost drive

Ghost drive use can be set to ON or OFF

 \succ Screen lock

Screen lock can be turned on/off for the specified device

6. Select the operation (ON/OFF) for the target command selected in step 5.

	I Jasmy Secure PC Manager										
	Home	User list > Ayaka Kobayashi > WPL-WC02 > Command									
п	nome	WPL-WC02	VPL-WC02								
*	Users										
	Groups	Dashboard	Command issue								
		M Operation history	Target User								
	PCs	Command issue	User Name	Ayaka Kobayashi							
		EQ Search Log	Computer Name	WPL-WC02							
			Target	USB Storage 🔹							
			Operation	ON 🔺							
			Applicable date range	ON OFF							
			SEND COMMAND								
			QR CODE GENERATION								

	Jasmy Secure PC M	lanager							
ħ	Home	User list > Ayaka Kol	payashi > WPL-WC02 > Command						
•	Users								
	Groups	Dashboard	Command issue						
1.35	010003	Operation history	2024/11/03 17:31:33 ~ 2024/11/03 17:31:33						
	PCs	e operation history	< Nov, 2024 > 17:31:33 < Dec, 2024 > 17:31:33						
		Command issue	User Su Mo Tu We Th Fr Sa Su Mo Tu We Th Fr Sa 27 28 29 30 31 1 2 3 4 5 6 7						
		=Q. Search Log	27 28 29 30 31 1 2 1 2 3 4 5 6 7 Comp 3 4 5 6 7 8 9 10 11 12 13 14						
			Targe 10 11 12 13 14 15 16 15 16 17 18 19 20 21						
			17 18 19 20 21 22 23 22 23 24 25 26 27 28						
			24 25 26 27 28 29 30 29 30 31 1 2 3 4						
			Opera 1 2 3 4 5 6 7 5 6 7 8 9 10 11						
			Today Yesterday Last 7 Days OK						
			Applicable date range 2024/11/03 17:31:33 ~ 2024/11/03 17:31:33 @						
			SEND COMMAND						
			QR CODE GENERATION						

7. Set the scope of application

Please select the "Confirm" button after making changes.

8. Set the start/end time of application

Select the time portion of the "Applicable date and time range" and enter the time you wish to specify.

Т	T 2024/11/03 17:31:33 ~ 2024/11/03 17:31:33														
	<	< Nov, 2024 >		17:31:33			< Dec, 2024 >				,	17:31:33			
er	Su	Мо	Tu	We	Th	Fr	Sa		Su	Мо	Tu	We	Th	Fr	Sa
-	27	28	29	30	31	1	2		1	2	3	4	5	6	7
mţ	3	4	5	6	7	8	9		8	9	10	11	12	13	14
	10	11	12	13	14	15	16		15	16	17	18	19	20	21
rge	17	18	19	20	21	22	23		22	23	24	25	26	27	28
	24	25	26	27	28	29	30		29	30	31	1	2	3	4
era	1	2	3	4	5	6	7		5	6	7	8	9	10	11
_	Toda	ау	Yeste	erday	Lá	ast 7 I	Days			_					ОК
plica	able d	late	range	9		202	4/11/03	17:	31:33	3 - 20	24/11	1/03 1	7:31:	33	齼

9. Select the "QR Code Generate " button

Dashboard	Command issue		
 Operation history Command issue 	User Name	Ayaka Kobayashi	÷
و Search Log	Computer Name	WPL-WC02	
	Target	USB Storage	Ŧ
	Operation	ON	¥
	Applicable date range	2024/11/03 17:31:33 ~ 2024/11/03 17:31:33	齼
	SEND COMMAND	1	
	QR CODE GENERATION		

ecure PC Ma	anager			Downloads	È Q ··· ☆
	User list > Ayaka Ko	bayashi > WPL-WC02 > Cor 2	mmand	What do vou want to do w	
	 Dashboard Operation history 	Command issue Target User			
	H Command issue	User Name	Ayaka Kobaya	shi	
	EQ. Search Log	Computer Name Target	WPL-WC02		
		Operation	USB Storage		¥ ¥
		Applicable date range	2024/11/03 17	:58:33 ~ 2024/11/03 18:43:33	鄜
		SEND COMMAND			


10. A $\ensuremath{\mathrm{QR}}$ code will be generated, and download will begin

The folder to be saved is "C:\Users\{username}\Downloads

11. Send the saved QR code to the target user via e-mail, etc.

5.15 .Log search

1. select "Users" from the menu on the left of the home screen, or "Number of users" in the home





Select the user name you wish to search logs from the user list.

<List View>

							8
🐴 Home	User list User List						
🚊 Users					_		
Groups	EDIT DELETE Name Group + Status	Ŧ				DD USER DOWN	
	Name Email Address	Status	Label	Today's operating hours	Operation start date	Last operation date	Last status updat
	Ayaka Kobayashi xxxxxxxxx@example.com	103 day non-operating	HR	No operation	No operation	2024/07/22 15:09:00	2024/07/22 15:0
	Ayumi Sasazuka XXXXXXXXXQ@xample.com	51 day non-operating	ACCG	No operation	No operation	2024/09/12 16:47:00	2024/09/12 16:4
	Jasmin Jasmy xxxxxxxx@example.com	6 min Operating	eng	00 hour 36 min	2024/11/03 12:55:00	2024/11/03 13:25:00	2024/11/03 13:2
	KaKazuya Suzuki xxxxxxxxx@example.com	9 day non-operating	HR	No operation	No operation	2024/10/24 20:36:00	2024/10/24 20:4
	kazuhiko sato xxxxxxxx@example.com	67 day non-operating	МК	No operation	No operation	2024/08/28 11:06:00	2024/08/28 11:0
	koya Kikuchi xxxxxxxxx@example.com	58 day non-operating	QA	No operation	No operation	2024/09/05 16:58:00	2024/09/05 16:5
	yoko tanabe xxxxxxxx@example.com	58 day non-operating	PR	No operation	No operation	2024/09/06 11:22:00	2024/09/06 11:2

<Card View>





3. Select the name of the PC for which you want to search the logs

Select "Log Search

	Jasmy Secure PC Manager	
^	Home User list > Ayaka WPL-WCC	Kobayashi > WPL-WC02
	Groups Dashboard PCs Operation history	Dashboard Operating status 2024/11/03
•	€ Command issue	Operating 02:41 Rest 00:00 ieave seat 01:10 Operating hours 03:51 mouse moved distance 207m Number of mouse clicks 1776 times Keyboard usage 1304 times
		Timeline (5:00 - Next morning 5:00)

The log search screen will appear.

*Items can be sorted by selecting each item name

	Jasmy Secure PC Ma	inager				8
A	Home	User list > Ayaka Ko	-	L-WCO2 > Log		
•	Users					
•	Groups	Dashboard	Applicatio	n history File access h	nistory netw	rork history Battery Report WindowsUpdate Hist >
	PCs	Operation history	2024/11/03	<u>(</u>)		2
		H Command issue	Start Time 🗸	Usage Time	Process 5	Title 6
		EQ, Search Log	(3) 2024/11/03 17:30:09	00:00:05	msedge	Command issue Jasmy Secure PC Manager - Personal - Microsoft Edge
			2024/11/03 17:29:12	00:00:55.4811682	mspaint	M029.png - Paint
			2024/11/03 17:28:50	00:00:20.5634084	msedge	Command issue Jasmy Secure PC Manager - Personal - Microsoft Edge
			2024/11/03	00-01-40-0044570		Command issue Jasmy Secure PC Manager - Personal -

<Application History

> Date covered by history (1)

Select the date in the history you wish to view

≻ Search box (②)

Enter the keyword you want to search for:

➢ Start time (③)

Displays the start date and time of the application used by the selected user.

> Duration of use (④)

Displays the application usage time used by the selected user.

> Process (5)

Displays the process name of the application used by the selected user.

➤ Title (⑥)

Displays the title of the application used by the selected user.

=	Jasmy Secure PC M	anager				8
ħ	Home	User list > Ayaka Kob		> Log	De	wn
•	Users	. Darkhand		File access history network history	_	
	Groups	Dashboard	Application histor			WindowsUpdate Histor >
	PCs	Operation history	2024/11/03			
		H Command issue	Access Date	File Path		5 File Size
		EQ. Search Log	2024/11/03 18:06:57	C:\Users\\Desktop\ Manager\M038.png		61396
			2024/11/03 18:05:15	C:\Users\\Desktop\ Manager\M037.png		78264
			2024/11/03 17:59:46	C:\Users\\Desktop\ Manager\M036.png		57882
			2024/11/03 17:53:26	C:\Users\\Desktop\ Manager\M035.png		88406
			2024/11/03 17:48:53	C:\Users\\Desktop\ Manager\M034.png		93297

<File access history

> Date covered by history (1)

Select the date in the history you wish to view

► Search box (②)

Enter the keyword you want to search for:

► Access date (③)

Displays the date and time the selected user accessed the file.

> File path (④)

Displays the path to the file accessed by the selected user

However, to protect personal information and prevent information leakage, some of the strings are hidden.

 \succ File size (5)

Displays the size of files accessed by the selected user

	Jasmy Secure PC M	anager				2
^	Home	User list > Ayaka Ko	bayashi > WPL-WC02 2	> Log		
÷	Users Groups	Dashboard	Application history	File access history	network history Battery	Report WindowsUpdate Histor >
	PCs	Command issue	2024/11/03 ① 3 access point ↑		2 global IP address	(6) VPN Connection
		EQ Search Log	xg100n	192.168.0.0	192.168.0.0	
					Rows per page 10 👻	1-1 out of 1 < < > >

<Network History

▶ History Date (①)

Select the history date you want to display.

> Search box (2)

Enter keywords you want to search.

➢ Connection point (③)

Displays the connections to which the selected user or PC terminal has connected.

 \succ Local IP address (④)

Displays the local IP address of the selected user or PC terminal.

➢ Global IP address (⑤)

Displays the global IP address of the selected user or PC terminal.

➢ VPN connection (⑥)

Displays whether the VPN connection is enabled or disabled for the selected user or PC terminal.

≡	Jasmy Secure PC M	anager		2
A	Home	User list > Ayaka Kob	ayashi > WPL-WC02 > Log	
•	Users			
*	Groups	Dashboard	Application history Fil	e access history network history Battery Report WindowsUpdate Hist >
	PCs	Operation history	2024/11/03	
		H Command issue		
		EQ Search Log	Battery	report
			COMPUTER NAME	WPL-WC02
			SYSTEM PRODUCT NAME	LENOVO 82ND
			BIOS	H6CN11WW(V1.04) 07/07/2021
			OS BUILD	22621.1.amd64fre.ni_release.220506-1250
			PLATFORM ROLE	Mobile
			CONNECTED STANDBY	Supported

<Battery Report>.

The following items are displayed here

- ➢ Battery report
 - \diamond COMPUTER NAME
 - ♦ SYSTEM PRODUCT NAME
 - ♦ BIOS
 - ♦ OS BUILD
 - ♦ PLATFORM ROLE
 - ♦ CONNECTED STANDBY
 - ♦ REPORT TIME
- Installed batteries
- ➢ Recent usage
- Battery usage
- Usage history
- Battery capacity history
- ➢ Battery life estimates

≡	Jasmy Secure PC M	anager						8
A	Home	User list > Ayaka Ko	obayashi > WPL- 2	WCO2 > Log				
•	Users						ſ	
	Groups	Dashboard	< Application his	story File acc	cess history ne	etwork history	Battery Report	WindowsUpdate History
	PCs	Command issue		3	4	5		
			Update date \downarrow	Туре	КВ	Title		
		EQ Search Log	2024/11/03	Windows Defender	KB2267602			キュリティ インテリジェンス -ジョン 1.383.518.0)

<Windows Update History

- > Search box (1)
- > Update date(2)
- ➤ Type (③)
- ► KB(④)
- \succ Title (⑤)

5.16. Downloading of the operation log

This function is only available to managers who are authorized to log Agents.

The "Download Operating Logs" button will appear for authorized managers. The "Download Active Log" button will appear for authorized managers.

If you would like to be authorized to retrieve logs, please contact us at sales@jasmy.co.jp

1. In the menu on the left of the home screen, select " users" or "Number of users" in the home


≡ Jasmy Secure PC M			8
Home Users Groups PCs	Home Home Number of users Z Display the list page	Number of groups 3 Display the list page	Number of PCs
			ver: 3.0.0.76bfd7b

2. Select the username from the user list for which you want to display the operation information history.

							8
🏦 Home	User list User List						
🚊 Users					_	DD USER DOWN	LOAD CSV FILE
Croups	EDIT DELETE Group • Status	•				RMATION SELECTION	_
	□ Name ↑ Email Address	Status	Label	Today's operating hours	Operation start date	Last operation date	Last status update
	Ayaka Kobayashi xxxxxxxxx@example.com	103 day non operating	HR	No operation	No operation	2024/07/22 15:09:00	2024/07/22 15:09
	Ayumi Sasazuka xxxxxxxx@example.com	51 day non-operating	ACCG	No operation	No operation	2024/09/12 16:47:00	2024/09/12 16:47
	Jasmin Jasmy xxxxxxx@example.com	6 min Operating	eng	00 hour 36 min	2024/11/03 12:55:00	2024/11/03 13:25:00	2024/11/03 13:25
	KaKazuya Suzuki xxxxxxxx@example.com	9 day non-operating	HR	No operation	No operation	2024/10/24 20:36:00	2024/10/24 20:44
	kazuhiko sato xxxxxxxx@example.com	67 day non-operating	МК	No operation	No operation	2024/08/28 11:06:00	2024/08/28 11:00
	koya Kikuchi xxxxxxxxx@example.com	58 day non-operating	QA	No operation	No operation	2024/09/05 16:58:00	2024/09/05 16:5
	yoko tanabe xxxxxxxxx@example.com	58 day non-operating	PR	No operation	No operation	2024/09/06 11:22:00	2024/09/06 11:22

<List View>

<Card View>



3. Select the name of the PC for which you want to search logs

≡	Jasmy Secure PC M	lanager	6	3
•	Home	User list > Ayaka Kobayashi		
÷	Users		List of PCs in use	
*	Groups			
	PCs	$\mathbf{\Theta}$	WPL-WC02 52R3, LENOVU Update date: 2024/10/24 19:20:32	
		Ayaka Kobayashi 4000069F Human Resources Department xxxxxxxxx@example.com HR 6 min Operating EDIT BY USER AGENT SETTINGS		

4. Select "Log Search

	Jasmy Secure PC Ma	anager
*	Home Users	User list > Ayaka Kobayashi > WPL-WC02
	Groups PCs	 Dashboard Derating status Command issue Command is
		06:00 08:00 10:00 12:00 14:00 16:00 18:00 20:00 22:00 04 Nov 02:00 04 Operating leave seat


5. The log search screen will appear.

≡	Jasmy Secure PC M	anager				8
ŧ	Home	Userlist > Ayaka Ko	-	WCO2 > Log		
•	Users					DOWNLOAD OPERATION LOG
	Groups	Dashboard	Application	history File access	history netw	vork history Battery Report WindowsUpdate Hist >
	PCs	Operation history	2024/11/03	± م		
		H Command issue	Start Time \downarrow	Usage Time	Process	Title
		EQ, Search Log	2024/11/03 17:30:09	00:00:05	msedge	Command issue Jasmy Secure PC Manager - Personal - Microsoft Edge
			2024/11/03 17:29:12	00:00:55.4811682	mspaint	M029.png - Paint
			2024/11/03 17:28:50	00:00:20.5634084	msedge	Command issue Jasmy Secure PC Manager - Personal - Microsoft Edge
			2024/11/03			Command issue Jasmy Secure PC Manager - Personal -

6. Select the " Download Operation Log " button

	Jasmy Secure PC Ma	anager				8		
A	Home	User list > Ayaka Ko		NCO2 > Log				
•	Users		2			DOWNLOAD OPERATION LOG		
*	Groups	Dashboard	Application	history File access h	history netw	rork history Battery Report WindowsUpdate Hist >		
	PCs	Command issue	2024/11/03					
			Start Time \downarrow	Usage Time	Process	Title		
		IQ Search Log	2024/11/03 17:30:09	00:00:05	msedge	Command issue Jasmy Secure PC Manager - Personal - Microsoft Edge		
			2024/11/03 17:29:12	00:00:55.4811682	mspaint	M029.png - Paint		
			2024/11/03 17:28:50	00:00:20.5634084	msedge	Command issue Jasmy Secure PC Manager - Personal - Microsoft Edge		
			2024/11/03	00-01-40-0041540	mandan	Command issue Jasmy Secure PC Manager - Personal -		


7. Select in the "Download Activity Log" dialog box



8. Select the date you want to download the log from the calendar and select the "Confirm" button.

	Jasmy Secure PC Ma	nager											2
A	木-ム	ユーザー一覧 > 鈴 WPL-WC0		/PL-W	C02	> I	_og						稼働ログダウンロード
	ユーザー グループ	■ ダッシュボード	アプリ	リケーミ	/=>	屆歷	5	ファイ	ルア	クセス履	歴	ネットワーク履歴	パッテリーレポート Wind >
	PC	 	2024/07/ 開始時I	08 稼働[コグ	感 ダウ) ()) (Q]	۲	٦		プロセス ↑	91 HJ
		<u>EQ</u> 、ログ検索	2024/0	уууу-	MM-d		24年7	7月	Ē	,		SnippingTool	Snipping Tool オーバーレイ
			2024/07	Π	月	火	水	木	金	±		SnippingTool	Snipping Tool オーバーレイ
			2024/07/08	30 7	+	2 9	3 10	4 11	5 12	6 13		SnippingTool	Snipping Tool オーバーレイ
			2024/07/08	14 21	15 22	16 23	17 24	18 25	19 26	20 27		SnippingTool	Snipping Tool オーバーレイ
			2024/07/08	28		30	31	+	2	3		SnippingTool	Snipping Tool オーバーレイ
			2024/07/08	4	5	6	7	ß	9	10		SnippingTool	Snipping Tool オーバーレイ
			2024/07/08	_					l	確認	J	SnippingTool	Snipping Tool オーバーレイ
			2024/07/08	12:47:	29		00	:00:2).438	3797		SnippingTool	Snipping Tool オーバーレイ

9. Select the "Download" button




10. Download is complete

≡	Jasmy Secure PC Ma	anager			Do	ownloads	₽ ٩ 🖈 🕒
A	Home	User list > Jasmin Jasmy > MURAOKAPC > Log				What do you want to do wit Open e more	h 2024-01-31_e40d Save as ✓
).	Users Groups	Dashboard	Application	history File access histo	ory ne	etwork history Battery	Report WindowsUpdate Hist >
	PCs	Operation history Command issue	2024/11/04 Start Time ↓	B Q Usage Time Pro	ocess	Title	
		EQ Search Log	2024/11/04 15:20:10	00:05:06.8067444 sla		jass-backend - Tsuba	sa - Slack
			2024/11/04 15:18:22	00:01:46.6710678 Not	tepad	*20241104_JASSUV-3	15SecurePC Manager - Notepad
			2024/11/04 14:36:25	00:41:55.9405180 Not	tepad	*20241104_JASSUV-3	15SecurePC Manager - Notepad

ſ	↓ Downloads	×	+			-		×
	\leftarrow \rightarrow \uparrow C	Q	> Downloads >		Search Downloads			۹
	⊕ New ~ 🔏 🖸	Ō	(a) $\stackrel{_{\scriptstyle \circ}}{\underset{\scriptstyle \frown}{\otimes}}$ $\stackrel{_{\scriptstyle \circ}}{\underset{\scriptstyle \frown}{\otimes}}$ Sort ${}^{\scriptstyle \vee}$ \equiv View ${}^{\scriptstyle \vee}$ \cdots					letails
	A Home		Name	Date modified	Туре	Size		
>	Gallery OneDrive - Personal	ſ	V Today Image: State of the	11/10/2024 9:42 AM	Compressed (zipp	65	KB	
-	Desktop	*	> Last week					
ſ	↓ Downloads	*	> Last month					
	Documents	*	> Earlier this year					
	Pictures	*	> A long time ago					
1	Music							

5.17 . Create a group

1. Select "Groups" from the menu on the left of the home screen, or " number of groups" in the home



2. Select the "Create Group" button in the group list

Sig	💽 Sign in 🔲 Group list Jasmy Secure PC Man X + - 🗆 X								
÷	← C ① https://manager.jasmy-securep.ccom/groups P ☆ C □ https://manager.jasmy-securep.ccom/groups								
)	
÷	Home	Group list							
		Group List							
*	Users							\mathbf{n}	
*	Groups	Group name			CREA	TE GRO	UP	J	
	PCs								

3. Enter the name of the group you wish to create (up to 50 characters) in the Group Name box on the Create Group screen.

=	Jasmy Secure PC M	lanager	8
÷	Home	Group list >	
•	Users	Create Group	_
•	Groups	Croup name	
	PCs	Member •	
		ADD THE USER TO THE LIST	
		Please add a user	
		Operating	
		Working Hours	
		$\begin{bmatrix} Hours \\ 09 \\ \bullet \end{bmatrix} : \begin{bmatrix} Minutes \\ 00 \\ \bullet \end{bmatrix} \sim \begin{bmatrix} Hours \\ 18 \\ \bullet \end{bmatrix} : \begin{bmatrix} Minutes \\ 00 \\ \bullet \end{bmatrix}$	
		Notification ADD	
		Status Operating Operating Image: Operat	
		Allowed Applications	
		\sim Windows ($_{\odot}$)	

4. Select the "Add the user to the list" button

≡	Jasmy Secure PC N		8
A	Home	Group list >	
•	Users	Create Group	
	Groups	test1	
	PCs	Member 0	
		ADD THE USER TO THE LIST	
		Please add a user	
		Operating	
		Working Hours	
		$\begin{bmatrix} Hours \\ 09 \\ \bullet \end{bmatrix} : \begin{bmatrix} Minutes \\ 00 \\ \bullet \end{bmatrix} \sim \begin{bmatrix} Hours \\ 18 \\ \bullet \end{bmatrix} : \begin{bmatrix} Minutes \\ 00 \\ \bullet \end{bmatrix}$	
		Notification	
		Status Hours Operating Image: Operating<	
		Allowed Applications	
		V Windows ()	

The "Add user to list" dialog box will appear and will display the name of the user you are managing , add them to the group and pressSelect the "Add" button for the user you want to add

When you have made your selection, select the "Close" button

≡ Jasmy Secure PC Ma	lanager	2
A Home	Group name	
Lusers	Member 0	
Groups	Add the user to the list	
D PCs	Name Email Address	
	KaKazuya Suzuki xxxxxxxx@example.com	
	Operating yoko tanabe xxxxxxxxx@example.com ADD	
	Working Hours Ayumi Sasazuka xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	
	09 → : 00 → → Jasmin Jasmy xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	
	Notification ADD kazuhiko sato xxxxxxxxxx@example.com ADD	
	Status Operating V 09 Ayaka Kobayashi xxxxxxxxx@example.com ADD UN DELETE	
	koya Kikuchi xxxxxxxxxxxx @example.com ADD	
	Allowed Applications	
	V Windows ①	
	Microsoft Edge Internet Explorer Calculator Calendar Notepad E-mail Photos Paint Wordpad Media Pli	ayer

5. When the members you wish to add appear on the group creation screen, click the "Create" button at the bottom of the screen.

≡ Jasmy Secure PC	Manager 🗶
A Home	Group list > Create Group
Lusers	- Group name
Sroups	test1
D PCs	ADD THE USER TO THE LIST
	KaKazuya Suzuki REMOVE yoko tanabe REMOVE yoko tanabe REMOVE Xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
	CREATE


Select a tan

6. A group will be created

	Jasmy Secure PC M	anager			8
ń	Home	Group List			
•	Users	Group List			
	Groups	Group name			CREATE GROUP
	PCs	Group name	Updated date	Number of people	
		test1	2024/11/10 10:16:35	3	
				Rows per page 10 👻 1 - 1 out of 1	$K \leftrightarrow \rightarrow H$

5.18. Display of group list

1. In the menu on the left of the home screen, select " Groups" or "Number of groups" in the home



2. A list of groups will be displayed.

=	Jasmy Secure PC Ma	inager			8
ŧ	Home	Group list Group List			
+	Users				5
	Groups	Group name		4	CREATE GROUP
	PCs	2 Group name ↑	Updated date	Number of people	
		test1	2024/11/10 10:16:35	3	
		test2	2024/11/10 10:28:43	3	
		test3	2024/11/10 10:29:27	2	
				Rows per page 10 👻 1 - 3 out of 3	$ \langle \rangle \rangle \rightarrow $

> Group name search box (①)

You can search for a group by entering the group name

➢ Group name (②)

Displays the name of the group being managed

Selecting a group name displays a list of group members

➢ Update date and time (③)

Displays the date and time the group information was updated

➢ Number of persons (④)

Displays the number of people registered in the group

➤ Create group button (⑤)

Displays the group creation screen

For more information, see "<u>5..17. Creating Groups</u> Creation of groups" for more information.

5.19 . Displaying a list of group members

1. From the menu on the left of the home screen, select " Groups " , or " Number of groups " in the home

Japanese dock (plant) (Rumex japonicus)square bearing block (at the top of a pillar)

	Jasmy Secure PC M			8
^	Home	Home Home		<u>`</u>
	Groups PCs	Number of users	Number of groups	Number of PCs
				ver: 3.0.0.76bfd7b

2. Displays a list of groups you manage

Select the name of the group for which you wish to view a list of group members

≡	Jasmy Secure PC N	lanager			8
ŧ	Home	Group list			
•	Users	Group List			
	Groups	Group name		I	CREATE GROUP
	PCs	Group name 个	Updated date	Number of people	
		test1	2024/11/10 10:16:35	3	
		test2	2024/11/10 10:28:43	3	
		test3	2024/11/10 10:29:27	2	
			Rows	per page 10 👻 1 - 3 out of 3	$ \langle \rangle \rangle \rightarrow $

3. Lists the members of the selected group in the group list

<List View>

≡	Jasmy Secure PC M	lanager				8
	Home	Group list > test1				
		test1				
•	Users	1	2 3			
	Groups	MEMBER LIST	🏟 SETUP 🕂 ADD MEMBER		5	
	PCs	EDIT DELETE		READ F		ILOAD MEMBER DATA
	103	6 Name	Status 👻		ON SELECTION	◎ ≔ ○ ≞ 18
		□ Name ↑	Email Address	Status	Label	Today's operating hours
		🗌 Ayumi Sasazuka	xxxxxxxx@example.com	58 day non-operating	ACCG	No operation
		🔲 KaKazuya Suzuki	xxxxxxxxx@example.com	16 day non-operating	HR	No operation
		8 9 yoko tanabe		64 day non-operating	PR PR	No operation
				Rows per page 10 👻	1 - 3 out of 3	

➢ Member List tab (①)

Lists the members registered in the group

➢ Settings tab (②)

The following settings are available

- \diamond basic setting
- \diamond Application
- \diamond uniform resouce locator
- \diamond network
- \diamond Title.
- \diamond IP address
- \diamond Availability
- \diamond Start of operation
- \succ Add member tab (3)

Add members to the group

➢ Edit button (④)

Displays the group member information edit screen

(Buttons cannot be selected when the User Selection checkbox (8) is not selected.

> Delete button (5)

Displays the delete group member screen

(Buttons cannot be selected when the User Selection checkbox (8) is not selected.

> Name search box (6)

Search for members of a group by entering their user name (partial match)

➢ Status selection list box (⑦)

By selecting the status you want to display (unassigned, active, away, rest, or not active), you can select the gu

Only members of the selected status in the loop can be displayed

➢ Member selection checkbox (⑧)

Edit button by selecting the check box of the member whose information you want to edit or delete.

(4) and Delete button (5) can be selected

Select the checkbox at the top to select all members and edit or delete them all at once.

➢ Member name (⑨)

Displays the name of the member you are managing

Selecting a member name will take you to the list of PCs used by the user.

➢ E-mail address (⑪)

Displays the email addresses of the members you manage

➢ Status (⑪)

Displays the current operating status of the member

➤ Label (①)

Displays labels set for members

- Operating hours today (⁽ⁱ⁾)
 Displays the operating hours for the day
- ➢ File load button (15)

Import $\ensuremath{\mathrm{CSV}}$ or $\ensuremath{\mathrm{TSV}}$ files and update member data

- Data output button (16)
 Download member data as CSV or TSV files
- > Select display information (II)

A	Home	Group list > te	ost2			
*	Users	MEN	Display information selection	_		
	Groups	— —	Vame	î		
	PCs	EDIT	 Name (kana) Email Address 	READ	FILE DOW	INLOAD MEMBER DATA
		Name	Status Employee Number	INFORMAT	ION SELECTION	. □ = 0
		🗌 Name 1	─ Belong to ✓ Label		Label	Today's operating hours
		🗌 Ayaka I	 Today's operating hours Operation start date 	operating	HR	No operation
		🗌 Jasmin	Last status update date	berating	eng	No operation
		🗌 kazuhił		- operating	МК	No operation
				Rows per page 10 👻	1 - 3 out of :	3 K < > >I

You can choose which items to display in the user list

- ♦ Name
- ♦ Name (Kana)
- ♦ Email Address
- \diamond status

70.00 に厚方溶力

- \diamond employee number
- \diamond belong to
- \diamond Labels.
- ♦ Today's operating hours
- ♦ Operation start date
- \diamond Last date of operation
- \diamond Last status update
- > Display format radio button (18)

You can choose between two display methods (list view and card view)

> Title of item (19)

By selecting the title name of each item, you can change the order of each item in ascending or descending order

You can select the items you want to display with the "Select Displayed Information (0)" button.

*Sorting order can be changed by hiragana, katakana, alphabet, and numbers.

<Card View >

	Jasmy Secure PC Ma	anager	9
ŧ	Home	Group list > test1	
	Users	test1	
		👱 MEMBER LIST 🎄 SETUP 🕂 ADD MEMBER	
	Groups		
	PCs	1 2 READ FILE DUWNLOAD MEMBER DATA Name Status 3 ○ ≡ ● ■	
	6		

➢ Name search box ((1))

You can search for members by entering their user name (partial match)

➢ Status Selection List (②)

By selecting the status you want to display (unspecified, active, away, rest, or not active), you can select

Only members with the selected status can be displayed

 \blacktriangleright Display format radio button (3)

You can choose between two display methods (list view and card view)

 \succ File load button (④)

Import CSV or TSV files and update member data

➤ Data output button (⑤)

Download member data as CSV or TSV files

 \succ User Information (6)



(i) Operating status

Displays the latest operational status of the member

(ii) Elapsed time

Displays the time elapsed since the switch to the i operation status state

(iii) Member name

Displays the names of the members you are managing

(iv) Employee No.

Displays the employee No. of the member being managed

(v) Name of affiliation

Displays the affiliation name of the member being managed

(vi) E-mail address

Displays the email addresses of the members you manage

(vii) Label

Displays the text set for the member

(iv) Operating hours

Operating hours of the day (since the Secure PC was activated) are shown.

5.20 . Adding members to a group

1. Select "Groups" from the menu on the left of the home screen, or "Number of groups" in the home

suffix used after a particle to negate a verb in the non-past tensesquare bearing block (at the top of a pillar)

≡ Jasmy Secure PC M			2
🔒 Home	Home Home		
Users	Number of users	Number of groups	Number of PCs
PCs	Display the list page	Display the list page	Display the list page
			ver 3.0.0.76bfd7b
			ver: 3.0.0.76bfd7b

2. Select the name of the group to which you want to add a member, which is displayed in the Groups

	Jasmy Secure PC M	anager			8
ŧ	Home	Group list			
•	Users				
:	Groups	Group name		CREATE GRO	UP
	PCs	Group name 🛧	Updated date	Number of people	
		test1	2024/11/10 10:16:35	3	
		test2	2024/11/10 10:28:43	3	
		test3	2024/11/10 10:29:27	2	
				Rows per page 10 → 1 - 3 out of 3 < < >	>1

3. Select the "Add Member" tab from the group's member list

<List View>

	Jasmy Secure PC M	anager		8
ħ	Home	Group list > test1 test1		
•	Users	MEMBER LIST 🎄 SETUP + ADD MEMBER		
<u></u>	Groups		READ FIL	E DOWNLOAD MEMBER DATA
	PCs	Name Status -	DISPLAY INFORMATION	
		Name Final Address X××××××××example.com	Status	Label Today's operating hours
		Ayumi Sat-	58 day non-operating	ACCG No operation
		KaKazuya	16 day non-operating	HR No operation
		yoko tanabe xxxxxxxxx@example.com	64 day non-operating	PR No operation
			Rows per page 10 👻	1-3 out of 3 < < > >

<Card View>

	Jasmy Secure PC M	anager	9
ŧ	Home	Group list > test1	
		test1	
Ť	Users	ADD MEMBER	
-	Groups	ADD MEMDER	
	PCs	READ FILE DOWNLOAD MEMBER DAT	A
		Name Status -]
		16 day non-operating 14 hour 14 min 64 day non-operating 23 hour 36 min 58 day non-operating 18 hour 11 m	hin
		KaKazuya Suzuki Employee Number: 400000 Belong to: Human Resourc HR Koxxxxxxxxxeexample.com HR	
		Operating hours: No opera Operating hours: No opera Operating hours: No opera	-

Jasmy Corporation

4. The Add Member screen will appear.

	Jasmy Secure PC M	anager	2
+	Home	Group list > test1 > Add	
	Home	test1	
*	Users		
*	Groups	ADD MEMBER LIST 🏟 SETUP + ADD MEMBER	
	PCs	ADD A FORM	
		User -	DELETE
		CONFIRM	

5. Select the "Users" box and select the member you wish to add from the list of user emails displayed.


	Jasmy Secure PC M	lanager	8
	Home	Group list > test1 > Add	
	Tionic	test1	
*	Users		
*	Groups	LIST SETUP + ADD MEMBER	
	PCs	ADD A FORM	
		- Use	DELETE
		KaKazuya Suzuki, xxxxxxxx@example.com	
		yoko tanabe, xxxxxxxx@example.com	
		Ayumi Sasazuka, xxxxxxxx@example.com	
		Jasmin Jasmy, xxxxxxxx@example.com	
		kazuhiko sato, xxxxxxxxx@example.com	
		Ayaka Kobayashi, xxxxxxxx@example.com	
		koya Kikuchi, xxxxxxxx@example.com	

Select your email address in the bar

6. Select the email address of the member you wish to add from the list and select the "Confirm" button.

≡	Jasmy Secure PC M	lanager 🗧	
A	Home	Group list > test1 > Add	
		test1	
*	Users		
÷	Groups	ADD MEMBER LIST	
	PCs	ADD A FORM	
		Jasmin Jasmy, xxxxxxxx@example.com X - DELETE	
		CONFIRM	J
			Ĩ

7. When a confirmation screen appears, select the "Add user" button



8. Members are added to the group

	Jasmy Secure PC M	lanager	8
*	Home	Group list > test1 > Add	
		test1	
*	Users		
-	Groups	Member List 🏟 Setup + Add Member	
	PCs	 (1) ^{CLOSE DETAILS ^} xxxxxxxxx@example.com 	×
		ADD A FORM User Jasmin Jasmy, xxxxxxxx@example.com	DELETE
		CONFIRM	

➢ Message ((1))

If the request was successfully sent: "You have requested to register a user under your control."

Even if there are multiple successful email addresses, one message will be displayed at a time

 \succ E-mail address at which the request was sent ((2))

Showing the email address where the request was sent.

<Add multiple members at once>.

1. Display the Group List screen and select the name of the group to which you wish to add members.

=	Jasmy Secure PC M	lanager			8
÷	Home	Group list			
*	Users	Group List			
-	Groups	Group name			CREATE GROUP
	PCs	Group name 🛧	Updated date	Number of people	
		test1	2024/11/10 10:16:35	3	
		test2	2024/11/10 10:28:43	3	
		test3	2024/11/10 10:29:27	2	
				Rows per page 10 👻 1 - 3 out of	3 < < > >

2. Select the "Add Member" tab of the group to which you want to add a member

=	Jasmy Secure PC M	lanager 🗧	
^	Home	Group list > test1 > Add	
		test1	
-	Users		
*	Groups	ADD MEMBER LIST SETUP	
	PCs	ADD A FORM	
		User	
		CONFIRM	

3.	Select the "Add Form	" button for the number	r of members voi	wish to add
0.				a wibii to aaa

≡	Jasmy Secure PC M	lanager	2
A	Home	Group list > test1 > Add	
		test1	
-	Users	MEMBER LIST 🏚 SETUP + ADD MEMBER	
*	Groups		
	PCs	ADD A FORM	
		User	- DELETE
		User	- DELETE
		User	- DELETE
		User	DELETE
		User	✓ DELETE
		User	- DELETE
		CONFIRM	


To delete a form, select the "Delete" button on the right side of the form.

4. An email address input field will be added, select the input field, and choose an email address from the list.

≡	Jasmy Secure PC Ma	anager	9
A	Home	Group list > test1 > Add	
	Users	test1	
Ě	Users	💄 MEMBER LIST 🔹 SETUP 🕂 ADD MEMBER	
	Groups		
	PCs	ADD A FORM	
		KaKazuya Suzuki, xxxxxxx@example.com	DELETE
		yoko tanabe, xxxxxxx@example.com	DELETE
		Ayumi Sasazuka, xxxxxxxx@example.com	DELETE
		Jasmin Jasmy, xxxxxxxx@example.com	DELETE
		User Ayaka Kobayashi, xxxxxxx@example.com	DELETE
		CONFIRM	

After entering your email address in each field, select the " confirm " button

5. When a confirmation screen appears, select the "Add user" button



6. The member is added to the group list

=	Jasmy Secure PC Ma	anager	8
A	Home	Group list > test1 > Add	
	llease	test1	
Ť	Users	👗 MEMBER LIST 🏟 SETUP 🕂 ADD MEMBER	
*	Groups		
	PCs	Request sent successfully CLOSE DETAILS xxxxxxxxxx@example.com xxxxxxxxxx@example.com xxxxxxxxxx@example.com xxxxxxxxxx@example.com xxxxxxxxxx@example.com xxxxxxxxxx@example.com	×
		ADD A FORM User KaKazuya Suzuki, jass.test2+074-stg-agentpro@gmail.com User User User Voko tanabe, jass.test2+073-stg-agentpro@gmail.com	DELETE

5.21 . Edit group membership

There are two ways to edit group members: one by one or by using CSV/TSV files.

<How to edit one by one

1. From the menu on the left of the home screen, select " Groups " , or " Number of groups " in the home

≡	Jasmy Secure PC N	lanager		(9
A	Home	Home			
•	Users G-o:ips	Number of users	Number of groups	Number of PCs	
	PCs	7	3	6	
		Display the list page	Display the list page	Display the list page	
				ver: 3.0.0.76	bfd7b

2. Displays a list of groups you manage

Select the name of the group whose members you want to edit

=	Jasmy Secure PC M	Aanager								8
A	Home	Group list Group List								
•	Users	Gloup List					CREATE GROUP people 1 - 3 out of 3			
*	Groups	Group name								
	PCs	Group name 1	Updated date		Number	of people				
		test1	2024/11/10 10:16:35		3					
		test2	2024/11/10 10:28:43		3					
		test3	2024/11/10 10:29:27		2					
				Rows per page	10 👻	1 - 3 out of 3	<	<	>	>1

3. Displays a list view of the list of members of the group selected in the Group List

Check the checkbox of the member you wish to edit

<ListView>

≡ Jasmy S	ecure PC Manager				2
A Home	Group list > test1				
	test1				
L Users					
📇 Groups	MEMBER LIST	SETUP 🕂 ADD MEMBER			
D PCs	EDIT DELETE		READ FI	LE DOWN	ILOAD MEMBER DATA
	Name	Status -	DISPLAY INFORMATIO	N SELECTION	. □ = .
	□ Name ↑	Email Address	Status	Label	Today's operating hours
	Ayumi Sasazuka	xxxxxxxx@example.com	58 day non-operating	ACCG	No operation
	🗌 KaKazuya Suzuki	xxxxxxxx@example.com	16 day non-operating	HR	No operation
	yoko tanabe	xxxxxxxxx@example.com	64 day non-operating	PR	No operation
	4		Rows per page 10 👻	1 - 3 out of 3	► < < > >

4. Select the "Edit" button

	Jasmy Secure PC Ma	nager				8
A	Home	Group list > test2				
		test2				
.	Users					
	Groups	MEMBER LIST	🇱 SETUP 🕂 ADD MEMBER			
	PCs	EDIT DELETE		READ F	TILE DOWN	ILOAD MEMBER DATA
		Name	Status -			
		- Name 🛧	Email Address	Status	Label	Today's operating hours
		🗹 🛛 Ayaka Kobayashi	xxxxxxxx@example.com	7 day non-operating	HR	No operation
		Jasmin Jasmy	xxxxxxxx@example.com	7 day non-operating	eng	No operation
		kazuhiko sato	xxxxxxxxx@example.com	3 min Operating	МК	No operation
		•		Rows per page 10 👻	1 - 3 out of 3	► < < > >

Group members can only be edited in the "List View" of the "Group Members List" screen at

5. Displays the group member edit screen

Select a group member name

			2
•	Home	Group list > test2	
		test2	
-	Users		
•••	Groups	LIST SETUP + ADD MEMBER	
	PCs		NLOAD MEMBER DATA
		edit	. ≡ ○
		> Ayaka Kobayashi xxxxxxxx@example.com	Today's operating hours
		CANCEL	No operation
		Jasmin Jasmy jass.test2+081-stg-agentpro@gmail.com 5 day non-operating eng	No operation
		kazuhiko sato jass.test2+070-stg-agentpro@gmail.com 74 day non-operating MK	No operation
		Rows per page 10 + 1 - 3 out of 3	3 < < >>

Jasmy Corporation

6. The edit input screen will appear.

≡	Jasmy Secure PC M	Aanager	2
A	Home	Group list > test2	
•	Users	edit	
<u></u>	Groups	✓ Ayaka Kobayashi xxxxxxxxx@example.com	
	PCs	Family Name (kana) First Name (kana) Kobayashi Ayaka Family Name First Name Kobayashi First Name Kobayashi Ayaka Employee Number 40000069F Belong to Human Resource Label HR	LOAD MEMBER DATA • • = •
		CANCEL UPDATE Rows per page 10 + 1 - 3 out of 3	No operation

On this screen, you can edit the following items

- ♦ Family name (kana)
- ♦ kana
- ♦ family name
- ♦ name
- ♦ employee ID number
- \diamond belong to
- \diamond Labels.
- 7. When you are done editing, select the "Update" button


 ${<}\,\mathrm{How}$ to edit using CSV / TSV files.

1. Select the name of the group whose members you want to edit from the group list screen.

When the group member list screen appears, select the "DOWNLOAD MEMBER DATA" button.

	Jasmy Secure PC Ma	anager				8
÷	Home	Group list > test2				
		test2				
-	Users					
*	Groups	MEMBER LIST	🏟 SETUP 🕂 ADD MEMBER			
	PCs	EDIT DELETE		READ F	ILE DOWN	LOAD MEMBER DATA
		Name	Status -			. = .
		- Name 🛧	Email Address	Status	Label	Today's operating hours
		🗹 Ayaka Kobayashi	xxxxxxxxx@example.com	7 day non-operating	HR	No operation
		Jasmin Jasmy	xxxxxxxx@example.com	7 day non-operating	eng	No operation
		kazuhiko sato	xxxxxxxx@example.com	3 min Operating	МК	No operation
		•		Rows per page 10 👻	1 - 3 out of 3	► < < > >

Jasmy Corporation



2. Select "CSV Download" or "TSV Download" button

Jasmy Corporation

3. Select the "users.csv" or "users.tsv" file

✓ Downloads		×	+		-		×
\leftarrow \rightarrow \uparrow	C	Q	> Downloads >	Search Downloads			Q
🕀 New 🗸	0)	[]	a) c² û	↑↓ Sort ~ •••		📑 De	tails
☆ Home ☑ Gallery OneDrive - Personal			□ Name ✓ Today users.csv □ users.tsv				
🛄 Desktop		*	> Last week				
🚽 Downloads		*	> Last month				
Documents		*	/ Last month				
312 items							

4. Edit user information in the opened file

note (supplementary information) symbolRows cannot be added or deleted (users cannot be added or deleted)

<CSV file>.

×	users.cs\	v • この PC (ご	保存済み 〜		₽ 検索			Murao	ka Yoshiro 🛛		×
ファイ	(ル ホーム	挿入描	画 ページ	レイアウト	数式 データ	校閲	表示 自動化	と へルプ		☑ 共有	•
H6			fx								
	A	В	с	D	E		G			к	
1	*****	Suzuki	KaKazuya	Suzuki	Kazuya	Human Re	40000074L	HR			11
2	*****	tanabe	yoko	tanabe	yoko	Public Re	140000073E	PR			Ш
3	*****	Sasazuka	Ayumi	Sasazuka	Ayumi	Accountin	40000071F	ACCG			Ш
4	*****	Jasmy	Jasmin	Jasmy	Jasmin	Engineeri	40000072F	eng			Ш
5	*****	Kobayashi	Ayaka	Kobayashi	Ayaka	Human Re	40000069F	HR			U
6											
7											
8											
9											
10											
<		users								_	Þ
進備	完了 🎲 ア	クセシビリティ: ۶	利用不可						巴 -	 + 100)%

<TSV file>.

users.tsv	× +		- 1	_ >
File Edit View				Ę
cococococoelexample.com xococococoelexample.com xococococoelexample.com xococococoelexample.com xococococoelexample.com	Suzuki Kazuya Suzu Tanabe Yoko Tanal Sasazuka Ayum Jasmin Jasmin Jasm Kobayashi Ayaki	pe Yoko Public Relations 40000073B PR i Sasazuka Ayumi Accounting 40000071R / Jasmin Engineering 40000072R Eng	HR ACCG 40000069F	HF
Ln 1, Col 1 432 characters		100% Windows (CRLF)	UTF-8	

5. Select the "Load File" button on the group member list screen.

=	Jasmy Secure PC Ma	nager				8
÷	Home	Group list > test2				
		test2				
*	Users					
	Groups	MEMBER LIST	SETUP 🕂 ADD MEMBER			
	PCs	EDIT DELETE		READ F	TLE DOWN	ILOAD MEMBER DATA
		Name	Status 👻	DISPLAY INFORM	ATION SELECTION	. = ○ =
		😑 Name 🛧	Email Address	Status	Label	Today's operating hours
		🗹 🛛 Ayaka Kobayashi	xxxxxxxxx@example.com	7 day non-operating	HR	No operation
		Jasmin Jasmy	xxxxxxxx@example.com	7 day non-operating	eng	No operation
		📄 kazuhiko sato	xxxxxxxxx@example.com	3 min Operating	МК	No operation
				Rows per page 10 👻	1 - 3 out of 3	►

6. Select the "READ FILE" button

			2
•	Home	Group list > test1	
		test1	
•	Users		
	Groups	You can update member data by uploading a CSV or TSV file Please write the user data to be imported without headers, in the order of Email Address, Last Name, First Name, Last Name (Kana), First Name (Kana), Affiliation, Employee Number, and Label, with each	
	PCs	user on a new line For TSV files, please separate each field with a tab	LOAD MEMBER DATA
		CSV	
		user01@example.com, Smith, John, Smith, John, XX Corporation YY Section, 12345, Label 1 user02@example.com, Roe, Jane, Roe, Jane, XX Corporation ZZ Section, 67890, Label 2	Today's operating hour
		TSV	No operation
		user01@example.com Smith John Smith John XX Corporation YY Section 12345 Label 1 user02@example.com Roe Jane Roe Jane XX Corporation ZZ Section 67890 Label 2	No operation
		CANCEL READ FILE	No operation


7. Select the "users.csv" or "users.tsv" file you just edited and select the "Open" button

C Open					×
$\leftarrow \rightarrow ~ \checkmark ~ \uparrow$	$\underline{\downarrow}$ > Downloads	~	C	Search Downloads	م
Organize 🔻 New f	older			≣ .	- 🛯 😮
 ← Home Gallery OneDrive - Persor Desktop Downloads Documents Pictures 	Name				Date modified 11/10/2024 2:4 11/10/2024 2:3
Fil	e <u>n</u> ame:	Upload from	~ mobile	Custom files (*.csv;*	.tsv) V Cancel

8. A CSV or TSV file is uploaded and user information is edited

5.22 . Setting up alerts

1. From the menu on the left of the screen select " Groups " , or in the home " Number of groups "



2. A list of groups will be displayed, select the name of the group for which you want to set an alert

	Jasmy Secure PC Ma	anager			9
ŧ	Home	Group list Group List			
•	Users	Gloup List			
*	Groups	Group name			CREATE GROUP
	PCs	Group name 🛧	Updated date	Number of people	
	(test1	2024/11/10 10:16:35	3	
		test2	2024/11/10 10:28:43	3	
	test3	test3	2024/11/10 10:29:27	2	
	L L			Rows per page 10 👻 1 - 3 out of 3	$ \langle \rangle \rangle > \rangle$

3. Select the "SETUP" button in the group member list

<List View>

≡	Jasmy Secure PC Ma	anager				8
A	Home	Group list > test1				
		test1				
-	Users					
	Groups	LIST	SETUP + ADD MEMBER			
	PCs	EDIT DELETE		READ F	ILE DOWN	LOAD MEMBER DATA
		Name	Status -	DISPLAY INFORMATIC		. ≡ ○
		□ Name ↑	Email Address	Status	Label	Today's operating hours
		Ayumi Sasazuka	xxxxxxxxx@example.com	58 day non-operating	ACCG	No operation
		🗌 KaKazuya Suzuki	xxxxxxxxx@example.com	16 day non-operating	HR	No operation
		🗌 yoko tanabe	xxxxxxxx@example.com	64 day non-operating	PR	No operation
		4		Rows per page 10 👻	1 - 3 out of 3	► < < > >

<Card View>

	Jasmy Secure PC M	anager	9
♠	Home	Group list > test1	
•	Users	test1	
		ADD MEMBER	
	Groups		_
	PCs	READ FILE DOWNLOAD MEMBER DATA	
		Name Status -	ļ
		16 day non-operating 14 hour 14 min 64 day non-operating 23 hour 36 min 58 day non-operating 18 hour 11 mi	in
		KaKazuya Suzuki Employee Number: 400000 Belong to: Human Resourc xxxxxxxxxxx@example.com HR	
		Operating hours: No opera Operating hours: No opera Operating hours: No opera	

4. Displays the settings screen

The following 8 items can be set here

	Jasmy Secure PC M	Aanager (2
^	Home	Group list > test1 > Settings	
		test1	
•	Users	🛓 MEMBER LIST 🗱 SETUP + ADD MEMBER	
	Groups		
	PCs	BASIC SETTINGS APPLICATION URL NETWORK TITLE IP ADDRESS OPERATING STATUS OPERATION STAR	
		Group name delete group	
		test1	
		Owner	
		xxxxxxxx@example.com	
		AC xxxxxx@example.com	
		U DELETE	
		- DELETE	

- \triangleright basic setting
- Application
- > URL
- network
- ➤ Title.
- \succ IP address
- Availability
- Start of operation

Select the tab for the item you want to set and set each item

After setting, be sure to select the "Apply" button at the bottom of the screen.

\triangleright basic setting

You can delete groups and add/remove administrators

Jasmy Corporation

≡ Jasmy Se	PC Manager	3
🕇 Home	Member List SETUP + ADD Member	
Lusers	BASIC SETTINGS APPLICATION URL NETWORK TITLE IP ADDRESS OPERATING STATUS OPERATION START	
🚢 Groups	Group name DELETE GROUP	
🛄 PCs	test1	
	Owner	
	xxxxxxxxx@example.com	
	Administrator ADD	
	- DELETE	
	×××××××@example.com •	
	APPLICABLE TO	

\succ Application

Configure which applications are allowed to be used by users in managed groups

Immediately after switching tabs, each application item is closed.

Select the application name, open the item, and check the applications you want to allow use of.

I'm in.

<ItemClose state>.

	Manager	9
f Home	test1	
Lusers	🚨 MEMBER LIST 🎄 SETUP + ADD MEMBER	
Groups	BASIC SETTINGS APPLICATION URL NETWORK TITLE IP ADDRESS OPERATING STATUS OPERATION START	
D PCs	> Vindows Application (11)	
	> Zystem Tools 🔟	
	> 🔽 Nicrosoft365 (9)	
	> Zeusiness Application 7	
	> Zevelopment Tools ④	
	Creator Tools (8)	
	Chers () EDIT	
	APPLICABLE	

<Item Open State>.

Check the applications you want to allow

		8
🔒 Home	test1	
Lusers	🚊 MEMBER LIST 🏟 SETUP 🕂 ADD MEMBER	
Sroups	BASIC SETTINGS APPLICATION URL NETWORK TITLE IP ADDRESS OPERATING STATUS OPERATION START	
PCs	 ✓ ジ Windows Application 11 ✓ Microsoft Edge ジ Internet Explorer ジ Calculator ジ Calendar ジ Notepad ジ E-mail ジ Photos ジ Paint ジ Wordpad ジ Media Player ジ Microsoft Store ✓ ジ System Tools 10 	
	 Explorer Settings Command Prompt PickerHost ScreenClippingHost ShellExperienceHost StartMenuExperienceHost SearchHost ApplicationFrameHost Widgets Microsoft365 	J
) 🗾 Dualmana Application 🕤	

<If you want to add an item to the "Others" field

1 1 Select the "Edit" button on the far right of the others

≡ Jasmy Secure PC N	Manager 😩	
🔒 Home	Group list > test1 > Settings test1	
Lusers		
🔐 Groups	MEMBER LIST SETUP + ADD MEMBER	
D PCs	BASIC SETTINGS APPLICATION URL NETWORK TITLE IP ADDRESS OPERATING STATUS OPERATION START	
	> Windows Application	
	> System Tools	
	>	
	> Business Application	
	> Development Tools O	
	> Creator Tools ()	
	APPLICABLE TO	

② Other Permitted Applications dialog will appear

Enter the application name and exe name and select the " APPLICABLE TO" button

A	Home	Group list > test1 > Settings test1	
±	Users		
	Groups	MEMBER LIST ADD MEMBER	
	PCs	BASIC SETTINGS APPLICATION URL NETWORK TITLE IP ADDRESS OPERATING STATUS OPERATION START	
	rus	 others Application ApplicationFirst Name ApplicationFirst Name m input OBLETE B CANCEL APPLICABLE TO Development Tools (0) Creator Tools (0) 	
		✓ □ others ⓐ EDIT	
		APPLICABLE	

> URL

Enter the URL to deny access and select the "Apply" button Select the "Add" button (①) to add an input field

To delete an entry field, select the "Delete" button (2).

	Jasmy Secure PC M		8
^	Home	Group list > test1 > Settings	
		test1	
•	Users		
-	Groups	LIST SETUP + ADD MEMBER	
	PCs	BASIC SETTINGS APPLICATION URL NETWORK TITLE IP ADDRESS OPERATING STATUS OPERATION START	
-		Denial List	
		DELE	
		input	
		DELE	_
		DELE	TE
		(APPLICABLE TO	

> network

Set the networks you want to allow and select the " apply " button Three types of networks can be configured

- ♦ Intra-office network (SSID)
- \diamond Home network (SSID)
- ♦ Office VPN

Select the "Add" button (1) to add an input field

To delete an entry field, select the "Delete" button (2).

≡	Jasmy Secure PC M		e	3
÷	Home	Group list > test1 > Settings		
•	Users	test1		
	Groups	MEMBER LIST SETUP + ADD MEMBER		
	PCs	BASIC SETTINGS APPLICATION URL NETWORK TITLE IP ADDRESS OPERATING STATUS OPERATIO	IN START	
		In-office network(SSID)	ADD	1
		input	DELETE	ര
			DELETE	2
		Home Network Name(SSID)	ADD	1
		input	DELETE	2
			DELETE	
		Office VPN Name	ADD	1
		input	DELETE	2
			DELETE	
		APPLICABLE To		

If the network has been configured by the administrator, since then " Jasmy Secure PC A $\,$

Gent DR or PRO" Even if the connection destination is set up at , the network management by the administrator and the

be (auxiliary used in place of "aru" when forming a copula)

➤ Title.

Enter the title you want to deny access to and select the " apply " button Select the "Add" button (①) to add an input field

To delete an entry field, select the "Delete" button (2).

	Jasmy Secure PC M	lanager	8
•	Home	Group list > test1 > Settings	
		test1	
•	Users		
	Groups	LIST SETUP + ADD MEMBER	
	PCs	BASIC SETTINGS APPLICATION URL NETWORK TITLE IP ADDRESS OPERATING STATUS OPERATION START	r
	F03	Title Denial List	ADD (1)
			ELETE
			ELETE
			ELETE
			ELETE
		APPLICABLE	

➢ IP address

Enter the IP addresses you want to allow / deny and select the " $\ensuremath{\mathsf{Apply}}$ " button

Select the "Add" button (1) to add an input field

To delete an entry field, select the "Delete" button (2).

	Jasmy Secure PC Ma		8
ŧ	Home	Group list > test1 > Settings	
•	Users	test1	
•	Groups	LIST SETUP + ADD MEMBER	
	PCs	BASIC SETTINGS APPLICATION URL NETWORK TITLE IP ADDRESS OPERATING STATUS OPERATION S	TART
		Allow list input	ADD (1) DELETE DELETE (2)
		Denial List	ADD (1)
		input	DELETE
		APPLICABLE	

Availability

Here you can set up work hours and time-specific notifications

 \diamond Working hours ((1))

Set the working hours of the group.

♦ Time-specified notice (2)

Time and day to check one of the four statuses (active, rest, away, or inactive)

Set the date

After theabove settings, select the "apply " button

To add an entry field, select the " Add a notice" button (3).

To delete an entry field, select the "Delete" button (4).

≡ Jasmy Secure PC M	lanager 🔹
A Home	Group list > test1 > Settings test1
LUsers	
Sroups	L MEMBER LIST SETUP + ADD MEMBER
D PCs	BASIC SETTINGS APPLICATION URL NETWORK TITLE IP ADDRESS OPERATING STATUS OPERATION START
(Working Hours
	09 - : 00 - ~ 18 - : 00 -
Ć	2) Time Designation Notice
	Operating - 09 - : 00 - MON TUE WED THU FRI SAT SUN DELETE
	Operating + 12 + : 00 + MON TUE WED THU FRI SAT SUN DELETE
	Operating • 09 • : 00 • MON TUE WED THU FRI SAT SUN DELETE
	APPLICABLE TO

> Start of operation

Sets the days of the week that users in the group will operate

If you set this up, a notification email will be sent when the start of operation is confirmed for each user on the day of the week they are scheduled to operate.

After setting the user (①) and operating day (②), select "Apply " button

To add an entry field, select the "Add a notice" button (③)

To delete an entry field, select the "Delete" button (4).

	Jasmy Secure PC M	lanager 🕘
ŧ	Home	Group list > test1 > Settings
	Users	test1
		👱 MEMBER LIST 🎄 SETUP 🕂 ADD MEMBER
	Groups	BASIC SETTINGS APPLICATION URL NETWORK TITLE IP ADDRESS OPERATING STATUS
	PCs	
		Operation start notice
		User KaKazuya Suzuki, xxxxxxxxx@example.com - MON TUE WED THU FRI SAT SUN DELETE
		User yoko tanabe xxxxxxxx@example.com • MON TUE WED THU FRI SAT SUN DELETE
		User Ayumi Sasazuka, xxxxxxxxxxx@example.com MON TUE WED THU FRI SAT SUN
		APPLICABLE TO


Select the "Apply " button in each tab to complete the alert configuration.

If a user under your control violates any of the settings you have set, you will be notified by the administrator.

Send a notification email

5.23 . Removing members from a group

1. From the menu on the left of the home screen, select " Groups " , or " Number of groups " in the home



Jasmy Corporation

	Jasmy Secure PC M	anager			8
÷	Home	Group list			
•	Users	Gloup List			
	Groups	Group name			CREATE GROUP
므	PCs	Group name 🛧	Updated date	Number of people	
		test1	2024/11/10 10:16:35	3	
		test2	2024/11/10 10:28:43	3	
		test3	2024/11/10 10:29:27	2	
				Rows per page 10 👻 1 - 3 out of 3	$ \langle \langle \rangle \rangle \rightarrow $

2. Select the name of the group with the user you wish to delete


3. The list screen of the group member list is displayed at , and the check box of the user you want to delete is displayed.Check the "x" box.

=	Jasmy Secure PC Ma	anager				8
•	Home	Group list > test1				
		test1				
•	Users					
	Groups	MEMBER LIST	SETUP + ADD MEMBER			
	PCs	EDIT DELETE		READ F	ILE DOWN	ILOAD MEMBER DATA
_		Name	Status -	DISPLAY INFORMATIC	ON SELECTION	
	ĺ	□ Name ↑	Email Address	Status	Label	Today's operating hours
		Ayumi Sasazuka	xxxxxxxx@example.com	58 day non-operating	ACCG	No operation
		🗌 KaKazuya Suzuki	xxxxxxxxx@example.com	16 day non-operating	HR	No operation
	l	yoko tanabe	xxxxxxxxx@example.com	64 day non-operating	PR	No operation
		4		Rows per page 10 👻	1 - 3 out of 3	► < < > >

<List View>

Deleting a group member can be done only in the "List view" of the "Group member list" screen.

4. After checking the users you want to remove from the group, select the " Delete" button



5. The Delete User dialog will appear. Make sure you have the correct user to delete and click on the Select the "DELETE" button

≡	Jasmy Secure PC	Manager	2
A	Home	Group list > test2	
•	Users	ADD MEMBER LIST 🏚 SETUP + ADD MEMBER	
<u></u>	Groups	Delete User	OAD MEMBER DATA
	PCs	Name Email Address Ayaka Kobayashi ××××××××@example.com	
		Are you sure you want to remove	Today's operating
		CANCEL	No operation
			No operation
		- ××××××××@example.com 60日 非稼働 stg-agentpro@gmail.com 74 day non-operating M	K No operation
		《 ×××××××∞@example.com 60日 非確也 Rows per page 10 ~ 1 - 3 out of	3 < < >>

Jasmy Corporation

6. the selected user will be removed from the selected group

≡	Jasmy Secure PC M	anager				8
A	Home	Group list > test2				
		test2				
-	Users					
	Groups	MEMBER LIST	r 🏟 setup 🕂 add memb	ER		
	PCs	EDIT DELETE		READ F	ILE DOW	NLOAD MEMBER DATA
		Name	Status -			. ≡ ○
		□ Name ↑	Email Address	Status	Label	Today's operating hours
		Jasmin Jasmy	xxxxxxxx@example.com	5 day non-operating	eng	No operation
		🗌 kazuhiko sato	xxxxxxxxx@example.com	74 day non-operating	МК	No operation
				Rows per page 10 👻	1 - 2 out of 2	► < < > >

Deletion here is only from the group, not from the managed users.

5.24 . Delete group

*When deleting a group, <u>When deleting a group, make sure that all alert settings</u> When deleting a group, make sure that all alert settings are removed before deleting.

You should go.

1. From the menu on the left of the home screen, select " Groups " , or " Number of groups " in the home

≡ Jasmy Secure PC M	lanager		2
A Home ▲ Users	Home Home		
Groups	Number of users Z Display the list page	Number of groups	Number of PCs
			ver: 3.0.0.76bfd7b

Jasmy Corporation

CREATE GROUP
CREATE GROUP
CREATE GROUP
< < > >

2. Select the name of the group you wish to delete

3. When the list of group members appears, select the "settings" tab

<List View>

	Jasmy Secure PC Ma	anager				8
A	Home	Group list > test1				
<u>.</u>	Users	test1				
*	Groups	MEMBER LIST	SETUP + ADD MEMBER			
	PCs	EDIT DELETE		READ FI	ILE DOWN	ILOAD MEMBER DATA
		Name	Status -	DISPLAY INFORMATIO	IN SELECTION	. ≡ ○ 1
		□ Name ↑	Email Address	Status	Label	Today's operating hours
		Ayumi Sasazuka	xxxxxxxx@example.com	58 day non-operating	ACCG	No operation
		🗌 KaKazuya Suzuki	xxxxxxxx@example.com	16 day non-operating	HR	No operation
		🗌 yoko tanabe	xxxxxxxxœexample.com	64 day non-operating	PR	No operation
		4		Rows per page 10 👻	1 - 3 out of 3	► < < > >

<Card View>

≡	Jasmy Secure PC M	lanager	2
ŧ	Home	Group list > test1	
		test1	
-	Users	MEMBER LIST AS SETUP + ADD MEMBER	
	Groups	MEMBER LIST ADD MEMBER	
	PCs	READ FILE DOWNLOAD MEMBER DAT	A
		Name Status 👻]
		16 day non-operating 14 hour 14 min 64 day non-operating 23 hour 36 min 58 day non-operating 18 hour 11 m	in
		KaKazuya Suzuki yoko tanabe Employee Number: 40000 Employee Number: 40000 Belong to: Human Resourc Employee Number: 40000 XXXXXXXXX @example.com PR Operating hours: No opera Operating hours: No opera	
		Operating hours: No opera Operating hours: No opera Operating hours: No opera	·
			_

4. Select the " delete group" button to the right of the group name in the settings screen

=	Jasmy Secure PC M	anager 🧧)
A	Home	Group list > test1 > Settings test1	
*	Users		
	Groups	L MEMBER LIST C SETUP + ADD MEMBER	
	PCs	BASIC SETTINGS APPLICATION URL NETWORK TITLE IP ADDRESS OPERATING STATUS OPERATION START	
		Group name	
		test1	
		Owner	
		xxxxxxxxxx@example.com	
		Ac xxxxxxx@example.com	
		▼ DELETE	
		▼ DELETE	

When deleting a group, make sure that all <u>alert settings</u> are removed before deleting the group.

You should go.


5. The Delete Group dialog will appear, make sure the delete group is correct, and click on theSelect the " Delete" button

≡ Jasmy Secure PC M	lanager	2
A Home	Group list > test1 > Settings test1	
Users Groups	Le member list Setup + add member	
💻 PCs	BASIC SETTINGS APPLICATION URL NETWORK TITLE IP ADDRESS OPERATING STATUS Group name Delete Group Delete Group </th <th>2 P</th>	2 P
	test1 CANCEL DELETE	
	xxxxxxxxx@example.com Administrator	

6. the selected group will be removed from the group list

5.25 . Display of list of PCs under management

1. Select "PC" in the menu on the left of the home screen, or "Number of PCs" in the home



2. The list of PCs managed by the currently logged-in administrator will be displayed.

= .	Jasmy Secure PC Ma	anager				2	
*	PCs List PCs List Computer Name	1		(9) DISPLAY INFORMATION SEL		DAD CSV FILE	
	Computer Name	Product Name	CPU	Last Modified Date	Last User	Detail	8
	JASMINPC 2 LAPTOP-AINV187F	82ND 3 81NB	AMD Ryzen 5 5500U with Radeon Graphics	2024/11/03 12:56:21 5 2024/09/12 11:05:05	Jasmin Jasmy 6 hiromi miyamoto	DETAIL	D
	WPL-WC02	82R3	AMD Ryzen 3 5300U with Radeon Graphics	2024/10/24 19:20:32	KaKazuya Suzuki	DETAIL	

> Computer name search box (1)

You can search for a PC by entering the computer name (partial match)

➤ Computer name (②)

Displays the name of the computer being managed

> Product name (③)

Displays the product name of the PC being managed

➢ CPU(④)

Displays the CPU of the PC being managed

 \succ Last updated (5)

Displays the last update date and time of the managed PC

 \succ Last user (6)

Displays the last user of the managed PC

➢ "Detail" button (⑦)

Displays the PC detail screen

For details, see "<u>5..227. Managed PPCsViewing Detailed Information on</u> for more information.

▶ Item title (⑧)

By selecting the title of each item, you can change the order of each item in ascending or descending order

The item to be displayed can be selected by clicking the "Select Displayed Information (9)" button.

Jasmy Corporation

> "Select display information" button ((9)

Displays a list of information you want to display in the PC list

For details, see "<u>5.26. Managed PPCsSetting of Items to be Displayed in the List of</u> for more details.

 \succ "Select display information" button (10)

Information on the PC list can be downloaded as a CSV file

5.26 . Setting of items to be displayed in the list of PCs under management

1. Select "PC" in the menu on the left of the home screen, or "Number of PCs" in the home

=	Jasmy Secure PC N	lanager		8
^	Home	Home Home		
-	Ontups PCs	Number of users	Number of groups	Number of PCs 6 Display the list page
				ver: 3.0.0.76bfd7b

2. From the PC list, select the "DISPLAY INFORMATION SELECTION" button

_ J	Jasmy Secure PC Ma	anager				8
	PCs List PCs List					
	Computer Name			DISPLAY INFORMATION SEL		AD CSV FILE
	Computer Name	Product Name	CPU	Last Modified Date	Last User	Detail
	JASMINPC	82ND	AMD Ryzen 5 5500U with Radeon Graphics	2024/11/03 12:56:21	Jasmin Jasmy	DETAIL
	LAPTOP-AINV187F	81NB	AMD Ryzen 5 3500U with Radeon Vega Mobi	le Gfx 2024/09/12 11:05:05	hiromi miyamoto	DETAIL
	WPL-WC02	82R3	AMD Ryzen 3 5300U with Radeon Graphics	2024/10/24 19:20:32	KaKazuya Suzuki	DETAIL

3. From the Select Display Information dialog, check the items you want to display in the PC list, and click the "Display Information" button to display them in the list.

Select a location outside of the list (selecting a location outside of the list will close the list)

Display	/ information selection	
	Computer Name	1
	Product Name	
	Product	
	Serial Number	
	os	
	OS Version	
	OS Edition	
	OS Name	
	CPU	
	Number of Cores	
	Maximum frequency	
	GPU	
	GPU Memory	
	GPU Туре	
	GPU Driver Version	
	GPU Memory	
	GPU Туре	
	GPU Driver Version	
	Motherboard	
	Motherboard Manufacturer	
	Memory	
	Memory Manufacturer	
	Memory Operating Frequency	
	Memory Size	
	Storage Capacity	
	Storage Product Name	
	Storage Type	
	Agent Version	
	Last Modified Date	
	Last User	•

4. Items checked in the Display Information List dialog are now displayed in the PC list.

2 PCs List ħ PCs List <u>.</u> Computer Name * Product Name CPU Last Modified Date Computer Name Last User Detail JASMINPC AMD Ryzen 5 5500U with Radeon Graphics 2024/11/03 12:56:21 Jasmin Jasmy DETAIL 82ND hiromi LAPTOP-AINV187F 81NB AMD Ryzen 5 3500U with Radeon Vega Mobile Gfx 2024/09/12 11:05:05 DETAIL miyamoto KaKazuya WPL-WC02 82R3 AMD Ryzen 3 5300U with Radeon Graphics 2024/10/24 19:20:32 DETAIL Suzuki

be (auxiliary used in place of "aru" when forming a copula)

5.27 . Display of detailed information on PCs under management

1. Select "PC" in the menu on the left of the home screen, or "Number of PCs" in the home

=	Jasmy Secure PC M	lanager		2
ħ	Home	Home		
•	Users Groups	Number of users	Number of groups	Number of PCs
	PCs	Display the list page	Display the list page	Display the list page
				ver: 3.0.0.76bfd7b

2. Select the PC you want to display detailed information from the PC list and select the " Details" button on the far right

	lasmy Secure PC Ma	anager				2
^ ÷	PCs List PCs List					
-	Computer Name			DISPLAY INFORMATION SEL		DAD CSV FILE
	Computer Name	Product Name	CPU	Last Modified Date	Last User	Detail
	JASMINPC	82ND	AMD Ryzen 5 5500U with Radeon Graphics	2024/11/03 12:56:21	Jasmin Jasmy	DETAIL
	LAPTOP-AINV187F	81NB	AMD Ryzen 5 3500U with Radeon Vega Mobile	e Gfx 2024/09/12 11:05:05	hiromi miyamoto	DETAIL
	WPL-WC02	82R3	AMD Ryzen 3 5300U with Radeon Graphics	2024/10/24 19:20:32	KaKazuya Suzuki	DETAIL

3. Displays detailed information about the selected PC

PC details		
Last Modified Date	2024/11/03 12:56:21	ÎÎ
Computer Name	JASMINPC	
Product Name	82ND	
Product	LENOVO	
Serial Number	MP2333ZK	
OS	Microsoft Windows 11 Pro	
1 OS Version	10.0.22631	
User List (7)		
Name Not set		
Name Not set		
X7 X7.44		*


This section displays the following items for the selected PC

- ♦ Last update
- ♦ computer-name
- ♦ Product name
- ♦ manufacture
- \diamond serial number
- \diamond OS
- \diamond OS Version
- ♦ OS Edition
- ♦ OS Name
- \diamond Number of cores
- ♦ Maximum frequency
- ♦ GPU

- ♦ GPU Memory
- ♦ GPU Type
- ♦ GPU Driver Version
- \diamond motherboard
- $\diamond \quad \text{Motherboard Manufacturer}$
- \diamond memory
- \diamond memory maker
- \diamond memory operating frequency
- $\Leftrightarrow \quad \text{Amount of memory} \quad$
- ♦ Storage Capacity
- \diamond Storage Product Name
- ♦ Storage Type
- \diamond Agent Version
- \diamond end user

5.28 . search for controlled PCs

1. Select "PC" in the menu on the left of the home screen, or "Number of PCs" in the home



Jasmy Corporation

2. Enter search terms in the search box

≡ J	Jasmy Secure PC Ma	inager				8
↑	PCs List PCs List					
*	Computer Name			DISPLAY INFORMATION SEL	ECTION DOWNLO	DAD CSV FILE
	Computer Name	Product Name	CPU	Last Modified Date	Last User	Detail
	JASMINPC	82ND	AMD Ryzen 5 5500U with Radeon Graphics	2024/11/03 12:56:21	Jasmin Jasmy	DETAIL
	LAPTOP-AINV187F	81NB	AMD Ryzen 5 3500U with Radeon Vega Mobili	e Gfx 2024/09/12 11:05:05	hiromi miyamoto	DETAIL
	WPL-WC02	82R3	AMD Ryzen 3 5300U with Radeon Graphics	2024/10/24 19:20:32	KaKazuya Suzuki	DETAIL

Enter the computer name of the PC you wish to search for in the search keywords field

The search method is partial match.

5.29 . Reset password

1. Select " If you forgot your password" on the login screen

Jasmy Secure PC Manager

login
Email Address *
Password *
If you forget your password
LOGIN

2. On the password reset screen, enter your registered email address

Jasmy Secure PC Manager

Reset the password settings
Please enter your registered email address. We will send you a verification code required to reset your password.
Email Address *
email@examp input n
The page will automatically switch after sending the verification code successfully
SEND VERIFICATION CODE

Return to login page


3. Select the "SEND VERIFICATION CODE" button

Jasmy Secure PC Manager

Reset the password settings		
Please enter your registered email address. We will send you a verification code required to reset your password.		
Email Address *		
xxxxxxxxx@example.com		
The page will automatically switch after sending the verification code successfully		
SEND VERIFICATION CODE		

Return to login page

4. A password reset notification e-mail will be sent to the e-mail address you entered.



5. Enter the verification code and new password provided in the email

Jasmy Secure PC Manager

Reset the password	settings		
xxxxxxxxx@examp	le.com		
Verification code * input			
password must be at least 8 characters long and must contain at least one alphabetic character and one			
number. (Allowed characters, 0~9, a~z, A~Z, .?/-)			
	A~Z, .?/-)		
New Password *	A~Z, .?/-)		
New Password *	input input		

Resend verification code

The authentication code is valid for <u>one</u> hour <u>after the</u> password reset <u>notification e-mail is received</u>.

6. Select the "Reset Password" button


Jasmy Secure PC Manager

Reset the password settings
xxxxxxxxx@example.com
Verification code *
xxxxxxx
password must be at least 8 characters long and must contain at least one alphabetic character and one number. (Allowed characters, 0~9, a~z, A~Z, .?/-) New Password *
Confirm New Password *
RESET THE PASSWORD SETTINGS

Resend verification code

7. Password reset completed.

5.30 . How to log out



1. In the upper right corner of the screen Admin Menu Select

2. A menu will appear, select " Logout"


8	xxxxxxxxx@example.com	
۲	Language setting	
Ø	FAQ	
I ~	End User License Agreement	
[→	logout	

3. Logout is complete and the login screen appears.

Jasmy Secure PC Manager

login			
Email Address *			
Password *			
If you forget your password			
LOGIN			

5.31 . language settings



1. Select admin menu in the upper right corner of the screen

2. A menu will appear, select " Language Settings"

8	
2 xxxxxxxx@example.com	
Language setting	
FAQ	
Ev End User License Agreement	
[→ logout	

3. Choose your language.

	Language setting	
	English	
0	日本語	
:	English	

Usually, the Agent's language setting is reflected.

6. upgrade from Jasmy Secure PC Agent DR to PRO

If a managed user upgrades from "Jasmy Secure PC Agent DR" to "Jasmy Secure PC Agent PRO", the data from the DR version will be carried over and will continue to be visible. The data from the DR version will be carried over and can continue to be viewed.

In addition, users who have been managed as DR version users will be managed as managed users.

7. restrictions

The login password must be a combination of one-byte alphanumeric characters and must be at least 8 characters long, including at least one number.

Please set up on the

Even if a user is added, the user list will not be updated until the user who made the administrative request accepts the request.

The information is not displayed in the

Even if an online command is issued to a terminal using Agent DR, it will not be executed. On

Line commands can only be executed on Agent PRO-enabled terminals.

Screen lock: The OFF command can be issued but will not be executed.

If you delete a user from the list of users under your control, any commands that have already been issued can be canceled.

Line.

User operating hours do not take into account breaks, etc. The value is displayed as an approximate value, and therefore

The information may be inaccurate due to the fact that it is not always accurate.

The operation status (active/away/rest/not active) is automatically determined based on the behavior of the input device and is displayed in the table.

The actual display may differ due to the nature of the display.

The number of mouse clicks depends on the mouse wheel and the type of mouse used.

The number of clicks may not be accurately counted in some cases.

When the administrative user (Agent user) is not connected to the network, or when the Agent is not in use, the user may not be able to use the Agent.

The user's device details will not be updated. If it is not updated, the usage status of the administrative user.

Please check the status.

8. OSS Licenses

This application includes modules under the following OSS licenses.

•Apache License 2.0

Apache License Version 2.0, January 2004 http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

- 2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
- 3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
- 4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of

the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

- 5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
- 6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
- 7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
- 8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a

result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

•The MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit

Jasmy Corporation

persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

•Zero-Clause BSD (0BSD)

SPDX short identifier: 0BSD

Note: Despite its name, Zero-Clause BSD is an alteration of the <u>ISC license</u>, and is not textually derived from licenses in the BSD family. Zero-Clause BSD was originally approved under the name "Free Public License 1.0.0".

•Zero-Clause BSD

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

·ISC License (ISC)

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

•The 2-Clause BSD License

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

•The 3-Clause BSD License

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Jasmy Corporation

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

•CC0 1.0 Universal

CREATIVE COMMONS CORPORATION IS NOT A LAW FIRM AND DOES NOT PROVIDE LEGAL SERVICES. DISTRIBUTION OF THIS DOCUMENT DOES NOT CREATE AN ATTORNEY-CLIENT RELATIONSHIP. CREATIVE COMMONS PROVIDES THIS INFORMATION ON AN "AS-IS" BASIS. CREATIVE COMMONS MAKES NO WARRANTIES REGARDING THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER, AND DISCLAIMS LIABILITY FOR DAMAGES RESULTING FROM THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER.

Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
- v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
- vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal

protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and

vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

4. Limitations and Disclaimers.

- a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.
- b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.
- c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's

Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.

d. Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

•Creative Commons Attribution 4.0 International Public License

By exercising the Licensed Rights (defined below), You accept and agree to be bound by the terms and conditions of this Creative Commons Attribution 4.0 International Public License ("Public License"). To the extent this Public License may be interpreted as a contract, You are granted the Licensed Rights in consideration of Your acceptance of these terms and conditions, and the Licensor grants You such rights in consideration of benefits the Licensor receives from making the Licensed Material available under these terms and conditions.

Section 1 – Definitions.

- a. Adapted Material means material subject to Copyright and Similar Rights that is derived from or based upon the Licensed Material and in which the Licensed Material is translated, altered, arranged, transformed, or otherwise modified in a manner requiring permission under the Copyright and Similar Rights held by the Licensor. For purposes of this Public License, where the Licensed Material is a musical work, performance, or sound recording, Adapted Material is always produced where the Licensed Material is synched in timed relation with a moving image.
- b. **Adapter's License** means the license You apply to Your Copyright and Similar Rights in Your contributions to Adapted Material in accordance with the terms and conditions of this Public License.
- c. **Copyright and Similar Rights** means copyright and/or similar rights closely related to copyright including, without limitation, performance, broadcast, sound recording, and Sui Generis Database Rights, without regard to how the rights are labeled or categorized. For purposes of this Public License, the rights specified in Section <u>2(b)(1)-(2)</u> are not Copyright and Similar Rights.
- d. Effective Technological Measures means those measures that, in the absence of proper authority, may not be circumvented under laws fulfilling obligations under Article 11 of the WIPO Copyright Treaty adopted on December 20, 1996, and/or similar international agreements.
- e. **Exceptions and Limitations** means fair use, fair dealing, and/or any other exception or limitation to Copyright and Similar Rights that applies to Your use of the Licensed Material.
- f. Licensed Material means the artistic or literary work, database, or other material to which the Licensor applied this Public License.

- g. Licensed Rights means the rights granted to You subject to the terms and conditions of this Public License, which are limited to all Copyright and Similar Rights that apply to Your use of the Licensed Material and that the Licensor has authority to license.
- h. Licensor means the individual(s) or entity(ies) granting rights under this Public License.
- i. **Share** means to provide material to the public by any means or process that requires permission under the Licensed Rights, such as reproduction, public display, public performance, distribution, dissemination, communication, or importation, and to make material available to the public including in ways that members of the public may access the material from a place and at a time individually chosen by them.
- j. Sui Generis Database Rights means rights other than copyright resulting from Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, as amended and/or succeeded, as well as other essentially equivalent rights anywhere in the world.
- k. **You** means the individual or entity exercising the Licensed Rights under this Public License. **Your** has a corresponding meaning.

Section 2 – Scope.

- a. License grant.
 - 1. Subject to the terms and conditions of this Public License, the Licensor hereby grants You a worldwide, royalty-free, non-sublicensable, nonexclusive, irrevocable license to exercise the Licensed Rights in the Licensed Material to:
 - A. reproduce and Share the Licensed Material, in whole or in part; and
 - B. produce, reproduce, and Share Adapted Material.
 - 2. <u>Exceptions and Limitations</u>. For the avoidance of doubt, where Exceptions and Limitations apply to Your use, this Public License does not apply, and You do not need to comply with its terms and conditions.
 - 3. <u>Term</u>. The term of this Public License is specified in Section 6(a).
 - 4. <u>Media and formats; technical modifications allowed</u>. The Licensor authorizes You to exercise the Licensed Rights in all media and formats whether now known or hereafter created, and to make technical modifications necessary to do so. The Licensor waives and/or agrees not to assert any right or authority to forbid You from making technical modifications necessary to exercise the Licensed Rights, including technical modifications necessary to circumvent Effective Technological Measures. For purposes of this Public License, simply making modifications authorized by this Section <u>2(a)(4)</u> never produces Adapted Material.
 - 5. <u>Downstream recipients</u>.

- A. <u>Offer from the Licensor Licensed Material</u>. Every recipient of the Licensed Material automatically receives an offer from the Licensor to exercise the Licensed Rights under the terms and conditions of this Public License.
- B. <u>No downstream restrictions</u>. You may not offer or impose any additional or different terms or conditions on, or apply any Effective Technological Measures to, the Licensed Material if doing so restricts exercise of the Licensed Rights by any recipient of the Licensed Material.
- 6. <u>No endorsement</u>. Nothing in this Public License constitutes or may be construed as permission to assert or imply that You are, or that Your use of the Licensed Material is, connected with, or sponsored, endorsed, or granted official status by, the Licensor or others designated to receive attribution as provided in Section <u>3(a)(1)(A)(i)</u>.

b. Other rights.

- 1. Moral rights, such as the right of integrity, are not licensed under this Public License, nor are publicity, privacy, and/or other similar personality rights; however, to the extent possible, the Licensor waives and/or agrees not to assert any such rights held by the Licensor to the limited extent necessary to allow You to exercise the Licensed Rights, but not otherwise.
- 2. Patent and trademark rights are not licensed under this Public License.
- 3. To the extent possible, the Licensor waives any right to collect royalties from You for the exercise of the Licensed Rights, whether directly or through a collecting society under any voluntary or waivable statutory or compulsory licensing scheme. In all other cases the Licensor expressly reserves any right to collect such royalties.

Section 3 – License Conditions.

Your exercise of the Licensed Rights is expressly made subject to the following conditions.

a. Attribution.

- 1. If You Share the Licensed Material (including in modified form), You must:
 - A. retain the following if it is supplied by the Licensor with the Licensed Material:
 - i. identification of the creator(s) of the Licensed Material and any others designated to receive attribution, in any reasonable manner requested by the Licensor (including by pseudonym if designated);
 - ii. a copyright notice;
 - iii. a notice that refers to this Public License;

- iv. a notice that refers to the disclaimer of warranties;
- v. a URI or hyperlink to the Licensed Material to the extent reasonably practicable;
- B. indicate if You modified the Licensed Material and retain an indication of any previous modifications; and
- C. indicate the Licensed Material is licensed under this Public License, and include the text of, or the URI or hyperlink to, this Public License.
- 2. You may satisfy the conditions in Section <u>3(a)(1)</u> in any reasonable manner based on the medium, means, and context in which You Share the Licensed Material. For example, it may be reasonable to satisfy the conditions by providing a URI or hyperlink to a resource that includes the required information.
- 3. If requested by the Licensor, You must remove any of the information required by Section $\frac{3(a)(1)(A)}{2}$ to the extent reasonably practicable.
- 4. If You Share Adapted Material You produce, the Adapter's License You apply must not prevent recipients of the Adapted Material from complying with this Public License.

Section 4 - Sui Generis Database Rights.

Where the Licensed Rights include Sui Generis Database Rights that apply to Your use of the Licensed Material:

- a. for the avoidance of doubt, Section <u>2(a)(1)</u> grants You the right to extract, reuse, reproduce, and Share all or a substantial portion of the contents of the database;
- b. if You include all or a substantial portion of the database contents in a database in which You have Sui Generis Database Rights, then the database in which You have Sui Generis Database Rights (but not its individual contents) is Adapted Material; and
- c. You must comply with the conditions in Section <u>3(a)</u> if You Share all or a substantial portion of the contents of the database.

For the avoidance of doubt, this Section $\underline{4}$ supplements and does not replace Your obligations under this Public License where the Licensed Rights include other Copyright and Similar Rights.

Section 5 - Disclaimer of Warranties and Limitation of Liability.

a. Unless otherwise separately undertaken by the Licensor, to the extent possible, the Licensor offers the Licensed Material as-is and asavailable, and makes no representations or warranties of any kind concerning the Licensed Material, whether express, implied, statutory, or other. This includes, without limitation, warranties of title, merchantability, fitness for a particular purpose, noninfringement, absence of latent or other defects, accuracy, or the presence or absence of errors, whether or not known or discoverable. Where disclaimers of warranties are not allowed in full or in part, this disclaimer may not apply to You.

- b. To the extent possible, in no event will the Licensor be liable to You on any legal theory (including, without limitation, negligence) or otherwise for any direct, special, indirect, incidental, consequential, punitive, exemplary, or other losses, costs, expenses, or damages arising out of this Public License or use of the Licensed Material, even if the Licensor has been advised of the possibility of such losses, costs, expenses, or damages. Where a limitation of liability is not allowed in full or in part, this limitation may not apply to You.
- c. The disclaimer of warranties and limitation of liability provided above shall be interpreted in a manner that, to the extent possible, most closely approximates an absolute disclaimer and waiver of all liability.

Section 6 – Term and Termination.

- a. This Public License applies for the term of the Copyright and Similar Rights licensed here. However, if You fail to comply with this Public License, then Your rights under this Public License terminate automatically.
- b. Where Your right to use the Licensed Material has terminated under Section <u>6(a)</u>, it reinstates:
 - 1. automatically as of the date the violation is cured, provided it is cured within 30 days of Your discovery of the violation; or
 - 2. upon express reinstatement by the Licensor.

For the avoidance of doubt, this Section $\underline{6(b)}$ does not affect any right the Licensor may have to seek remedies for Your violations of this Public License.

- c. For the avoidance of doubt, the Licensor may also offer the Licensed Material under separate terms or conditions or stop distributing the Licensed Material at any time; however, doing so will not terminate this Public License.
- d. Sections <u>1</u>, <u>5</u>, <u>6</u>, <u>7</u>, and <u>8</u> survive termination of this Public License.

Section 7 - Other Terms and Conditions.

- a. The Licensor shall not be bound by any additional or different terms or conditions communicated by You unless expressly agreed.
- b. Any arrangements, understandings, or agreements regarding the Licensed Material not stated herein are separate from and independent of the terms and conditions of this Public License.

Section 8 - Interpretation.

- a. For the avoidance of doubt, this Public License does not, and shall not be interpreted to, reduce, limit, restrict, or impose conditions on any use of the Licensed Material that could lawfully be made without permission under this Public License.
- b. To the extent possible, if any provision of this Public License is deemed unenforceable, it shall be automatically reformed to the minimum extent

necessary to make it enforceable. If the provision cannot be reformed, it shall be severed from this Public License without affecting the enforceability of the remaining terms and conditions.

- c. No term or condition of this Public License will be waived and no failure to comply consented to unless expressly agreed to by the Licensor.
- d. Nothing in this Public License constitutes or may be interpreted as a limitation upon, or waiver of, any privileges and immunities that apply to the Licensor or You, including from the legal processes of any jurisdiction or authority.

Creative Commons is not a party to its public licenses. Notwithstanding, Creative Commons may elect to apply one of its public licenses to material it publishes and in those instances will be considered the "Licensor." The text of the Creative Commons public licenses is dedicated to the public domain under the <u>CCO Public Domain</u> <u>Dedication</u>. Except for the limited purpose of indicating that material is shared under a Creative Commons public license or as otherwise permitted by the Creative Commons policies published at <u>creativecommons.org/policies</u>, Creative Commons does not authorize the use of the trademark "Creative Commons" or any other trademark or logo of Creative Commons without its prior written consent including, without limitation, in connection with any unauthorized modifications to any of its public licenses or any other arrangements, understandings, or agreements concerning use of licensed material. For the avoidance of doubt, this paragraph does not form part of the public licenses.

Creative Commons may be contacted at <u>creativecommons.org</u>.